



[Manuals.plus](#) /

› [Emtek](#) /

› [Emtek 86687 Jasper 4-Inch Bar Cabinet Pull Installation and Care Guide](#)

## Emtek 86687

# Emtek 86687 Jasper 4-Inch Bar Cabinet Pull Installation and Care Guide

## 1. INTRODUCTION

---

This manual provides detailed instructions for the proper installation, maintenance, and care of your Emtek 86687 Jasper 4-Inch Center to Center Bar Cabinet Pull. Please read these instructions thoroughly before beginning installation to ensure a successful and lasting application. Retain this manual for future reference.

## 2. PRODUCT OVERVIEW

---

The Emtek 86687 Jasper Bar Cabinet Pull is a modern design element crafted to enhance your cabinetry. Featuring a 4-inch center-to-center spacing, this pull is constructed from durable brass with a powder-coated finish, ensuring both aesthetic appeal and longevity. Its T-shaped design from the Industrial Modern Collection offers a sleek and functional addition to any space.



Image 1: A selection of Emtex Jasper bar cabinet pulls, showcasing different lengths and finishes available within the collection. The 4-inch pull is part of this versatile range.

### 3. PACKAGE CONTENTS

---

Verify that all components are present before beginning installation:

- 1 x Emtex 86687 Jasper 4-Inch Bar Cabinet Pull
- 1 x Mounting Screw

### 4. TOOLS REQUIRED

---

The following tools are recommended for installation:

- Pencil
- Measuring Tape or Ruler
- Drill with appropriate drill bit (typically 3/16" or 5mm for cabinet hardware)
- Phillips Head Screwdriver

### 5. INSTALLATION INSTRUCTIONS

---

Follow these steps for secure installation of your cabinet pull:

1. **Prepare the Cabinet Door/Drawer:** Determine the desired location for your pull. Using a pencil and measuring tape, mark two points on the cabinet door or drawer front that are 4 inches (102mm) apart, corresponding to the center-to-center spacing of the pull. Ensure these marks are level and centered as desired.
2. **Drill Pilot Holes:** Carefully drill pilot holes at the marked locations. Use a drill bit appropriate for the mounting screw (typically 3/16" or 5mm). Drill straight through the cabinet material from the front, taking care not to splinter the wood on the back side.
3. **Attach the Pull:** Align the posts of the Emtek Jasper pull with the drilled holes on the front of the cabinet door or drawer.
4. **Secure with Screw:** From the inside of the cabinet door or drawer, insert the provided mounting screw through the pilot hole and thread it into the back of the pull's post.
5. **Tighten Securely:** Using a Phillips head screwdriver, tighten the screw until the pull is firmly secured against the cabinet surface. Do not overtighten, as this can strip the screw or damage the cabinet material.



Image 2: An example of various Emtek cabinet hardware, including pulls and knobs, demonstrating the quality and design consistency across the product line. This image helps visualize the installed product.

## 6. MAINTENANCE

---

To maintain the finish and appearance of your Emtek cabinet pull:

- Clean regularly with a soft, damp cloth.
- Avoid using abrasive cleaners, harsh chemicals, or polishing agents, as these can damage the finish.
- For stubborn spots, a mild soap solution can be used, followed by rinsing with clean water and drying thoroughly with a soft cloth.

## 7. TROUBLESHOOTING

---

If you encounter any issues, refer to the following common solutions:

- **Loose Pull:** If the pull becomes loose over time, gently retighten the mounting screw from the inside of the cabinet door or drawer using a Phillips head screwdriver. Do not overtighten.
- **Stripped Screw:** If the mounting screw becomes stripped, it may need to be replaced. Ensure the replacement screw is of the correct thread and length.
- **Misaligned Pull:** If the pull appears crooked after installation, loosen the screw slightly, adjust the pull to the correct alignment, and then retighten. If the drilled holes are significantly off, you may need to fill the existing holes and re-drill.

## 8. SPECIFICATIONS

---

Feature	Detail
Brand	Emtek
Model Number	86687
Collection	Industrial Modern Collection
Center to Center Spacing	4 Inches (102mm)
Material	Brass
Exterior Finish	Brass (Powder Coated)
Handle Type	Pull Handle
Shape	T-Shaped
Included Components	Mounting Screw
UPC	738505038296
ASIN	B08GL22H7T



Image 3: A comprehensive display of Emtex cabinet hardware, including various pulls and knobs, all featuring a consistent brass finish. This illustrates the product's material and aesthetic.

### 9. WARRANTY AND SUPPORT

Emtek products are manufactured to high-quality standards. For specific warranty information regarding your Emtex 86687 Jasper Bar Cabinet Pull, please refer to the warranty documentation included with your

purchase or visit the official Emtek website. For technical assistance or customer support, please contact Emtek customer service directly.