

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Baby Trend](#) /

› [Baby Trend Cover Me 4-in-1 Convertible Car Seat Instruction Manual](#)

Baby Trend Cover Me 4-in-1 Convertible Car Seat

Baby Trend Cover Me™ 4-in-1 Convertible Car Seat Instruction Manual

Model: Cover Me™ 4-in-1 Convertible Car Seat

INTRODUCTION

The Baby Trend Cover Me™ 4-in-1 Convertible Car Seat is designed to provide safety and comfort for your child through various growth stages. This manual provides essential information for proper installation, operation, and maintenance of your car seat.

This car seat accommodates children from 4 to 100 lbs across four unique modes:

1. Rear-facing Infant mode (4 to 18 lbs)
2. Rear-facing Toddler mode (18 to 40 lbs)
3. Forward-facing with Harness mode (30 to 65 lbs)
4. Belt-Positioning Booster mode (40 to 100 lbs)

It features an integrated, adjustable UPF 50+ canopy with flip-out side visors for sun protection, a Comfort Cabin Seat with extra padding, and an integrated headrest with a no-rethread harness for easy adjustments.



**Rear facing
infant mode**
4–18 lb



**Rear facing
toddler mode**
18–40 lb



**Forward
facing with
harness mode**
30–65 lb
2 years of age



**Belt
positioning
booster mode**
40–100 lb
4 years of age

Image: The four distinct seating positions of the Baby Trend Cover Me 4-in-1 Convertible Car Seat, illustrating its adaptability from infant to booster mode.

SETUP

Base Recline Positions

The car seat offers five total base adjusting positions. Positions 1-3 are for rear-facing use, and positions 4-5 are for forward-facing use. To adjust the recline, locate the recline handle just below the tension adjuster. Lift the handle to release and rotate the car seat into your desired position.



Canopy with independent flip-out side visors

Image: The car seat base with numbered recline positions (1-5) clearly visible, indicating options for both rear-facing and forward-facing modes.

Recline Foot

For additional recline in rear-facing mode, the car seat offers a recline foot. To use it, simply press the blue release handle located under the car seat and flip the recline foot open. To store, press the blue release handle and flip the foot back in.

Video: Demonstrates how to use the recline base and recline foot for optimal positioning of the car seat.

LATCH Lower Anchor J-Hook Positions

The LATCH lower anchor J-hooks have storage locations behind the car seat and under the cup holders when not in use. The LATCH system has a weight limit of 65 lbs (child's weight + car seat weight). Do not use LATCH for a child weighing more than 45 lbs.

For rear-facing mode, unclip the left lower J-hook from its storage and pull it out from the forward-facing belt path. Feed it through the rear-facing belt path and out the other side, storing it in the optional storage under the cup holder. Repeat for the right lower J-hook.

For forward-facing mode, unclip the left lower J-hook from its storage and feed it through the forward-facing belt path and out the other side, storing it in the upper storage loop next to the top tether. Repeat for the right lower J-hook.

Video: Detailed instructions on how to change the LATCH lower anchor J-hook positions for different car seat modes.

Harness Rerouting for Low Birth Weight (4-10 lbs)

For infants weighing 4-10 lbs, the harness may need to be rerouted. This involves removing the head pillow and body insert, loosening the harness, unbuckling the chest clips and crotch buckle, and unfastening the harness from the metal splitter plate behind the seat. The harness is then pulled through the seat and re-threaded through the innermost slots on the seat fabric. A belt shortening clip may be used if the gap between the buckle and the baby's thigh is not within 1/2" to 1".

Video: Step-by-step guide on how to reroute the harness for low birth weight infants.

OPERATING

Harness Adjustment

The integrated headrest features a no-rethread harness, allowing for easy height adjustments. Simply squeeze the blue headrest adjuster buttons and slide the headrest up or down to the desired position. The harness should be at or just below the shoulders for rear-facing, and at or just above the shoulders for forward-facing.

1



Zero radius recline doesn't take up a lot of space

2



3



Recline foot provides additional recline angles

4



Image: A hand demonstrates adjusting the height of the car seat's headrest, highlighting the no-rethread harness for convenience.

Correctly Placing Baby in Car Seat

Place your baby in the car seat so that their bottom is against the back and bottom of the car seat. Ensure the baby isn't wearing any bulky clothing. Place the harness straps over the shoulders, ensuring the no-twist indicator stripes are facing outwards. Clip the crotch buckle and chest clips, pulling on the harness tension adjusting strap to tighten. The harness should not allow any slack or press on the baby's skin. Conduct a pinch test at the baby's shoulders; if you can pinch the strap, tighten the harness more until you can no longer pinch it.

Video: Instructions on how to correctly place a baby in the car seat and secure the harness.

Canopy and Side Visors

The integrated UPF 50+ canopy is height and angle adjustable for in-car UV protection. Flip-out side visors provide additional shade protection from multiple directions. The canopy is integrated and attached on a built-in track, making it easy to adjust and remove.

Built-in canopy track adjusts to 5-positions



Image: The car seat's canopy shown adjusting through five different positions on its built-in track.

Integrated Cup Holders

The car seat includes two deep integrated cup holders, allowing children to keep drinks and snacks within reach.

2 integrated cup holders



Image: A close-up view of one of the car seat's integrated cup holders, holding a sippy cup.

MAINTENANCE

Cleaning Instructions

The car seat fabric and components can be cleaned to maintain hygiene. For the cup holders, locate the tab under the cup holder, press it against the outer car seat wall, and pull up on the cup holder simultaneously to release it. To install, align the cup holder tab with the receptacle and press it into place, then pull up to ensure it is secure.

Video: Instructions on how to remove, clean, and install the car seat's cup holders.

For general cleaning of the car seat, wipe with a mild solution of soap and water, then rinse with clean water. Do not use household detergents or solvents.

TROUBLESHOOTING

Harness Twisting

The car seat features a no-twist harness indicator to help parents quickly see when the straps are twisted. If the harness straps are twisted, unfasten them from the metal splitter plate behind the seat and untwist before re-fastening.



Image: A visual guide to the no-twist harness indicator, assisting parents in ensuring proper strap alignment.

Crotch Buckle Adjustment

If the crotch buckle feels too tight, it may be adjustable. Remove the front portion of the car seat cover. Look under where the crotch buckle is and lift the car seat to see the bottom. Take the metal part of the buckle out of its current slot and place it in the desired slot (e.g., the first slot for more room). Reinstall the buckle and car seat cover.

SPECIFICATIONS

- **Maximum Weight Recommendation:** 100 Pounds
- **Minimum Weight Recommendation:** 4 Pounds
- **Maximum Height Recommended:** 50 Inches
- **Rear Facing Maximum Weight:** 40 Pounds
- **Forward Facing Maximum Weight:** 100 Pounds
- **Rear Facing Minimum Weight:** 4 Pounds
- **Forward Facing Minimum Weight:** 40 Pounds
- **Installation Type:** Latch
- **Orientation:** Forward Facing and Rear Facing
- **Harness Type:** 5-Point
- **Number of Height Positions:** 5
- **Item Dimensions D x W x H:** 18.5"D x 18.25"W x 30.5"H
- **Item Weight:** 17.2 Pounds
- **Material Type:** Metal, Plastic, Polyester
- **Color:** Quartz Pink



Image: The Baby Trend Cover Me 4-in-1 Convertible Car Seat with key dimensions (depth, width, height) clearly marked.

SAFETY & COMPLIANCE

All Baby Trend convertible car seats are designed and engineered to meet and exceed high quality ASTM standards. This car seat features super deep side wings for enhanced side impact protection.

1



Rear Facing Infant 4-18 lb

2



Rear Facing Toddler 18-40 lb

3



Forward Facing with Harness 30-65 lb

4



Belt Positioning Booster 40-100 lb

Image: The car seat's design emphasizing its deep side wings for superior side impact protection.

WARRANTY & SUPPORT

Baby Trend offers an extended warranty for its products. To register your product and view complete warranty details, download the FREE Baby Trend App or visit the Baby Trend website. The app also provides access to instructional videos and customer support.

For further assistance, you may contact Baby Trend customer service. Refer to your product manual for specific contact information.