BioBidet SLIM3E 000

Bio Bidet Slim 3 Electronic Bidet Seat (Elongated) User Manual

Model: SLIM3E 000

1. Introduction

This manual provides comprehensive instructions for the installation, operation, and maintenance of your Bio Bidet Slim 3 Electronic Bidet Seat. Please read this manual thoroughly before installation and use to ensure proper function and safety.

The Bio Bidet Slim 3 is designed to enhance personal hygiene with features such as adjustable water temperature and pressure, a heated seat, a warm air dryer, and a night light. It includes a wireless remote control for convenient operation.



Figure 1: Bio Bidet Slim 3 Electronic Bidet Seat installed on a toilet.

2. Safety Information

Observe the following safety precautions to prevent injury or damage to the product:

- Ensure the bidet seat is connected to a grounded GFCI (Ground Fault Circuit Interrupter) outlet.
- Do not immerse the bidet seat or its electrical components in water.
- Unplug the unit before cleaning or performing any maintenance.
- Do not allow children or individuals with reduced physical, sensory, or mental capabilities to operate the bidet without supervision.
- Avoid using abrasive cleaners or harsh chemicals on the bidet seat.
- Do not attempt to repair or modify the unit yourself. Contact qualified service personnel.

3. Package Contents

Verify that all components are present before beginning installation:

- Bio Bidet Slim 3 Electronic Bidet Seat
- Wireless Remote Control
- Mounting Hardware (bolts, washers, bolt guides, catch plate, rubber nuts)
- T-Adapter Valve
- Water Hose
- Installation and User Manual

4. Setup and Installation

The Bio Bidet Slim 3 is designed for easy installation. No specialized plumbing tools are typically required.

1. **Turn off the water shut-off valve:** Locate the water supply valve behind your toilet and turn it clockwise until the water flow stops. Flush the toilet to drain the tank.
2. **Remove your existing toilet seat:** Unscrew the bolts holding your current toilet seat in place and remove the seat and lid.
3. **Install the catch plate:** Place the catch plate over the toilet bowl holes. Insert the bolts, washers, and bolt guides, then secure with the top mount rubber nuts. Slide the bidet seat onto the catch plate until it clicks into place.
4. **Connect the toilet and bidet hoses:** Install the T-adapter valve to the toilet's fill valve. Connect the toilet hose to the T-adapter and the bidet hose from the T-adapter to the bidet seat's water inlet. Ensure all connections are hand-tightened and leak-free.
5. **Plug the power cord into a GFCI outlet:** Connect the bidet seat's power cord to a grounded GFCI electrical outlet.
6. **Turn on the water shut-off valve:** Slowly open the water supply valve to restore water flow to the toilet and bidet. Check for any leaks.




Figure 2: Installation Guide Diagram.

This bidet seat is designed for elongated toilet bowls. Please verify your toilet's dimensions for proper fit.




Figure 3: Elongated vs. Round Toilet Seat Dimensions and Power Requirement.

5. Operating Instructions

The Bio Bidet Slim 3 features a seat sensor that activates functions only when a user is seated. All functions are controlled via the wireless remote control.



Figure 4: Wireless Remote Control Functions.

Key Functions:

- **Rear Wash:** Activates the standard posterior wash.
- **Front Wash:** Activates the feminine wash.
- **Turbo Wash:** Provides a higher-pressure wash.
- **Stop:** Halts all active bidet functions.
- **Adjustable Water Pressure:** Use the '+' and '-' buttons to increase or decrease water intensity.
- **Adjustable Water Temperature:** Select desired water temperature (Warm Water icon).
- **Adjustable Nozzle Position:** Move the nozzle forward or backward for optimal cleansing.
- **Heated Seat:** Adjust the seat temperature to your preference (Seat Temp icon).
- **Warm Air Dryer:** Activates the integrated air dryer after washing.
- **Night Light:** Provides a soft blue illumination for nighttime use.

- **User Presets:** Save your preferred settings for quick access.
- **Child Wash:** A gentler wash setting suitable for children.
- **Massage Wash:** Provides a pulsating water stream.
- **Nozzle Cleaning:** Initiates an automatic self-cleaning cycle for the nozzle.
- **Energy Saving:** Activates a mode to reduce power consumption.



Figure 5: Bidet Features: 3-in-1 Nozzle, Warm Water, Heated Seat, Warm Air Dryer.



Figure 6: Easy Installation, Seat Sensor, and Night Light.

6. Maintenance

Regular cleaning and maintenance ensure the longevity and hygienic operation of your bidet seat.

Cleaning the Nozzle:

The bidet features an automatic self-cleaning nozzle. To manually clean, activate the 'Nozzle Cleaning' function on the remote. For deeper cleaning, gently pull out the nozzle and wipe with a soft cloth and mild soap. Do not use harsh chemicals or abrasive materials.

Cleaning the Bidet Seat:

- Unplug the bidet seat from the electrical outlet before cleaning.
- Wipe the exterior surfaces with a soft, damp cloth and a mild, non-abrasive cleaner.

- Do not spray water directly onto the unit.
- Ensure the unit is completely dry before plugging it back in.

7. Troubleshooting

If you encounter issues with your Bio Bidet Slim 3, refer to the following common troubleshooting steps:

Problem	Possible Cause	Solution
No power to the unit	Power cord unplugged, GFCI tripped, power outage	Ensure cord is securely plugged in. Reset GFCI outlet. Check household power.
No water spray	Water supply valve closed, hose kinked, seat sensor not activated	Open water supply valve fully. Straighten water hose. Ensure you are seated properly on the bidet.
Water temperature is cold	Water heater off, temperature setting too low	Check water temperature settings on the remote. Allow time for water to heat up.
Remote control not responding	Low batteries, remote out of range	Replace remote control batteries. Ensure remote is within operating range of the bidet seat.
Leaks from connections	Loose connections, damaged washer	Tighten connections by hand. If leak persists, check for damaged washers and replace if necessary.

If the problem persists after attempting these solutions, please contact customer support.

8. Specifications

Feature	Detail
Model Number	SLIM3E 000
Brand	BioBidet
Colour	White
Style	Wireless Remote + Dryer
Shape	Oval (Elongated)
UPC	850018018593
Manufacturer	BBC Innovation Corporation
Included Components	Bidet Seat, wireless remote, mounting hardware, connecting components & instructions

9. Warranty and Support

Warranty Information:

The Bio Bidet Slim 3 Electronic Bidet Seat typically comes with a 1-year limited warranty covering manufacturing defects. For specific warranty terms and conditions, please refer to the warranty card included with your product or contact the manufacturer directly.

Customer Support:

For technical assistance, troubleshooting beyond this manual, or warranty claims, please contact BioBidet customer support. Contact information can typically be found on the manufacturer's official website or on the product packaging.

© 2024 BioBidet. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question