

[Manuals.plus](#) /

› [DGOL](#) /

› DGOL 316L Stainless Steel Lobster Claw Clasps User Manual

DGOL DGOL-AT138-SL

DGOL 316L Stainless Steel Lobster Claw Clasps User Manual

Model: DGOL-AT138-SL

PRODUCT OVERVIEW

The DGOL 316L Stainless Steel Lobster Claw Clasps are designed for jewelry making, offering a secure and durable fastening solution for necklaces and bracelets. Crafted from high-quality AISI 316L stainless steel, these clasps are resistant to corrosion and maintain their bright silver color even in challenging environments like saltwater.

Each clasp undergoes a special polishing process to ensure a smooth, bright, and shiny finish. The material is skin-friendly and provides a reliable hold for your jewelry creations.



Image: Two DGOL 316L Stainless Steel Lobster Claw Clasps, showcasing their polished finish and design.

Key Features:

- **Material:** AISI 316L Stainless Steel, known for its high corrosion resistance and durability.
- **Quantity:** Each package contains 8 pieces of lobster claw clasps.
- **Finish:** Special polishing process for a bright, smooth, and shining appearance. The silver color is the true color of the stainless steel, not plated.
- **Size:** Approximately 1/2 inch (13mm) in length and 0.24 inch (6mm) in width, suitable for various necklace and bracelet designs.
- **Application:** Ideal for new jewelry projects or replacing existing clasps on necklaces and bracelets.

SETUP AND INTEGRATION

These lobster claw clasps are designed for integration into jewelry pieces. They do not require complex setup, but rather proper attachment to your necklace or bracelet components.

Attachment Process:

1. **Prepare Components:** Ensure your necklace or bracelet chain ends are ready for attachment. This typically involves having an open jump ring or a loop at the end of your chain.
2. **Attach Clasp:** Use jewelry pliers to open a jump ring. Thread one end of the lobster clasp (the small loop at the base) onto the open jump ring.
3. **Connect to Chain:** Thread the jump ring, now holding the clasp, onto the end loop of your necklace or bracelet chain.
4. **Secure Jump Ring:** Carefully close the jump ring with your pliers, ensuring there are no gaps that could allow the clasp or chain to slip off.
5. **Attach Receiver Ring:** On the opposite end of your necklace or bracelet, attach a suitable receiver ring (e.g., another jump ring or a closed loop) that the lobster clasp can hook onto.

For best results, use appropriate jewelry making tools such as needle-nose pliers and jump ring openers.



Image: A collection of DGOL 316L Stainless Steel Lobster Claw Clasps, illustrating the quantity provided in a pack.

OPERATING THE CLASP

The lobster claw clasp operates on a simple spring-loaded mechanism, providing a secure closure for your jewelry.

How to Use:

1. **Open the Clasp:** Locate the small lever or trigger on the side of the lobster claw. Gently press this lever inwards towards the body of the clasp. This action will open the "jaw" or hook of the clasp.
2. **Hook onto Receiver:** While holding the lever, position the open jaw around the receiver ring (e.g., a jump ring or a closed loop) on the other end of your necklace or bracelet.
3. **Release Lever:** Once the receiver ring is securely within the clasp's jaw, release the lever. The spring mechanism will automatically close the jaw, securing the connection.
4. **Verify Closure:** Gently tug on the connected pieces to ensure the clasp is fully closed and securely fastened.

The spring mechanism is designed for smooth operation and reliable closure.

Maintenance

316L stainless steel is highly durable and resistant to tarnish and corrosion, requiring minimal maintenance to retain its appearance and functionality.

Care Instructions:

- **Cleaning:** To clean the clasps, simply wipe them with a soft, damp cloth. For a more thorough cleaning, use mild soap and water, then rinse thoroughly and dry completely with a soft cloth.
- **Avoid Harsh Chemicals:** While 316L stainless steel is robust, avoid exposing the clasps to harsh chemicals, abrasive cleaners, or strong acids, as these could potentially affect the finish over time.
- **Storage:** Store your jewelry with these clasps in a clean, dry place, preferably in a jewelry box or pouch to prevent scratches from other items.
- **Regular Inspection:** Periodically inspect the clasp for any signs of wear or damage, particularly the spring mechanism, to ensure continued secure operation.

Troubleshooting

While DGOL lobster clasps are designed for reliability, here are some common issues and their potential solutions:

Problem	Possible Cause	Solution
Clasp not closing fully or sticking.	Debris or dirt inside the mechanism; minor spring misalignment.	Clean the clasp thoroughly with a soft brush and mild soapy water. Ensure no debris is obstructing the spring. If the spring is visibly bent, gentle manipulation with fine pliers might correct it, but be cautious to avoid damage.
Clasp feels loose or insecure.	Worn spring mechanism; improper attachment to the jewelry piece.	Inspect the spring. If it appears worn or weak, the clasp may need replacement. Ensure the jump ring connecting the clasp to the jewelry is securely closed and not deformed.
Clasp appears dull or discolored.	Surface dirt or residue; exposure to harsh chemicals.	Clean the clasp as per maintenance instructions. For stubborn residue, a jewelry polishing cloth designed for stainless steel can be used. Avoid abrasive materials.

If issues persist, consider replacing the clasp with a new one from the pack.

Specifications

Material	AISI 316L Stainless Steel
Color	Bright Silver
Quantity per Pack	8 pieces
Length	1/2 inch (13mm)
Width	0.24 inch (6mm)
Finish Type	Glossy, Polished

Model Number	DGOL-AT138-SL
Item Weight	0.634 ounces (total for 8 pieces)




Image: Dimensional view of a DGOL Lobster Claw Clasp, indicating its length and width.

WARRANTY INFORMATION

Specific warranty details for DGOL 316L Stainless Steel Lobster Claw Clasps are not provided in the product information. For any concerns regarding product quality or defects, please refer to the retailer's return policy or contact DGOL directly through their official channels.

CUSTOMER SUPPORT

For further assistance, inquiries, or to explore other products, please visit the DGOL store on Amazon or their official website (if available).

DGOL Amazon Store: [Visit DGOL Store](#)

When contacting support, please have your product details (Model: DGOL-AT138-SL) and purchase information readily available.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question