

reMarkable RM113

reMarkable 2 Paper Tablet User Manual

Model: RM113

INTRODUCTION

The reMarkable 2 is a unique digital paper tablet designed to replicate the experience of writing on paper, offering a distraction-free environment for note-taking, reading, and reviewing documents. Its thin design and E-Ink display provide a natural writing feel, making it an ideal tool for focused work.



Image: The reMarkable 2 Paper Tablet with its Marker Plus pen, showcasing a digital mind map on its screen.

WHAT'S IN THE BOX

Your reMarkable 2 Starter Bundle includes the following components:

- reMarkable 2 Paper Tablet (10.3" black and white display)
- Marker Plus Pen with built-in eraser
- 9 spare Marker tips
- USB-A to C cable




Image: A close-up view of the reMarkable 2 tablet and Marker Plus pen, as they appear in their packaging.

SETUP

Follow these steps to set up your reMarkable 2 for the first time:

1. **Unboxing:** Carefully remove the reMarkable 2 tablet, Marker Plus pen, spare tips, and USB-C cable from the packaging.
2. **Initial Charge:** Connect the reMarkable 2 to a power source using the provided USB-A to C cable. A full charge is recommended before first use to ensure optimal performance.
3. **Power On:** Press and hold the power button (located on the top edge of the device) until the reMarkable logo appears on the screen.
4. **On-screen Setup:** Follow the on-screen prompts to select your preferred language, connect to a Wi-Fi network, and create or log in to your reMarkable account. A stable internet connection is required for initial setup and software updates.
5. **Marker Pairing:** The Marker Plus pen should automatically pair with the tablet when brought close to the screen. If it does not, ensure the pen is charged (if applicable) and try restarting both the tablet and the pen.

OPERATING THE reMARKABLE 2

Basic Navigation

The reMarkable 2 features a highly responsive touch-sensitive E-Ink display. Navigate through menus and documents by tapping, swiping, and utilizing the sidebar menu for quick access to functions like notebooks, documents, and settings.

Note-Taking

To create a new notebook, tap the "Notebooks" icon from the main menu and select "New Notebook". You can choose from a variety of pre-installed templates, including lined, grid, blank, and more. Use the Marker Plus to write, draw, and sketch naturally on the digital paper.




Image: A user actively writing on the reMarkable 2 tablet, highlighting the natural writing experience.

Marker Plus Features

The Marker Plus offers advanced pressure sensitivity, allowing for varied line thickness and shading, mimicking traditional writing tools. Its unique built-in eraser enables you to simply flip the pen over to erase, just like a standard pencil, providing a seamless workflow.



Image: A detailed view of the Marker Plus pen's eraser function being used on the reMarkable 2 screen.

Organizing Your Work

Efficiently manage your notes and documents by creating folders and applying tags. This allows for easy categorization, searching, and retrieval of your content, ensuring everything is in one place and simple to find.

Handwriting Conversion

Transform your handwritten notes into typed text with a simple tap. This powerful feature supports over 30 languages and allows you to refine, expand, or quickly share your converted notes with others.

Convert handwriting to text

Turn your handwritten notes
into typed text with a simple tap



Image: The reMarkable 2 display showing the handwriting-to-text conversion feature, with original handwritten notes on one side and the converted typed text on the other.

Document Management and Sharing

Import PDFs and Microsoft Office files directly to your reMarkable 2 to review and annotate them by hand. You can instantly send your work via email or sync files with popular cloud storage services such as Google Drive, Dropbox, and Microsoft OneDrive, ensuring your work is always accessible across your smart devices.

All your notes, in sync.

Create, review, and edit notes
across all your devices.




Image: A hand using the Marker Plus pen to interact with the sharing options on the reMarkable 2 screen, illustrating document management and sharing capabilities.

MAINTENANCE

Cleaning

To clean the screen and body of your reMarkable 2, use a soft, lint-free cloth. Gently wipe the surfaces to remove dust and smudges. Avoid using abrasive materials, harsh chemicals, or excessive moisture, as these can damage the device.

Battery Life

The reMarkable 2 is designed for extended use, offering up to two weeks of battery life on a single charge under typical usage conditions. Charge the device using the provided USB-C cable when the battery indicator is low to ensure continuous operation.

Marker Tip Replacement

The Marker tips are designed to wear down over time, providing a realistic paper-like friction. Replace tips when they become too short, pointed, or if you notice a degradation in writing quality. Use the

included tip removal tool to carefully pull out the old tip and insert a new one firmly until it clicks into place.

TROUBLESHOOTING

Device Not Responding

- Ensure the device is charged. Connect it to a power source for at least 30 minutes.
- Perform a hard reset by holding the power button for 15-20 seconds until the device restarts.

Writing Issues

- Check the Marker tip. If it appears worn or damaged, replace it with a new one from the spare tips provided.
- Ensure the Marker Plus is properly paired with the tablet. If issues persist, try re-pairing the pen.

Syncing Problems

- Verify your Wi-Fi connection is active and stable.
- Ensure your reMarkable Connect subscription is active, as cloud syncing requires it.
- Check the reMarkable app on your other devices for connection status and any error messages.

Screen Glitches

- E-Ink displays may occasionally show minor ghosting or artifacts. This is normal behavior and usually resolves itself with a screen refresh (e.g., by turning a page or opening a new document).
- If persistent, try performing a hard reset of the device.

SPECIFICATIONS

Feature	Detail
Model Number	RM113
Screen Size	10.3 Inches
Screen Resolution	1872x1404 Pixels
Operating System	Linux
Item Weight	14.2 ounces
Product Dimensions	11.02 x 0.79 x 0.04 inches

Feature	Detail
Color	Gray
Processor Brand	ARM
Flash Memory Size	8 GB
Battery Life	Up to 2 weeks
Wireless Type	802.11ac
Pressure Sensitivity	2048 Levels



Image: A side view of the reMarkable 2 tablet, emphasizing its remarkably thin profile.

WARRANTY AND SUPPORT

For detailed warranty information, technical support, and frequently asked questions, please visit the official reMarkable website. You can also find additional resources and contact customer service through their dedicated support pages.

User Manual (PDF): [Download PDF](#)


© 2024 reMarkable. All rights reserved.



[pdf]

Model Confirmation Letter susie yin Cover letter reMarkable AS RM110B 2 2AMK2 2AMK2RM110B rm110b


Model Confirmation Letter We, reMarkable AS Company name certify : The product name: reMarkable 2 And item NoRM110 Add next model No: RM111/RM112/**RM113** The added models and original model: The Electrical circuit design, Layout, components and internal wiring are identical. Only the model name and p... lang:en score:19 filesize: 112.32 K page_count: 1 document date: 2020-04-30



[pdf]

Administrator USER 20191124DJ Description of model difference reMarkable AS RM110BM 2 2AMK2 2AMK2RM110BM rm110bm

Model confirmation letter we, remarkable AS certify: The product name:remarkable 2 And item No:RM110 Add next model No:RM111, RM112, **RM113**, RM114, RM115, RM116 The added models and original model: The Electrical circuit design, Layout, components and internal wiring are identical. Only the model nam... lang:en score:19 filesize: 432.81 K page_count: 1 document date: 2024-04-24



[pdf] Declaration of Conformity Test Report

Onlywmer SDoC Declaration Letter reMarkable AS RM110BM 2 2AMK2 2AMK2RM110BM rm110bm reMarkable AS Federal Communications Commission Authorization and Evaluation Division 7435 Oakland M ... Product Name Brand Name Model Name Testing Lab : reMarkable 2 : reMarkable : RM110, RM111, RM112, **RM113**,RM114, RM115, RM116 : Centre Testing International Group Co., Ltd Sincerely, Signature: ____... lang:tl score:18 filesize: 32.85 K page_count: 1 document date: 2025-04-11

DocuSign Envelope ID: 51F2EC72-EB1C-4396-9A96-D4C20C722F19

reMarkable

EU Declaration of Conformity

Manufacturer Name: reMarkable AS
Manufacturer Address: Biemanns gate 6
0473 Oslo, Norway
Type of Equipment: Tablet
Product Name: reMarkable 2 paper tablet
Model numbers: RM110, RM111, RM112, RM113
Accessories supplied: USB Charging cable
Marker
Serial number covered by this Doc: RM110-WW-XXXX (Y=Year, WW=Week)

Directives: 2014/53/EU Radio Equipment Directive (RED)
2014/30/EU Electromagnetic Compatibility Directive
2014/35/EU Low Voltage Directive
2011/65/EU RoHS 2 Directive
2012/19/EU Waste Electrical and Electronic Equipment Directive

The conformity assessment procedure referred to in Article 10 and detailed in Annex II of the Radio Equipment Directive 2014/53/EU has been followed and performed with the involvement of a notified body, CEM International Ltd Number 3862.

Examination certificate: C-10-0430-20-01

The following harmonized standards and normative documents are those to which the product's conformance is declared, and by specific reference to the essential requirements of the referenced Directives:

[pdf] Decleration of Conformity Accessories

Bekijk de CE marking reMarkable ® 2 met Marker en Blauwe Roterende PU Lederen Hoes bol original media s mgnKJE34NmWO |||

DocuSign Envelope ID: E5F2EC72-EB1C-4396-9A96-D4C20C722F19 EU

Declaration of Conformity Manufacturer Name: reMarkable AS Manufacturer Address: Biemanns gate 6 0473 Oslo, Norway Type of Equipment: Tablet Product Name: reMarkable 2 paper tablet Model numbers: RM110, RM111, RM112, **RM113** A... lang:en score:17 filesize: 495.84 K page_count: 4 document date: 2024-02-02

CTI 华测检测

Report No. : EED32N80491501 Page 1 of 54

TEST REPORT

Product : reMarkable 2
Trade mark : reMarkable
Model/Type reference : RM110, RM111, RM112, RM113
Serial Number : N/A
Report Number : EED32N80491501
FCC ID : 2AMK2-RM110A
Date of Issue : Aug. 17, 2021
Test Standards : 47 CFR Part 15 Subpart C
Test result : PASS

Prepared for: reMarkable AS
Biermanns gate 6, 0473 Oslo, Norway

Prepared by: Centre Testing International Group Co., Ltd.
Hongwei Industrial Zone, Bao'an 70 District,
Shenzhen, Guangdong, China
TEL: +86-755-3368 3668
FAX: +86-755-3368 3385

Reviewed by: Aaron Ma
Date: Aug. 17, 2021
Check No. 1521900021

Tom Chen
David Wang

Hotline 400-878-020 www.cti.com.cn E-mail:info@cti.com.cn Complaint call 0755-33817100 Complaint E-mail:complaint@cti.com.cn

[pdf] Test Report

Test report part 1 reMarkable AS RM110A 2 2AMK2 2AMK2RM110A rm110a

Report No. : EED32N80491501 Page 1 of 54 1 COVER PAGE TEST REPORT

Product Trade mark Model/Type reference Serial Number Report Number FCC ID
Date of Issue Test Standards Test result : reMarkable 2 : : RM110, RM111, RM112, **RM113** : N/A : EED32N80491501 : 2AMK2-RM110A : Aug. 17, 2021 : 47 CFR Part... lang:tl score:16 filesize: 2.42 M page_count: 41 document date: 0000-00-00

CTI 华测检测

Report No. : EED32N80457601 Page 1 of 54

TEST REPORT

Product : reMarkable 2
Trade mark : reMarkable
Model/Type reference : RM110, RM111, RM112, RM113
Serial Number : 2c7ce3579f1
Report Number : EED32N80457601
FCC ID : 2AMK2-RM110B
Date of Issue : Aug. 24, 2021
Test Standards : 47 CFR Part 15 Subpart C
Test result : PASS

Prepared for: reMarkable AS
Biermanns gate 6, 0473 Oslo, Norway

Prepared by: Centre Testing International Group Co., Ltd.
Hongwei Industrial Zone, Bao'an 70 District,
Shenzhen, Guangdong, China
TEL: +86-755-3368 3668
FAX: +86-755-3368 3385

Reviewed by: Aaron Ma
Date: Aug. 24, 2021
Check No. 1521900021

Tom Chen
David Wang

Hotline 400-878-020 www.cti.com.cn E-mail:info@cti.com.cn Complaint call 0755-33817100 Complaint E-mail:complaint@cti.com.cn

[pdf] Test Report

Test report part 1 reMarkable AS RM110B 2 2AMK2 2AMK2RM110B rm110b

Report No. : EED32N80457601 Page 1 of 54 1 COVER PAGE TEST REPORT

Product Trade mark Model/Type reference Serial Number Report Number FCC ID
Date of Issue Test Standards Test result : reMarkable 2 : : RM110, RM111, RM112, **RM113** : 2c7ce3579f1 : EED32N80457601 : 2AMK2-RM110B : Aug. 24, 2021 : 47 ... lang:tl score:16 filesize: 2.46 M page_count: 41 document date: 0000-00-00

CTI 华测检测

Report No. : EED32R80375501 Page 1 of 52

TEST REPORT

Product : reMarkable 2
Trade mark : reMarkable
Model/Type reference : RM110, RM111, RM112, RM113, RM114, RM115, RM116
Serial Number : N/A
Report Number : EED32R80375501
FCC ID : 2AMK2-RM110BM
Date of Issue : Apr. 16, 2025
Test Standards : 47 CFR Part 15 Subpart C
Test result : PASS

Prepared for:
reMarkable AS
Fridtjof Nansens vei 12, 0369 Oslo, Norway.

Prepared by:
Centre Testing International Group Co., Ltd.
Hongwei Industrial Zone, Bao'an 70 District,
Shenzhen, Guangdong, China
TEL: +86-755-3368 3668
FAX: +86-755-3368 3385

Reviewed by: *Frederic Li*
Date: Apr. 16, 2025

Tested by: *Karen Tan*
Date: Apr. 16, 2025

Check No. 171919325

Hotline: 400-8788-333 www.cti.com.cn E-mail: info@cti.com.cn Complaint: call 0755-33617700 Complaint E-mail: complaint@cti.com.cn

[pdf] Test Report

HD 271 S1 Sheek Luo Part 15C 15 247 2 4G Wi Fi reMarkable AS RM110BM 2AMK2 2AMK2RM110BM rm110bm

Report No. : EED32R80375501 Page 1 of 52 TEST REPORT Product Trade mark Model/Type reference Serial Number Report Number FCC ID Date of Issue Test Standards Test result : reMarkable 2 : reMarkable : RM110, RM111, RM112, **RM113**, RM114, RM115, RM116 : N/A : EED32R80375501 : 2AMK2-RM110BM : Apr. 16,... lang:en score:16 filesize: 5.77 M page_count: 41 document date: 2025-04-16

CTI 华测检测

Report No. : EED32N80457602 Page 1 of 53

TEST REPORT

Product : reMarkable 2
Trade mark : reMarkable
Model/Type reference : RM110, RM111, RM112, RM113
Serial Number : 2c7ce3579f1
Report Number : EED32N80457602
FCC ID : 2AMK2-RM110B
Date of Issue : Aug. 24, 2021
Test Standards : 47 CFR Part 15 Subpart E
Test result : PASS

Prepared for:
reMarkable AS
Biermanns gate 6, 0473 Oslo, Norway

Prepared by:
Centre Testing International Group Co., Ltd.
Hongwei Industrial Zone, Bao'an 70 District,
Shenzhen, Guangdong, China
TEL: +86-755-3368 3668
FAX: +86-755-3368 3385

Reviewed by: *Aaron Ma*
Date: Aug. 24, 2021

Tested by: *Tan Chen*
Date: Aug. 24, 2021

Check No. 157598021

Hotline: 400-8788-333 www.cti.com.cn E-mail: info@cti.com.cn Complaint: call 0755-33617700 Complaint E-mail: complaint@cti.com.cn

[pdf] Test Report

Test report part 1 reMarkable AS RM110B 2 2AMK2 2AMK2RM110B rm110b

Report No. : EED32N80457602 1 COVER PAGE TEST REPORT Product Trade mark Model/Type reference Serial Number Report Number FCC ID Date of Issue Test Standards Test result : reMarkable 2 : RM110, RM111, RM112, **RM113** : 2c7ce3579f1 : EED32N80457602 : 2AMK2-RM110B : Aug. 24, 2021 : 47 CFR Part 15 Su... lang:tl score:15 filesize: 2.75 M page_count: 50 document date: 0000-00-00

CTI 华测检测

Report No. : EED32N80491502 Page 1 of 55

TEST REPORT

Product : reMarkable 2
Trade mark : reMarkable
Model/Type reference : RM110, RM111, RM112, RM113
Serial Number : N/A
Report Number : EED32N80491502
FCC ID : 2AMK2-RM110A
Date of Issue : Aug. 17, 2021
Test Standards : 47 CFR Part 15 Subpart E
Test result : PASS

Prepared for:
reMarkable AS
Biermanns gate 6, 0473 Oslo, Norway

Prepared by:
Centre Testing International Group Co., Ltd.
Hongwei Industrial Zone, Bao'an 70 District,
Shenzhen, Guangdong, China
TEL: +86-755-3368 3668
FAX: +86-755-3368 3385

Reviewed by: *Aaron Ma*
Date: Aug. 17, 2021

Tested by: *Tan Chen*
Date: Aug. 17, 2021

Check No. 164779621

Hotline: 400-8788-333 www.cti.com.cn E-mail: info@cti.com.cn Complaint: call 0755-33617700 Complaint E-mail: complaint@cti.com.cn

[pdf] Test Report

Test report part 1 reMarkable AS RM110A 2 2AMK2 2AMK2RM110A rm110a

Report No. : EED32N80491502 1 COVER PAGE TEST REPORT Product Trade mark Model/Type reference Serial Number Report Number FCC ID Date of Issue Test Standards Test result : reMarkable 2 : RM110, RM111, RM112, **RM113** : N/A : EED32N80491502 : 2AMK2-RM110A : Aug. 17, 2021 : 47 CFR Part 15 Subpart E ... lang:tl score:15 filesize: 2.94 M page_count: 52 document date: 0000-00-00

CTI 华测检测

Report No.: EED32R80375502 Page 1 of 51

TEST REPORT

Product : reMarkable 2
Trade mark : reMarkable
Model/Type reference : RM110, RM111, RM112, RM113, RM114, RM115, RM116
Serial Number : N/A
Report Number : EED32R80375502
FCC ID : 2AMK2-RM110BM
Date of Issue : Apr. 16, 2025
Test Standards : 47 CFR Part 15 Subpart E
Test result : PASS

Prepared for:
reMarkable AS
Fridtjof Nansens vei 12, 0369 Oslo, Norway.

Prepared by:
Centre Testing International Group Co., Ltd.
Hongwei Industrial Zone, Bao'an 70 District,
Shenzhen, Guangdong, China
TEL: +86-755-3368 3668
FAX: +86-755-3368 3385

Tested by: Karen Tan
Reviewed by: Tszmer Li
Date: Apr. 16, 2025
Check No.: 317819025

Hotline: 400-4785-533 www.cti.com.cn E-mail: info@cti.com.cn Complaint: 020-33811750 Complaint E-mail: complaint@cti.com.cn

[pdf] Test Report

HD 271 S1 Sheek Luo Part 15E 15 407 5G Wi Fi Band1 4 report reMarkable AS RM110BM 2 2AMK2 2AMK2RM110BM rm110bm

Report No. : EED32R80375502 Page 1 of 51 TEST REPORT Product Trade mark Model/Type reference Serial Number Report Number FCC ID Date of Issue Test Standards Test result : reMarkable 2 : reMarkable : RM110, RM111, RM112, **RM113**, RM114, RM115, RM116 : N/A : EED32R80375502 : 2AMK2-RM110BM : Apr. 16,... lang:en score:15 filesize: 3.98 M page_count: 48 document date: 2025-04-16

CTI 华测检测

Report No.: EED32L00207103 Page 1 of 48

FCC SAR Test Report

Product : reMarkable 2
Trade mark : reMarkable
Model/Type reference : RM110,RM111,RM112,RM113
Serial Number : N/A
Report Number : EED32L00207103
FCC ID : 2AMK2-RM110
Date of Issue : May 06, 2020
Test Standards : Refer to Section 1.5
Test result : PASS

Prepared for:
reMarkable AS
Biermanns gate 6,0473 Oslo, Norway

Prepared by:
Centre Testing International Group Co., Ltd.
Hongwei Industrial Zone, Bao'an 70 District,
Shenzhen, Guangdong, China
TEL: +86-755-3368 3668
FAX: +86-755-3368 3385

Tested by: Mark Chan
Reviewed by: Wai Yip
Date: May 06, 2020
Check No.: 308063622

Hotline: 400-4785-533 www.cti.com.cn E-mail: info@cti.com.cn Complaint: 020-33811750 Complaint E-mail: complaint@cti.com.cn

[pdf] Test Report SAR Rating

SAR report part 1 reMarkable AS RM110 reMarkable2 2AMK2 2AMK2RM110 rm110
Report No.: EED32L00207103 FCC SAR Test Report Page 1 of 48 Product Trade mark Model/Type reference Serial Number Report Number FCC ID Date of Issue: Test Standards Test result : reMarkable 2 : : RM110,RM111,RM112,**RM113** : N/A : EED32L00207103 : 2AMK2-RM110 : May 06, 2020 : Refer to Section 1.5 : ... lang:en score:15 filesize: 709.03 K page_count: 48 document date: 2020-05-06

CTI 华测检测

Report No.: EED32N80457603 Page 1 of 50

FCC SAR Test Report

Product : reMarkable 2
Trade mark : reMarkable
Model/Type reference : RM110,RM111,RM112,RM113
Serial Number : 2c7ce3579f1
Report Number : EED32N80457603
FCC ID : 2AMK2-RM110B
Date of Issue : Sep. 01, 2021
Test Standards : Refer to Section 1.5
Test result : PASS

Prepared for:
reMarkable AS
Biermanns gate 6,0473 Oslo, Norway

Prepared by:
Centre Testing International Group Co., Ltd.
Hongwei Industrial Zone, Bao'an 70 District,
Shenzhen, Guangdong, China
TEL: +86-755-3368 3668
FAX: +86-755-3368 3385

Tested by: Tsui Chee
Reviewed by: Aaron Ma
Date: Sep. 01, 2021
Check No.: 187896021

Hotline: 400-4785-533 www.cti.com.cn E-mail: info@cti.com.cn Complaint: 020-33811750 Complaint E-mail: complaint@cti.com.cn

[pdf] Test Report SAR Rating

SAR report part 1 reMarkable AS RM110B 2 2AMK2 2AMK2RM110B rm110b
Report No.: EED32N80457603 Page 1 of 50 FCC SAR Test Report Product Trade mark Model/Type reference Serial Number Report Number FCC ID Date of Issue: Test Standards Test result : reMarkable 2 : : RM110,RM111,RM112,**RM113** : 2c7ce3579f1 : EED32N80457603 : 2AMK2-RM110B : Sep. 01, 2021 : Refer to Sec... lang:en score:15 filesize: 942.91 K page_count: 50 document date: 2021-09-02

CTI 华测检测
Report No.: EED32L00207101 Page 1 of 105

TEST REPORT

Product : reMarkable 2
Trade mark : reMarkable
Model/Type reference : RM110,RM111,RM112,RM113
Serial Number : N/A
Report Number : EED32L00207101
FCC ID : 2AMK2-RM110
Date of Issue : May 06, 2020
Test Standards : 47 CFR Part 15Support C
Test result : PASS

Prepared for:
reMarkable AS
Biermanns gate 6, 0473 Oslo, Norway

Prepared by:
Centre Testing International Group Co., Ltd.
Hongwei Industrial Zone, Bao'an 70 District,
Shenzhen, Guangdong, China
TEL: +86-755-3368 3668
FAX: +86-755-3368 3385

Tested By: Mark Chen
Reviewed by: Mark Chen
Date: May 26, 2020

Completed by: Genile Zhong
Date: May 26, 2020

Check No.: 00800022

Hotline: 400-8758-333 www.cti.com.cn E-mail: info@cti.com.cn Complaint call: 8758-3331750 Complaint E-mail: complaint@cti.com.cn

[pdf] Test Report

Test report reMarkable AS RM110 reMarkable2 2AMK2 2AMK2RM110 rm110

Report No. : EED32L00207101 Page 1 of 105 1 COVER PAGE TEST REPORT

Product Trade mark : reMarkable 2 : Model/Type reference Serial Number Report

Number FCC ID Date of Issue Test Standards Test result :

RM110,RM111,RM112,**RM113** : N/A : EED32L00207101 : 2AMK2-RM110 : May 06, 2020 : 47 CFR Part 1...

lang:en score:15 filesize: 3.02 M page_count: 89 document date: 2020-05-11

CTI 华测检测
Report No.: EED32R80375503 Page 1 of 45

FCC SAR Test Report

Product : reMarkable 2
Trade mark : reMarkable
Model/Type reference : RM110, RM111, RM112, RM113, RM114, RM115, RM116
Serial Number : N/A
Report Number : EED32R80375503
FCC ID : 2AMK2-RM110BM
Date of Issue : Apr. 16, 2025
Test Standards : Refer to Section 1.5
Test result : PASS

Prepared for:
reMarkable AS
Fridtjof Nansens vei 12, 0369 Oslo, Norway.

Prepared by:
Centre Testing International Group Co., Ltd.
Hongwei Industrial Zone, Bao'an 70 District,
Shenzhen, Guangdong, China
TEL: +86-755-3368 3668
FAX: +86-755-3368 3385

Completed by: Kevin Tan
Reviewed by: Fraser Li
Date: Apr. 16, 2025

Check No.: 31616025

Hotline: 400-8758-333 www.cti.com.cn E-mail: info@cti.com.cn Complaint call: 8758-3331750 Complaint E-mail: complaint@cti.com.cn

[pdf] Test Report SAR Rating

Accredited testing laboratory ec 8453 SAR report reMarkable AS RM110BM 2 2AMK2 2AMK2RM110BM rm110bm

Report No.: EED32R80375503 Page 1 of 45 FCC SAR Test Report Product Trade

mark Model/Type reference Serial Number Report Number FCC ID Date of Issue:

Test Standards Test result : reMarkable 2 : reMarkable : RM110, RM111, RM112,

RM113, RM114, RM115, RM116 : N/A : EED32R80375503 : 2AMK2-RM110...

lang:en score:15 filesize: 1.3 M page_count: 45 document date: 2025-04-16

CTI 华测检测
Report No.: EED32N80491503 Page 1 of 52

FCC SAR Test Report

Product : reMarkable 2
Trade mark : reMarkable
Model/Type reference : RM110,RM111,RM112,RM113
Serial Number : N/A
Report Number : EED32N80491503
FCC ID : 2AMK2-RM110A
Date of Issue : Aug. 30, 2021
Test Standards : Refer to Section 1.5
Test result : PASS

Prepared for:
reMarkable AS
Biermanns gate 6,0473 Oslo, Norway

Prepared by:
Centre Testing International Group Co., Ltd.
Hongwei Industrial Zone, Bao'an 70 District,
Shenzhen, Guangdong, China
TEL: +86-755-3368 3668
FAX: +86-755-3368 3385

Completed by: David Wang
Reviewed by: Aileen Ma
Date: Aug. 30, 2021

Check No.: 26410621

Hotline: 400-8758-333 www.cti.com.cn E-mail: info@cti.com.cn Complaint call: 8758-3331750 Complaint E-mail: complaint@cti.com.cn

[pdf] Test Report SAR Rating

SAR report part 1 reMarkable AS RM110A 2 2AMK2 2AMK2RM110A rm110a

Report No.: EED32N80491503 Page 1 of 52 FCC SAR Test Report Product Trade

mark Model/Type reference Serial Number Report Number FCC ID Date of Issue:

Test Standards Test result : reMarkable 2 : : RM110,RM111,RM112,**RM113** : N/A :

EED32N80491503 : 2AMK2-RM110A : Aug. 30, 2021 : Refer to Section 1.5...

lang:en score:14 filesize: 964.02 K page_count: 52 document date: 2021-08-30



[\[pdf\]](#) Specifications Datasheet Accessories

RN4678 Bluetooth Dual Mode Module Data Sheet 50002519 dual mode module data sheet Microchip

Technology Inc 2016 2020 DS50002519E page 3 1 0 DEVICE OVERVIEW The is a fully certified embedded BR EDR LE wireless 50002519E 1799813 uy mouser datasheet 2 268 |||

RN4678 Bluetooth Dual-Mode Module Features Bluetooth Classic BR/EDR and Low Energy LE Certifi ... tory Certification Ordering Number RN4678-V/RM100 IS1678SM RN4678APL-V/RM100 IS1678SM RN4678-V/**RM113** IS1678SM RN4678APL-V/**RM113** IS1678SM On-board BT Dual Mode, Class 2 On-board BT Dual Mode, C... lang:en **score:11** filesize: 1.11 M page_count: 36 document date: 2020-02-05



[\[pdf\]](#) Specifications Datasheet Accessories

RN4678 Data Sheet Bluetooth Dual Mode Microchip Technology 2016 2021 Inc DS50002519F page 3 1 0

DEVICE OVERVIEW The module is a fully certified embedded BR EDR LE wireless 2065590 cz mouser datasheet 2 268 |||

RN4678 Bluetooth Dual Mode Module Features Bluetooth Classic BR/EDR and Low Energy LE Certifi ... tory Certification Ordering Number RN4678-V/RM100 IS1678SM RN4678APL-V/RM100 IS1678SM RN4678-V/**RM113** IS1678SM RN4678APL-V/**RM113** IS1678SM On-Board BT Dual Mode, Class 2 On-Board BT Dual Mode, C... lang:en **score:11** filesize: 1.05 M page_count: 38 document date: 2021-02-23




[\[pdf\]](#) Specifications Datasheet Accessories

RN4678 Bluetooth Dual Mode Module Microchip Technology Inc DS50002519 3000379 eu mouser

datasheet 2 268 |||

RN4678 Bluetooth Dual Mode Module Features Bluetooth Classic BR/EDR and Low Energy LE Certifi ... tory Certification Ordering Number RN4678-V/RM100 IS1678SM RN4678APL-V/RM100 IS1678SM RN4678-V/**RM113** IS1678SM RN4678APL-V/**RM113** IS1678SM On-Board BT Dual Mode, Class 2 On-Board BT Dual Mode, C... lang:en **score:11** filesize: 1.09 M page_count: 40 document date: 2022-07-12




[pdf] Datasheet

PCN SYST 12LIUR883 Aida Taccad 91396 SPCN media futureelectronics |||

Product Change Notification / SYST-12LIUR883 Date: 15-Jul-2022 Product Category: Bluetooth Module PC ... tory Certification Ordering Number RN4678-V/RM100 IS1678SM RN4678APL-V/RM100 IS1678SM RN4678-V/**RM113** IS1678SM RN4678APL-V/**RM113** IS1678SM On-Board BT Dual Mode, Class 2 On-Board BT Dual Mode, C...

lang:en score:11 filesize: 682.12 K page_count: 42 document date: 2022-07-18




[pdf] Datasheet Label

2848140 farnell datasheets

Product Change Notification - SYST-28HFQX226 Date: 30 May 2019 Product Category: Bluetooth Module Af ... og Part Numbers CPN RN4678-V/RM100 RN4678-V/RM111 RN4678APL-V/RM100 RN4678APL-V/RM111 RN4678APL-V/**RM113** Date: Wednesday, May 29, 2019 RN4678 Bluetooth Dual Mode Module Features Bluetooth Classic...

lang:en score:10 filesize: 1.24 M page_count: 47 document date: 2019-06-13



[pdf] User Manual Specifications

C Documents and Settings Administrator My 10 Service Manual 141 146 BT M2090Y 01 prn Panasonic

M1950Y Maintenance archive org PanasonicBTM2090YM1950YMaintenanceServiceManual

erv1 ce ORDER NO. VED9706235C2 anua Colour Video Monitor BT-M2090Y


Chassis No. BT The service tech ... 33YL RM108 QRSA08J101YL RM109

QRSA08J101YL RM110 QRSA08J101YL RM111 QRSA08J101YL RM112

QRSA08J101YL **RM113** QRSA08J104YL R1002 QRSA08J0R0YL R1003

QRSA08J0R0YL R1004 QRSA08J0R0YL R1005 QRSA08J0R0YL R1006...

lang:en score:10 filesize: 15 M page_count: 98 document date: 2017-07-30



[pdf] Specifications Datasheet Accessories

RN4678 Bluetooth Dual Mode Module Data Sheet Microchip Technology Inc DS50002519D ww1


microchip en DeviceDoc

RN4678 Bluetooth Dual Mode Module Features Bluetooth Classic BR/EDR and Low Energy LE Certifi ... tory Certification Ordering Number RN4678-V/RM100 IS1678SM

RN4678APL-V/RM100 IS1678SM RN4678-V/**RM113** IS1678SM RN4678APL-

V/**RM113** IS1678SM On-board BT Dual Mode, Class 2 On-board BT Dual Mode, C...

lang:en **score:10** filesize: 1.22 M page_count: 45 document date: 2019-05-28



[pdf] Specifications Datasheet Accessories

RN4678 Bluetooth Dual Mode Module Data Sheet Microchip Technology The module is a fully certified v5

0 compliant BR EDR LE mode available for customers to easily add wireless capability their products built

around s IS1678 chip Refer Section 8 Ordering Information DS50002519F microchip content dam mchp


documents OTH ProductDocuments DataSheets |||

RN4678 Bluetooth Dual Mode Module Features Bluetooth Classic BR/EDR and Low Energy LE Certifi ... tory Certification Ordering Number RN4678-V/RM100 IS1678SM

RN4678APL-V/RM100 IS1678SM RN4678-V/**RM113** IS1678SM RN4678APL-

V/**RM113** IS1678SM On-Board BT Dual Mode, Class 2 On-Board BT Dual Mode, C...

lang:en **score:10** filesize: 1.13 M page_count: 37 document date: 2021-07-19



[pdf] Specifications Datasheet Accessories

RN4678 Data Sheet Bluetooth Dual Mode Microchip Technology DS50002519F ww1 microchip en


DeviceDoc |||

RN4678 Bluetooth Dual Mode Module Features Bluetooth Classic BR/EDR and Low Energy LE Certifi ... tory Certification Ordering Number RN4678-V/RM100 IS1678SM

RN4678APL-V/RM100 IS1678SM RN4678-V/**RM113** IS1678SM RN4678APL-

V/**RM113** IS1678SM On-Board BT Dual Mode, Class 2 On-Board BT Dual Mode, C...

lang:en **score:10** filesize: 1.13 M page_count: 37 document date: 2021-02-23



[pdf] Specifications Datasheet Accessories

RN4678 Bluetooth Dual Mode Module Data Sheet Microchip Technology Download DS50002519F ww1

microchip aemDocuments documents OTH ProductDocuments DataSheets |||

RN4678 Bluetooth Dual Mode Module Features Bluetooth Classic BR/EDR and Low Energy LE Certifi ... tory Certification Ordering Number RN4678-V/RM100 IS1678SM

RN4678APL-V/RM100 IS1678SM RN4678-V/**RM113** IS1678SM RN4678APL-

V/**RM113** IS1678SM On-Board BT Dual Mode, Class 2 On-Board BT Dual Mode, C...

lang:en **score:10** filesize: 1.13 M page_count: 37 document date: 2022-05-20

RN4678 Bluetooth Dual Mode Module Microchip Technology Inc Data Sheet DS50002519C ww1
microchip en DeviceDoc |||

RN4678 Bluetooth Dual Mode Module Features Bluetooth Classic BR/EDR and Low
Energy LE Certifi ... tory Certification Ordering Number RN4678-V/RM100 IS1678SM
RN4678APL-V/RM100 IS1678SM RN4678-V/**RM113** IS1678SM RN4678APL-
V/**RM113** IS1678SM On-board BT Dual Mode, Class 2 On-board BT Dual Mode, C...
lang:en score:10 filesize: 1.22 M page_count: 45 document date: 2019-03-06



[pdf] Specifications Datasheet Accessories

RN4678 Bluetooth Dual Mode Module Data Sheet Microchip Technology rn4678 v rm111

RN4678VRM111 microchip technology INELTP data sheet ds50002519f static6 arrow aro conversion

22f18a6f70c7e7500b8b0d8494200bd271f9a859 |||

RN4678 Bluetooth Dual Mode Module Features Bluetooth Classic BR/EDR and Low Energy LE Certifi ... tory Certification Ordering Number RN4678-V/RM100 IS1678SM RN4678APL-V/RM100 IS1678SM RN4678-V/**RM113** IS1678SM RN4678APL-V/**RM113** IS1678SM On-Board BT Dual Mode, Class 2 On-Board BT Dual Mode, C... lang:en **score:10** filesize: 1.74 M page_count: 37 document date: 2023-12-22



[pdf] Specifications Datasheet Accessories

RN4678 Bluetooth Dual Mode Module Microchip Technology Inc 50002519Gww1 microchip

aemDocuments documents OTH ProductDocuments DataSheets 50002519G |||

RN4678 Bluetooth Dual Mode Module Features Bluetooth Classic BR/EDR and Low Energy LE Certifi ... tory Certification Ordering Number RN4678-V/RM100 IS1678SM RN4678APL-V/RM100 IS1678SM RN4678-V/**RM113** IS1678SM RN4678APL-V/**RM113** IS1678SM On-Board BT Dual Mode, Class 2 On-Board BT Dual Mode, C... lang:en **score:10** filesize: 1.08 M page_count: 39 document date: 2022-07-12



[pdf] Specifications Datasheet Accessories

Datasheet RF Modules Electronic Components Distributor XinMi 50002519g static6 arrow aro conversion

47611fd290cd7d2074b13a57addc82d6fb9b2dac |||


RN4678 Bluetooth Dual Mode Module Features Bluetooth Classic BR/EDR and Low Energy LE Certifi ... Downloaded from Arrow.com. DS50002519G-Page 26 RN4678 RN4678-V/RM100 RN4678APL-V/RM100 RN4678-V/**RM113** RN4678APL-V/**RM113** Ordering Number Yes FCC, ISSED, RED, MIC, KCC, NCC, SRRC Yes FCC, ISSED, RED... lang:en **score:9** filesize: 1.17 M page_count: 39 document date: 2022-12-14

Service Manual

Color Video Monitor

BT-M1950Y

Chassis No. BM



Supplement added
to end of PDF

Do not touch body when it is heated to avoid and reduce the "Safety Precaution" and "Important Safety Notice" in this manual.

For replacement parts list, refer to the supplement service manual attached to this manual.

Specifications	Video Input
System NTSC, PAL (L1950Y-4300Hz/60Hz)	Composite Video
Power Source AC 100V-240V/50/60Hz	Input A, B, C (max), BNC (5-wire)
Max. Input 25A	(with 1.5kΩ termination and 100Ω load)
Picture Tube CRT (43cm diagonal, 50° deflection)	Termination not required (provided 100Ω load)
• 100V, 50/60Hz, 2" x 1/4" (50.8mm) cathode ray tube	Video
• 100V, 50/60Hz, 1.5" x 1/4" (38.1mm) cathode ray tube	VCC (1 line), DM (H-K) (1 line)
Audio Power	(with 1.5kΩ load connected to input)
Output 50W	Termination not required (provided 100Ω load)
Speaker 2x 5W (50W/100W)	Y (1 line), C (1 line), H (1 line), S (1 line)
Screen Size 43" (109cm)	C (1 line), S (1 line), H (1 line), S (1 line)
• 100V, 50/60Hz, 1.5" x 1/4" (38.1mm) cathode ray tube	S (1 line), S (1 line), H (1 line), S (1 line)
Screening Frequency	Y (1 line), C (1 line), H (1 line), S (1 line)
• 100V, 50/60Hz, 1.5" x 1/4" (38.1mm) cathode ray tube	S (1 line), S (1 line), H (1 line), S (1 line)
• 100V, 50/60Hz, 1.5" x 1/4" (38.1mm) cathode ray tube	S (1 line), S (1 line), H (1 line), S (1 line)
Horizontal Resolution 100 lines (1 line) or more	S (1 line), S (1 line), H (1 line), S (1 line)
Color Temperature 6500K, 7000K, 8000K, 9000K, 10000K	S (1 line), S (1 line), H (1 line), S (1 line)

© 2017 Matsushita Electric Industrial Co., Ltd.

All rights reserved. Creation and copying and distribution are prohibited.

[pdf] User Manual Parts List Specifications

C Documents and Settings Administrator My 10 Service Manual 141 149 157 BT M1950Y 2 01 prn

Maintenance speclist crt gaming Panasonic with Supplement archive org

PanasonicBTM1950YServiceManualWithSupplement |||

ORDER NO. VED9604217C1 ervice Mariual ,-T:-L;::/1 CC::: _:-_ = / //

Color V ... 1/10W Ref. No. Part No. RM101 RM102 RM103 RM104 RM105 RM106

RM107 RM108 RM109 RM110 RM111 RM112 **RM113** R1052 R1057 R1058 R1101

R1102 R1103 R1104 R1105 R1106 R1107 R1108 R1109 R1110 R1111 R1112

R111...

lang:en score:9 filesize: 16.08 M page_count: 136 document date: 2017-09-06