

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Perixx](#) /

› [Perixx PERIBOARD-422 Mini USB-C Keyboard User Manual](#)

Perixx PERIBOARD-422

Perixx PERIBOARD-422 Mini USB-C Keyboard User Manual

Model: PERIBOARD-422 | Brand: Perixx

1. INTRODUCTION

Thank you for choosing the Perixx PERIBOARD-422 Mini USB-C Keyboard. This manual provides detailed instructions for setting up, operating, maintaining, and troubleshooting your new keyboard. Please read this manual thoroughly before using the product to ensure proper functionality and longevity.

The PERIBOARD-422 is a compact USB-C keyboard featuring an Italian layout, designed for seamless compatibility with Windows computers and other devices equipped with USB Type-C ports. It includes 12 shortcut keys and multimedia keys to enhance productivity, all within a comfortable and quiet typing experience.

2. PACKAGE CONTENTS

Please ensure all items are present in the package:

- Perixx PERIBOARD-422 Mini USB-C Keyboard
- Instruction Manual
- Limited 24-month warranty information

3. SPECIFICATIONS

Feature	Description
Brand	Perixx
Model Name	PERIBOARD-422 IT

Model Number	11693
Color	Black
Connectivity Technology	USB-C
Compatible Devices	Windows PCs (Windows 7/8/10), Tablets, and other devices with USB-C ports
Special Features	Shortcut keys, Multimedia keys
Number of Keys	80
Product Dimensions	291mm (L) x 138mm (W) x 19mm (H)
Origin	Designed in Germany, Made in China

4. SETUP AND INSTALLATION

The Perixx PERIBOARD-422 is a plug-and-play device, requiring no additional drivers for most operating systems.

- 1. Connect the Keyboard:** Locate an available USB-C port on your computer or compatible device. Insert the USB-C connector of the PERIBOARD-422 into the port.
- 2. System Recognition:** Your operating system (Windows 7/8/10) will automatically detect and install the necessary drivers. This process usually takes a few seconds.
- 3. Begin Typing:** Once the installation is complete, the keyboard is ready for immediate use.

FACILE INSTALLAZIONE



presa USB C

Basta collegarlo e puoi iniziare
a scrivere Presa USB C



Figure 4.1: Easy Installation - Simply plug in the USB-C connector to start typing.

5. OPERATING THE KEYBOARD

5.1 Standard Typing

The PERIBOARD-422 functions as a standard QWERTY keyboard with an Italian layout. All standard alphanumeric keys, punctuation, and symbols operate as expected.




Figure 5.1: Perixx PERIBOARD-422 Keyboard Overview.

5.2 Shortcut and Multimedia Keys

The keyboard features 12 shortcut keys (F1-F12) and dedicated multimedia keys to enhance productivity. These functions are typically accessed by pressing the **Fn** key in combination with the desired function key.

Key Combination	Function
Fn + F1	Open Home Page
Fn + F2	Open My Computer
Fn + F3	Open Calculator
Fn + F4	Open Media Player
Fn + F5	Previous Track
Fn + F6	Next Track
Fn + F7	Play/Pause
Fn + F8	Stop
Fn + F9	Mute Volume
Fn + F10	Volume Down
Fn + F11	Volume Up

Fn + F12

Open Email

The compact design and quiet keys contribute to a comfortable and less distracting typing experience, increasing overall productivity.



Figure 5.2: Quiet and Comfortable Keys for enhanced productivity.

TASTI SILENZIOSI E COMODI

meno distrazioni, più produttività



Figure 5.3: Compact size of the PERIBOARD-422.

5.3 Compatibility

The PERIBOARD-422 is designed for broad compatibility with devices featuring a USB Type-C port. This includes various Windows computers (Windows 7/8/10) and tablets.

CONNESSIONE USB DI TIPO C

Progettato per dispositivi con porte USB di



Figure 5.4: USB Type-C Connection for various devices.



Figure 5.5: Keyboard in use with a desktop computer.

6. MAINTENANCE AND CARE

To ensure the longevity and optimal performance of your Perixx PERIBOARD-422 keyboard, follow these simple maintenance guidelines:

- **Cleaning:** Use a soft, lint-free cloth slightly dampened with water or a mild cleaning solution to wipe the surface of the keyboard. Avoid harsh chemicals, abrasive cleaners, or excessive moisture.
- **Dust Removal:** Use compressed air to remove dust and debris from between the keys.
- **Storage:** When not in use, store the keyboard in a clean, dry environment away from direct sunlight and extreme temperatures.
- **Handling:** Avoid dropping the keyboard or exposing it to strong impacts. Do not attempt to disassemble the keyboard, as this will void the warranty.

7. TROUBLESHOOTING

If you encounter issues with your Perixx PERIBOARD-422 keyboard, please refer to the following common solutions:

Problem	Possible Solution
Keyboard is not responding.	<ul style="list-style-type: none">Ensure the USB-C cable is securely connected to both the keyboard and the computer's USB-C port.Try connecting the keyboard to a different USB-C port on your computer.Restart your computer.Test the keyboard on another computer to determine if the issue is with the keyboard or the computer.
Certain keys are not working.	<ul style="list-style-type: none">Check for any physical obstructions or debris under the non-functioning keys. Use compressed air to clean.Ensure no software conflicts are present (e.g., remapping software).
Shortcut/Multimedia keys are not working.	<ul style="list-style-type: none">Ensure you are pressing the Fn key simultaneously with the desired function key.Check your operating system's settings for any keyboard or function key configurations that might override the default behavior.

If the problem persists after trying these solutions, please contact Perixx customer support for further assistance.

8. WARRANTY AND SUPPORT

The Perixx PERIBOARD-422 comes with a limited 24-month warranty from the date of purchase. This warranty covers manufacturing defects and workmanship under normal use.

The warranty does not cover:

- Damage caused by accident, abuse, misuse, flood, fire, earthquake, or other external causes.
- Damage caused by operating the product outside the permitted or intended uses described by Perixx.
- Damage caused by service (including upgrades and expansions) performed by anyone who is not a representative of Perixx or a Perixx Authorized Service Provider.
- Products or parts that have been modified to alter functionality or capability without the written permission of Perixx.

For warranty claims or technical support, please visit the official Perixx website or contact their customer service department. Please have your product model number (PERIBOARD-422) and proof of purchase ready when contacting support.



Figure 8.1: Perixx PERIBOARD-422 packaging, highlighting German design.

9. SAFETY INFORMATION

Please observe the following safety precautions:

- Keep the device away from water, fire, humidity, or hot environments.
- Do not drop, disassemble, or attempt to repair the device yourself.
- Avoid exposing the device to extreme temperatures or direct sunlight.
- Keep out of reach of children.

10. DISPOSAL INFORMATION

This product should not be disposed of with household waste. Please recycle it at an appropriate collection point for electrical and electronic equipment. For more detailed information about recycling this product, please contact your local city office, your household waste disposal service, or the shop where you purchased the product.