

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Delta](#) /

› **DELTA FAUCET 51600-BL Adjustable Slide Bar & Grab Bar Assembly with Elbow Handshower Instruction Manual**

Delta 51600-BL

DELTA FAUCET 51600-BL Adjustable Slide Bar & Grab Bar Assembly with Elbow Handshower Instruction Manual

PRODUCT OVERVIEW

The Delta Faucet 51600-BL is a 24-inch stand-alone slide bar and grab bar assembly designed for use with a handshower (sold separately). It features an adjustable slide mechanism, allowing the hand shower mount to be easily moved up or down the bar. This assembly is designed to enhance the functionality and accessibility of your shower space, offering both convenience and support.

Key Features:

- Includes a 60-inch to 82-inch stretchable metal hose.
- Features a 24-inch contemporary slide bar, which also functions as a grab bar.
- ADA compliant adjustable hand shower mount and hose.
- Functions as an ADA compliant grab bar when installed according to accessibility guidelines.
- Includes a round wall elbow for water supply connection.
- Hand shower is sold separately.






Image: The Delta Faucet 51600-BL Adjustable Slide Bar and Grab Bar Assembly in Matte Black finish, showing the slide bar, adjustable handshower mount, hose, and wall elbow.

SETUP AND INSTALLATION

This section provides general guidelines for installing your Delta Faucet 51600-BL slide bar and grab bar assembly.

For detailed, step-by-step instructions, always refer to the installation guide included in your product packaging. Professional installation is recommended.

Tools and Materials Required (Not Included):

- Drill
- Drill bits (appropriate for wall material)
- Screwdriver (Phillips/Flathead)
- Level
- Tape Measure
- Pencil
- Sealant (plumber's putty or thread seal tape)

General Installation Steps:

- Preparation:** Turn off the water supply to the shower area. Clear the installation site.
- Positioning:** Determine the desired height and location for the slide bar. Ensure it is positioned to allow comfortable use of the handshower and functions effectively as a grab bar if intended for ADA compliance. Mark the mounting points on the wall using a pencil and level.
- Drilling:** Drill pilot holes at the marked locations. Use appropriate drill bits for your wall material (e.g., tile, drywall).
- Mounting Brackets:** Secure the mounting brackets to the wall using the provided screws and anchors. Ensure they are firmly attached and level.
- Wall Elbow Installation:** Connect the round wall elbow to the water supply line in the wall. Apply sealant to threads as necessary to prevent leaks.
- Slide Bar Assembly:** Attach the slide bar to the mounted brackets. Ensure the adjustable hand shower mount is correctly oriented.
- Hose Connection:** Connect the stretchable metal hose to the wall elbow and to your hand shower (sold separately). Hand-tighten connections, then use a wrench for a final snug turn, being careful not to overtighten.
- Testing:** Turn on the water supply and check for any leaks. Test the functionality of the slide bar and hand shower mount.

Important Note for Grab Bar Functionality: If this assembly is intended to be used as an ADA compliant grab bar, it must be installed strictly according to ADA guidelines and local building codes. This typically involves specific mounting heights, stud reinforcement, and fastener types to ensure it can support the required weight.



GENUINE PARTS

Image: Close-up view of the Delta Faucet 51600-BL showing the adjustable handshower mount and hose connection point.

OPERATING INSTRUCTIONS


Adjusting the Hand Shower Mount:

The hand shower mount on the Delta 51600-BL slide bar is designed for easy adjustment. To change the height or angle of your hand shower:

- Grasp the hand shower mount firmly.
- Slide the mount up or down the bar to your desired position. The internal mechanism will hold it in place.
- Some mounts may also allow for tilting the angle of the hand shower. Adjust as needed for optimal spray direction.

Using as a Grab Bar:

When properly installed according to ADA guidelines, the 24-inch slide bar can also serve as a grab bar, providing additional support and stability in the shower. Always ensure the bar is securely mounted before relying on it for support.



LIFETIME LIMITED WARRANTY

Image: Detailed view of the adjustable handshower mount on the Delta Faucet 51600-BL slide bar, highlighting its movement mechanism.

MAINTENANCE

Proper care and maintenance will ensure the longevity and appearance of your Delta Faucet 51600-BL assembly.

Cleaning Instructions:

- Clean the finish with a soft, damp cloth.
- For stubborn spots, use a mild soap and water solution.
- Rinse thoroughly with clean water and dry with a soft cloth to prevent water spots.
- **Avoid:** Abrasive cleaners, harsh chemicals, ammonia-based cleaners, or scouring pads, as these can

damage the finish and void the warranty.

Regular Checks:

- Periodically check all mounting screws and connections for tightness. Tighten gently if necessary.
- Inspect the hose for any signs of wear or damage. Replace if necessary.

TROUBLESHOOTING

If you encounter issues with your Delta Faucet 51600-BL assembly, refer to the common problems and solutions below. If the problem persists, contact customer support.

Problem	Possible Cause	Solution
Slide bar feels loose on the wall.	Mounting screws are loose or anchors are not secure.	Carefully tighten mounting screws. If anchors are compromised, professional repair may be needed.
Hand shower mount slides down or does not hold position.	Internal friction mechanism may be worn or dirty.	Ensure the mount is clean. If the issue persists, contact Delta customer support for replacement parts.
Water leaks from hose connections.	Connections are not tight enough or sealant is insufficient.	Turn off water supply. Tighten hose connections. Apply thread seal tape if necessary.

SPECIFICATIONS

Brand:	Delta
Model Number:	51600-BL
Color:	Matte Black
Material:	Metal (Brass handle material)
Finish Type:	Black
Item Weight:	4.95 Pounds
Product Dimensions:	27.5 x 4.88 x 6.63 inches
Mounting Type:	Wall Mount
Included Components:	Elbow, Slide Bar, Stretchable Metal Hose
UPC:	034449954440

PLUMBING EXPERTS

70

YEARS

OF

INNOVATION

AND

CUSTOMER SUPPORT



Image: Illustrative diagram or another view of the Delta Faucet 51600-BL, potentially showing scale or installation context.

WARRANTY INFORMATION

Delta Faucet Company stands behind the quality of its products. The Delta Faucet 51600-BL Adjustable Slide Bar & Grab Bar Assembly is covered by a **Lifetime Faucet and Finish Lifetime Limited Warranty**.

This warranty covers defects in material and manufacturing for as long as the original consumer purchaser owns their home. For full details regarding terms, conditions, and limitations of the warranty, please refer to the official warranty documentation provided with your product or visit the official Delta Faucet website.

CUSTOMER SUPPORT




For further assistance, technical support, or to order replacement parts, please contact Delta Faucet customer service.


- **Online:** Visit the official Delta Faucet website for FAQs, product registration, and contact information.
- **Phone:** Refer to your product packaging or the Delta Faucet website for the most current customer service

phone numbers.

When contacting support, please have your product model number (51600-BL) and date of purchase readily available.

Related Documents - 51600-BL

	<p><u>Delta Touch2O® Faucet Installation and Maintenance Guide</u></p> <p>Comprehensive installation, maintenance, and troubleshooting guide for Delta Touch2O® Technology kitchen and bar faucets, featuring models like Addison™, Ashton®, Esque™, and Leland®. Includes warranty information and care instructions.</p>
	<p><u>Delta Touch2O Technology Lavatory Faucets - Installation, Warranty, and Maintenance Guide</u></p> <p>Comprehensive guide for Delta Touch2O Technology Lavatory Faucets, including installation, cleaning, care, limited warranty, maintenance, and troubleshooting. Covers models like COMPEL, LAHARA, DRYDEN, ADDISON, TESLA, and TALBOTT with Touch2O technology.</p>
	<p><u>Delta Compel Collection Bath Accessories: Installation Guide & Lifetime Warranty</u></p> <p>Comprehensive installation instructions and lifetime limited warranty details for Delta Faucet's Compel Collection bath accessories. Includes care tips, product information, and model details.</p>
	<p><u>Delta High-Rise Pull-Down Kitchen and Bar/Prep Faucets Installation Guide</u></p> <p>This guide provides installation instructions for Delta high-rise pull-down kitchen and bar/prep faucets, including models 85214, 9178-DST, 9192-DST, 9678-DST, 9992-DST, 16971-DST, 19922-DST, 19949-DST, 19978-DST, and 19992-DST. It covers water line connections, custom fit connections, hose installation, soap dispenser installation, handle limit stop adjustment, and maintenance.</p>
	<p><u>Delta Pivotal Kitchen Faucet Installation Guide & Warranty Information</u></p> <p>Comprehensive installation guide for the Delta Pivotal Pullout and Pull-Down Kitchen Suite with Ribbon Spout. Includes parts lists, step-by-step instructions, Touch2O technology setup, troubleshooting, and limited warranty details.</p>



[Delta Victorian Single Lever Pull Down Kitchen Faucet Installation Guide and Parts List](#)

Official installation manual and parts breakdown for the Delta Victorian Single Lever Pull Down Kitchen Faucet series (Models 955-DST, 955-SD-DST, 16955-SD-DST, 9955-DST). Features step-by-step assembly instructions, troubleshooting tips, maintenance advice, and warranty information. Includes multilingual content in English, Spanish, and French.