Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

nania 299601

Mycarsit BELINE Car Seat and Booster User Manual

Model: 299601 | Brand: nania

1. Introduction

Thank you for choosing the Mycarsit BELINE Car Seat and Booster. This manual provides essential information for the correct installation, safe use, and maintenance of your car seat. Please read these instructions carefully before use and keep them for future reference.
The Mycarsit BELINE car seat is designed for children in Group 1/2/3, suitable for weights from 9 to 36 kg (approximately 9 months to 12 years). It is a versatile car seat that adapts to your child's growth, offering safety and comfort.

2. Safety Information

Your child's safety is paramount. Adhere to the following safety guidelines:

- This car seat is homologated according to the ECE R44/04 standard, ensuring it meets European safety requirements.
- Always install the car seat **forward-facing** on the rear seat of the vehicle.
- Secure the car seat using the vehicle's **3-point seat belt**. Ensure the belt is routed correctly through all designated guides.
- For children weighing 9 to 18 kg (Group 1), always use the integrated **5-point harness**. Ensure the harness is snug and correctly adjusted to your child's shoulders and chest.
- For children weighing 15 to 36 kg (Group 2/3), the car seat transforms into a booster seat without the harness. The vehicle's 3-point seat belt will secure the child.
- The car seat features **side impact protection** to enhance safety in the event of a side collision.
- Never leave your child unattended in the car seat.
- Do not modify the car seat in any way. Use only original replacement parts if needed.
- In case of an accident, even a minor one, the car seat may have sustained unseen damage. It is recommended to replace the car seat.

3. Product Overview

The Mycarsit BELINE car seat is designed for comfort and adaptability as your child grows. Key components include:

- **Adjustable Headrest:** The headrest can be adjusted in height to accommodate your child's stature.
- **5-Point Harness:** For Group 1 (9-18 kg), with double shoulder adjustment and anti-slip strap protectors.
- **Comfort Cover:** Padded for enhanced comfort during travel.
- **Armrests:** Provide additional comfort for the child.
- **Detachable Backrest:** Allows conversion to a backless booster seat for older children (from 15 kg).





Figure 3.1: Front view of the Mycarsit BELINE Car Seat, showcasing the full seat with harness and adjustable headrest.



Figure 3.2: Illustration highlighting the comfort cover and integrated side protection features of the car seat.



Figure 3.3: Close-up view of the car seat emphasizing the height-adjustable headrest mechanism.



Figure 3.4: Detail of the 5-point harness system with double shoulder adjustment and anti-slip strap protectors for secure fastening.

4. Setup and Installation

Follow these steps to correctly install the Mycarsit BELINE car seat in your vehicle:

4.1. Installation for Group 1 (9-18 kg) - With Harness

1. Place the car seat forward-facing on the rear seat of your vehicle. Ensure it is stable and flush against the vehicle's seat back.
2. Extend the vehicle's 3-point seat belt and route it through the designated guides on the car seat. These guides are typically located on both sides of the seat base and behind the backrest. Refer to the labels on the car seat for precise routing.
3. Buckle the vehicle's seat belt. Pull the shoulder and lap sections of the belt firmly to remove any slack, ensuring the car seat is tightly secured and does not move excessively.
4. Place your child in the car seat. Fasten the 5-point harness. Ensure the shoulder straps are at or slightly above your child's shoulders. Adjust the harness length so it is snug against your child's body, allowing only one finger to fit between the harness and your child's collarbone.
5. Adjust the headrest height to ensure it supports your child's head and neck properly. The headrest should be positioned so that the shoulder straps emerge at or just above your child's shoulders.


mycarsit

Figure 4.1: Illustration demonstrating the adjustable headrest mechanism, crucial for proper harness positioning.

4.2. Installation for Group 2/3 (15-36 kg) - Without Harness (Booster Mode)

1. Once your child reaches approximately 15 kg, you can transition the car seat to booster mode. Remove the 5-point harness system from the car seat. Consult the car seat's labels or specific instructions for harness removal.
2. The backrest of the BELINE booster seat is detachable. For older children, you may choose to use only the booster base. However, using the backrest provides enhanced side impact protection and proper seat belt positioning.
3. Place the booster seat (with or without backrest) on the vehicle's rear seat.
4. Seat your child in the booster. Route the vehicle's 3-point seat belt across your child and through the red belt guides on the booster seat. The lap belt should lie low across the hips, and the shoulder belt should cross the center of your child's shoulder and chest, not the neck or arm.
5. Buckle the vehicle's seat belt and pull to remove any slack, ensuring a snug fit.

5. Operating the Car Seat

5.1. Adjusting the Headrest

The headrest is height-adjustable to grow with your child. Locate the adjustment lever, typically at the top or back of the headrest. Squeeze the lever and slide the headrest up or down to the desired position. Ensure the shoulder straps are at the correct height for your child (at or slightly above the shoulders for harness use).

5.2. Adjusting the 5-Point Harness (Group 1)

To tighten the harness, pull the adjustment strap located at the front of the seat. To loosen, press the release button (usually under a flap) and pull the shoulder straps outwards. Always ensure the harness is snug and secure before driving.

5.3. Converting to Booster Mode (Group 2/3)

When your child reaches 15 kg, you can remove the 5-point harness. Store the harness components safely according to the instructions provided on the car seat's labels or in a separate compartment if available. The car seat then functions as a high-back booster, using the vehicle's 3-point seat belt to secure the child. The backrest can also be detached to create a backless booster for older children, though the high-back option is recommended for better protection.

6. Maintenance

Proper maintenance ensures the longevity and hygiene of your car seat:

- **Cleaning the Cover:** The car seat cover is **removable and hand washable**. Use mild soap and cold water. Do not machine wash, tumble dry, or iron, as this may damage the fabric or fire-retardant properties. Allow to air dry completely before reattaching.
- **Cleaning the Shell:** Wipe the plastic and metal parts of the car seat shell with a damp cloth and mild soap. Do not use abrasive cleaners or solvents.
- **Harness Care:** Inspect the harness straps regularly for fraying or damage. Clean straps with a damp cloth; do not immerse in water or use harsh chemicals, as this can weaken the webbing.
- **Storage:** When not in use, store the car seat in a cool, dry place away from direct sunlight.

7. Troubleshooting

If you encounter issues with your Mycarsit BELINE car seat, refer to the following common solutions:

- **Car Seat Feels Loose After Installation:** Ensure the vehicle's 3-point seat belt is pulled taut and all slack is removed. Check that the belt is routed correctly through all designated guides. Apply pressure to the car seat while tightening the belt.
- **Harness is Difficult to Adjust/Tighten:** Check for any twists in the harness straps behind the seat. Ensure no fabric or clothing is obstructing the harness adjustment mechanism. The harness buckle should click firmly into place.
- **Headrest Not Moving Smoothly:** Ensure the adjustment lever is fully engaged when attempting to move the headrest. Check for any obstructions or debris in the headrest tracks.
- **Child Appears Uncomfortable:** Verify that the harness (if used) is not too tight or too loose. Ensure the headrest is adjusted to the correct height for your child's shoulders. Check for any bunched clothing.
- **Difficulty Detaching Backrest:** Refer to the specific instructions or diagrams on the car seat for the release mechanism. Ensure all clips or latches are disengaged before attempting to separate the backrest from the booster base.

If problems persist, please contact customer support.

8. Specifications

Feature	Specification
Model Number	299601
Product Type	Car Seat and Booster
Group Classification	Group 1/2/3
Recommended Minimum Weight	9 Kilograms
Recommended Maximum Weight	36 Kilograms
Harness Type	5-point (for Group 1)
Installation Type	Vehicle 3-point seat belt
Orientation	Forward-facing
Material	Polyester
Color	Pop Grey First
Product Dimensions (L x W x H)	44 x 25 x 69 cm
Item Weight	4.6 Kilograms
Care Instructions	Removable and hand washable cover




Figure 8.1: Technical diagram illustrating the dimensions (width, depth, height) and weight of the BELINE car seat.

9. Warranty and Support

The Mycarsit BELINE Car Seat comes with a **2-year warranty** from the date of purchase, covering manufacturing defects. Please retain your proof of purchase for warranty claims.
For any questions, assistance, or warranty claims, please contact our customer service. Our team is available to assist you:

- **Phone Support:** Monday to Friday, from 08:30 to 12:00 and from 14:00 to 17:00 (local time).
- Please refer to the product packaging or the brand's official website for specific contact details.

© 2023 nania. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B08HSLDJJY

More documents and user manuals: **https://manuals.plus/**