

Danfoss 014G1115

Danfoss 014G1115 Eco Programmable Radiator Thermostat User Manual

Model: 014G1115 | Brand: Danfoss

1. INTRODUCTION

The Danfoss Eco Programmable Radiator Thermostat (model 014G1115) is an electronic radiator thermostat designed to provide precise temperature control for individual rooms. It features Bluetooth connectivity, allowing users to manage heating settings directly from a smartphone via the free Danfoss Eco app. This device aims to enhance comfort and optimize energy consumption in your home.

Key features include:

- Smartphone control via Bluetooth (up to 10m range).
- Potential energy savings of up to 30%.
- Functions such as frost protection, open window detection, and temperature limits.
- Compact design with a low noise level (<30dB).
- Anti-seize function for enhanced reliability.
- Wide compatibility with various radiator valves using supplied adapters.



Image: The Danfoss Eco Programmable Radiator Thermostat, a white cylindrical device with a digital display.

2. PACKAGE CONTENTS

Before beginning installation, please ensure all components are present:

- Danfoss Eco Programmable Radiator Thermostat (014G1115)
- Various adapters for different valve types (e.g., M30, M28)
- Quick Start Guide (not included in this digital manual)



Image: Danfoss Eco Thermostat shown alongside its various white plastic adapters for different radiator valve connections.

3. SETUP AND INSTALLATION

3.1 Battery Installation

1. Remove the battery cover from the thermostat.
2. Insert two AA batteries, ensuring correct polarity.
3. Replace the battery cover.

The thermostat requires 2 AA batteries for operation. The expected battery life is up to 2 years.

3.2 Physical Installation on Radiator Valve

The Danfoss Eco thermostat is compatible with most radiator valves. Adapters are provided for common valve types (Danfoss RA, M30, RA/VL, RA/V, M28).

1. **Check Valve Pin Movement:** Before installation, ensure the operating pin on your existing radiator valve moves freely. You should be able to push it in with your finger, and it should spring back to its original position. If it is stiff, apply a lubricant like WD40 and work the pin until it moves freely. A stuck pin will prevent the thermostat from functioning correctly.
2. **Remove Existing Thermostat Head:** Unscrew and remove the old thermostat head from your radiator valve.
3. **Select Correct Adapter:** Identify the appropriate adapter for your radiator valve type.
4. **Mount Adapter (if necessary):** If an adapter is required, securely attach it to the radiator valve.
5. **Attach Danfoss Eco Thermostat:** Screw the Danfoss Eco thermostat onto the adapter or directly onto the valve if no adapter is needed. Ensure it is hand-tightened securely.
6. **Test Wireless Connection:** It is recommended to test the wireless connection strength before finalizing the

installation, especially if planning to control multiple units.



Image: Danfoss Eco Thermostat mounted on a white radiator, with a smartphone displaying the control app nearby.

3.3 App Download and Pairing

1. **Download the App:** Download the free [Danfoss Eco app](#) from the Apple App Store or Google Play Store.
2. **Enable Bluetooth:** Ensure Bluetooth is enabled on your smartphone.
3. **Pairing:** Follow the in-app instructions to pair your Danfoss Eco thermostat with your smartphone. If pairing is slow, try pressing the button or rotating the manual temperature setting ring on the thermostat to wake it up.

4. OPERATING INSTRUCTIONS

4.1 Basic Temperature Control

- **Manual Adjustment:** You can manually adjust the temperature directly on the thermostat by rotating the ring. The current temperature setting will be displayed on the screen.
- **App Control:** Use the Danfoss Eco app on your smartphone to set the desired temperature. The app provides an

intuitive interface for precise control.

The temperature setting range for the Danfoss Eco thermostat is typically between 4°C and 28°C.

4.2 Advanced Features via App

The Danfoss Eco app unlocks several advanced features:

- **Scheduling:** Create custom heating schedules for different times of the day and days of the week to match your routine.
- **Frost Protection Mode:** Automatically maintains a minimum temperature (e.g., 4°C) to prevent pipes from freezing.
- **Open Window Detection:** The thermostat can detect a sudden drop in temperature (indicating an open window) and temporarily pause heating to save energy.
- **Min/Max Temperature Limits:** Set minimum and maximum temperature boundaries to prevent excessive heating or cooling.
- **Holiday Mode:** Set a specific lower temperature for an extended period when you are away, resuming normal schedule upon your return.
- **Summer Time Function:** Adjusts for daylight saving time automatically.



GERMAN
DESIGN
AWARD
SPECIAL
2019



reddot award 2018
winner interface design



Image: A smartphone screen showing the Danfoss Eco app, illustrating the user interface for temperature control and scheduling.

5. MAINTENANCE

- **Cleaning:** Wipe the thermostat with a soft, dry cloth. Do not use abrasive cleaners or solvents.
- **Battery Replacement:** Replace the AA batteries approximately every two years, or when the low battery indicator appears on the thermostat's display or in the app. Note that the app may not always provide an alert for failing batteries.
- **Anti-Seize Function:** The thermostat is equipped with an anti-seize function that periodically exercises the valve pin to prevent it from sticking. No user intervention is typically required for this function.

6. TROUBLESHOOTING

- **Slow Bluetooth Connection:** If the app connects slowly, try pressing the button or rotating the manual temperature setting ring on the thermostat. This can help wake the device and improve connection speed.
- **Thermostat Not Controlling Temperature (E6 Error):** An E6 error code typically indicates a motor jam. This can occur if the radiator valve pin is stuck. Refer to section 3.2 for instructions on checking and freeing the valve pin. If the issue persists, contact Danfoss support.
- **Radiator Not Heating/Cooling as Expected:**
 - Verify the thermostat's set temperature is appropriate.
 - Check the battery level.
 - Ensure the radiator valve pin moves freely (see section 3.2).
 - Confirm no "Open Window Detection" or "Frost Protection" modes are active unexpectedly.
- **No Low Battery Warning:** Be aware that the app may not always provide an explicit alert for failing batteries. It is advisable to replace batteries proactively every two years or if the thermostat's performance becomes erratic.

7. SPECIFICATIONS

Feature	Detail
Model Number	014G1115
Brand	Danfoss
Product Dimensions	11.5 x 5.5 x 11.5 cm (approx.)
Item Weight	250 g
Power Source	Battery Powered (2 x AA batteries)
Voltage	1.5 Volts
Wattage	1.2 watts
Connectivity Technology	Bluetooth (up to 10m range)
Temperature Control Type	Smart/Remote (via mobile app)
Temperature Setting Range	4°C - 28°C
Battery Life	Up to 2 years
Noise Level	<30dB
Display Style	Digital
Included Components	Programmable radiator thermostat, various adapters

8. WARRANTY AND SUPPORT

For warranty information, technical support, or further assistance, please refer to the official Danfoss website or contact Danfoss customer service directly. Details regarding specific warranty periods and support channels can typically be found on the manufacturer's product page or within the Danfoss Eco app.

You can visit the Danfoss website for more information:www.danfoss.com




Related Documents - 014G1115

	Danfoss Eco™ Radiator Thermostat Quick Guide: Installation & Setup Learn how to install and set up your Danfoss Eco™ smart radiator thermostat. This guide covers valve identification, adapter fitting, mounting, resetting, and app integration for efficient home heating.
	Danfoss Eco™ Smart Radiator Thermostat Quick Installation Guide This quick guide provides essential information for installing and setting up the Danfoss Eco™ smart radiator thermostat. It covers valve type identification, adapter mounting, battery installation, device reset procedures, and app integration for seamless smart home heating control.
	Danfoss Ally™ Radiator Thermostat Quick Guide A quick guide to installing, mounting, and resetting the Danfoss Ally™ smart radiator thermostat, including adapter compatibility, technical specifications, and safety information.
	Danfoss Link™ & Connect Thermostats Application Guide for Heating Control This application guide from Danfoss provides comprehensive information on the Danfoss Link™ and Connect Thermostats heating control systems. It covers system components, general guidelines for heat supply and room management, and details applications for boilers, central boilers, district heating, and heat pumps, optimizing energy efficiency and comfort in residential settings.

	Danfoss Eco™ Electronic Radiator Thermostat Installation Guide Comprehensive installation and user guide for the Danfoss Eco™ electronic radiator thermostat, covering setup, features, technical specifications, and app integration.
	Danfoss Eco™ Electronic Radiator Thermostat Installation Guide Comprehensive installation guide for the Danfoss Eco™ electronic radiator thermostat, covering setup, features, technical specifications, and app integration. Learn how to install, configure, and use your smart thermostat for optimal heating control.

Documents - Danfoss – 014G1115



[Danfoss Ally™ Radiator Thermostat Quick Guide](#)

A quick guide to installing, mounting, and resetting the Danfoss Ally™ smart radiator thermostat, including adapter compatibility, technical specifications, and safety information.

lang:en score:32 filesize: 1.31 M page_count: 2 document date: 2025-08-13

[illegible]

[\[pdf\]](#)

Danfoss Eco™ Programmable radiator thermostat for smartphone 014G1001 014G1115

AI231586403273uk 000302 assets danfoss documents 152329

Danfoss EcoTM Danfoss EcoTM -- , . Danfoss EcoTM -- , . Danfoss Ec ... CZ, PL, TR, UA, UK UK, DE, CH, AT, DK, FR, IT, PL, CZ RA, M30 RA, M30, RAVL, RAV 014G1001 **014G1115** Danfoss HS 11/2020 AI231586403273uk-000302 1 2 Danfoss EcoTM RAV RAVL...

lang:en score:27 filesize: 4.08 M page_count: 5 document date: 2020-11-05

[illegible]

[\[pdf\]](#)

Danfoss Eco™ Programmable radiator thermostat for smartphone 014G1001 014G1115

AI231586403273ru 000302 assets danfoss documents 152323

Danfoss EcoTM Danfoss . Danfoss EcoTM . Danfoss EcoTM , ... CZ, PL, TR, UA, UK
UK, DE, CH, AT, DK, FR, IT, PL, CZ RA, M30 RA, M30, RAVL, RAV 014G1001
014G1115 Danfoss 11/2020 AI231586403273ru-000302 1 Danfoss EcoTM RAV
RAVL RA ...

lang:nl score:27 filesize: 4.13 M page_count: 5 document date: 2019-04-03

[illegible]

[\[pdf\]](#)

Danfoss Eco™ Programmable radiator thermostat for smartphone 014G1001 014G1115

AI231586403273bg 000401 assets danfoss documents latest 211253 |||

Danfoss EcoTM , Danfoss . Danfoss EcoTM . Danfoss EcoTM , ... s EcoTM Retail
Pack UK, DE, CH, AT, DK, FR, IT, PL, CZ RA, M30 RA, M30, RAVL, RAV 014G1001
014G1115 Danfoss 10/2022 AI231586403273bg-000401 1 Danfoss EcoTM RAV
RAVL RA ...

lang:i-klingon score:27 filesize: 4.15 M page_count: 5 document date: 2021-07-07

[illegible]

[\[pdf\]](#)

Danfoss Eco™ Programmable radiator thermostat for smartphone 014G1001 014G1115

AI231586403273bg 000302 assets danfoss documents 152302

Danfoss EcoTM , Danfoss . Danfoss EcoTM . Danfoss EcoTM , ... s EcoTM Retail
Pack UK, DE, CH, AT, DK, FR, IT, PL, CZ RA, M30 RA, M30, RAVL, RAV 014G1001
014G1115 Danfoss 11/2020 AI231586403273bg-000302 1 Danfoss EcoTM RAV
RAVL RA ...

lang: id score: 26 filesize: 4.1 M page_count: 5 document date: 2020-11-05

[illegible]

[\[pdf\]](#)

Danfoss Eco™ Programmable radiator thermostat for smartphone 014G1001 014G1115

AI231586403273ru 000302 assets danfoss documents latest 152323 |||

Danfoss EcoTM Danfoss . Danfoss EcoTM . Danfoss EcoTM , ... CZ, PL, TR, UA, UK
UK, DE, CH, AT, DK, FR, IT, PL, CZ RA, M30 RA, M30, RAVL, RAV 014G1001
014G1115 Danfoss 11/2020 A1231586403273ru-000302 1 Danfoss EcoTM RAV
RAVL RA ...

lang:nl score:26 filesize: 4.13 M page_count: 5 document date: 2019-04-03

[illegible]

[\[pdf\]](#)

Danfoss Eco™ Programmable radiator thermostat for smartphone 014G1001 014G1115

AI231586403273uk 000401 assets danfoss documents latest 196523 |||

Danfoss EcoTM Danfoss EcoTM -- , . Danfoss EcoTM -- , . Danfoss Ec ... CZ, PL, TR,
UA, UK UK, DE, CH, AT, DK, FR, IT, PL, CZ RA, M30 RA, M30, RAVL, RAV
014G1001 **014G1115** Danfoss HS 01/2022 AI231586403273uk-000401 1 Danfoss
EcoTM RAV RAVL ...

lang:en score:26 filesize: 4.17 M page_count: 5 document date: 2021-07-07

Технічний опис

Програмований радіотермічний терморегулятор Danfoss Eco™ з керуванням зі смартфона

Застосування

Danfoss Eco™ – програмований радіотермічний терморегулятор з керуванням зі смартфона.

Danfoss Eco™ – компактний радіотермічний терморегулятор з керуванням зі смартфона. Терморегулятор дозволяє дистанційно регулювати температуру, щоб зменшити витрати на опалення будинку та зберегти комфорт.

Можливість керування терморегулятором Eco™

Можливість керування терморегулятором Eco™ зовнішнім мережевим зв'язком Wi-Fi (опціонально).

дистанційно за допомогою смартфона чи комп'ютера чи за допомогою спеціального пристрою, який дозволяє керувати терморегулятором Eco™ зовнішнім мережевим зв'язком Wi-Fi.

Настройка терморегулятора може бути виконана:

- Через смартфон з встановленою відповідною програмою
- Через комп'ютер
- Через веб-портал
- Через телефон
- Через "Голосовий зв'язок"
- Через пристрій, який може бути встановлено на ПК або ноутбук

Функції Eco™

- Функція "Відпустка" – дозволяє встановити різницю температур між температурою встановлення та температурою вимкнення терморегулятора "Відпустка" та "Нормальна"
- Функція "Відпустка" – дозволяє встановити різницю температур між температурою вимкнення терморегулятора "Відпустка" та "Нормальна"
- Функція "Відпустка" – дозволяє встановити різницю температур між температурою вимкнення терморегулятора "Відпустка" та "Нормальна"
- Функція "Відпустка" – дозволяє встановити різницю температур між температурою вимкнення терморегулятора "Відпустка" та "Нормальна"

Номінальний та код

	Модель	Адреса в комунікаті	Код
Данфос Eco™	RA 10, RA 16, RA 24, RA 32, RA 40, RA 48, RA 56, RA 64, RA 72, RA 80, RA 88, RA 96, RA 104, RA 112, RA 120, RA 128, RA 136, RA 144, RA 152, RA 160, RA 168, RA 176, RA 184, RA 192, RA 200, RA 208, RA 216, RA 224, RA 232, RA 240, RA 248, RA 256, RA 264, RA 272, RA 280, RA 288, RA 296, RA 304, RA 312, RA 320, RA 328, RA 336, RA 344, RA 352, RA 360, RA 368, RA 376, RA 384, RA 392, RA 400, RA 408, RA 416, RA 424, RA 432, RA 440, RA 448, RA 456, RA 464, RA 472, RA 480, RA 488, RA 496, RA 504, RA 512, RA 520, RA 528, RA 536, RA 544, RA 552, RA 560, RA 568, RA 576, RA 584, RA 592, RA 600, RA 608, RA 616, RA 624, RA 632, RA 640, RA 648, RA 656, RA 664, RA 672, RA 680, RA 688, RA 696, RA 704, RA 712, RA 720, RA 728, RA 736, RA 744, RA 752, RA 760, RA 768, RA 776, RA 784, RA 792, RA 800, RA 808, RA 816, RA 824, RA 832, RA 840, RA 848, RA 856, RA 864, RA 872, RA 880, RA 888, RA 896, RA 904, RA 912, RA 920, RA 928, RA 936, RA 944, RA 952, RA 960, RA 968, RA 976, RA 984, RA 992, RA 1000, RA 1008, RA 1016, RA 1024, RA 1032, RA 1040, RA 1048, RA 1056, RA 1064, RA 1072, RA 1080, RA 1088, RA 1096, RA 1104, RA 1112, RA 1120, RA 1128, RA 1136, RA 1144, RA 1152, RA 1160, RA 1168, RA 1176, RA 1184, RA 1192, RA 1200, RA 1208, RA 1216, RA 1224, RA 1232, RA 1240, RA 1248, RA 1256, RA 1264, RA 1272, RA 1280, RA 1288, RA 1296, RA 1304, RA 1312, RA 1320, RA 1328, RA 1336, RA 1344, RA 1352, RA 1360, RA 1368, RA 1376, RA 1384, RA 1392, RA 1400, RA 1408, RA 1416, RA 1424, RA 1432, RA 1440, RA 1448, RA 1456, RA 1464, RA 1472, RA 1480, RA 1488, RA 1496, RA 1504, RA 1512, RA 1520, RA 1528, RA 1536, RA 1544, RA 1552, RA 1560, RA 1568, RA 1576, RA 1584, RA 1592, RA 1600, RA 1608, RA 1616, RA 1624, RA 1632, RA 1640, RA 1648, RA 1656, RA 1664, RA 1672, RA 1680, RA 1688, RA 1696, RA 1704, RA 1712, RA 1720, RA 1728, RA 1736, RA 1744, RA 1752, RA 1760, RA 1768, RA 1776, RA 1784, RA 1792, RA 1800, RA 1808, RA 1816, RA 1824, RA 1832, RA 1840, RA 1848, RA 1856, RA 1864, RA 1872, RA 1880, RA 1888, RA 1896, RA 1904, RA 1912, RA 1920, RA 1928, RA 1936, RA 1944, RA 1952, RA 1960, RA 1968, RA 1976, RA 1984, RA 1992, RA 2000, RA 2008, RA 2016, RA 2024, RA 2032, RA 2040, RA 2048, RA 2056, RA 2064, RA 2072, RA 2080, RA 2088, RA 2096, RA 2104, RA 2112, RA 2120, RA 2128, RA 2136, RA 2144, RA 2152, RA 2160, RA 2168, RA 2176, RA 2184, RA 2192, RA 2200, RA 2208, RA 2216, RA 2224, RA 2232, RA 2240, RA 2248, RA 2256, RA 2264, RA 2272, RA 2280, RA 2288, RA 2296, RA 2304, RA 2312, RA 2320, RA 2328, RA 2336, RA 2344, RA 2352, RA 2360, RA 2368, RA 2376, RA 2384, RA 2392, RA 2400, RA 2408, RA 2416, RA 2424, RA 2432, RA 2440, RA 2448, RA 2456, RA 2464, RA 2472, RA 2480, RA 2488, RA 2496, RA 2504, RA 2512, RA 2520, RA 2528, RA 2536, RA 2544, RA 2552, RA 2560, RA 2568, RA 2576, RA 2584, RA 2592, RA 2600, RA 2608, RA 2616, RA 2624, RA 2632, RA 2640, RA 2648, RA 2656, RA 2664, RA 2672, RA 2680, RA 2688, RA 2696, RA 2704, RA 2712, RA 2720, RA 2728, RA 2736, RA 2744, RA 2752, RA 2760, RA 2768, RA 2776, RA 2784, RA 2792, RA 2800, RA 2808, RA 2816, RA 2824, RA 2832, RA 2840, RA 2848, RA 2856, RA 2864, RA 2872, RA 2880, RA 2888, RA 2896, RA 2904, RA 2912, RA 2920, RA 2928, RA 2936, RA 2944, RA 2952, RA 2960, RA 2968, RA 2976, RA 2984, RA 2992, RA 3000, RA 3008, RA 3016, RA 3024, RA 3032, RA 3040, RA 3048, RA 3056, RA 3064, RA 3072, RA 3080, RA 3088, RA 3096, RA 3104, RA 3112, RA 3120, RA 3128, RA 3136, RA 3144, RA 3152, RA 3160, RA 3168, RA 3176, RA 3184, RA 3192, RA 3200, RA 3208, RA 3216, RA 3224, RA 3232, RA 3240, RA 3248, RA 3256, RA 3264, RA 3272, RA 3280, RA 3288, RA 3296, RA 3304, RA 3312, RA 3320, RA 3328, RA 3336, RA 3344, RA 3352, RA 3360, RA 3368, RA 3376, RA 3384, RA 3392, RA 3400, RA 3408, RA 3416, RA 3424, RA 3432, RA 3440, RA 3448, RA		

[illegible][illegible]

[\[pdf\]](#)

Danfoss Eco™ Programmable radiator thermostat for smartphone 014G1001 014G1115

AI231586403273uk 000501 assets danfoss documents latest 211502 |||

Danfoss EcoTM Danfoss EcoTM -- , . Danfoss EcoTM -- , . Danfoss Ec ... CZ, PL, TR, UA, UK UK, DE, CH, AT, DK, FR, IT, PL, CZ RA, M30 RA, M30, RAVL, RAV 014G1001 **014G1115** Danfoss HS 10/2022 AI231586403273uk-000501 1 Danfoss EcoTM RAV RAVL ...

lang:en score:26 filesize: 4.17 M page_count: 5 document date: 2021-07-07

[\[pdf\]](#)

Danfoss Eco™ Programmable radiator thermostat for smartphone 014G1001 014G1115

AI231586403273ru 000302 assets danfoss documents latest 151141 000202 |||

Danfoss EcoTM Danfoss . Danfoss EcoTM . Danfoss EcoTM , ... CZ, PL, TR, UA, UK
UK, DE, CH, AT, DK, FR, IT, PL, CZ RA, M30 RA, M30, RAVL, RAV 014G1001
014G1115 Danfoss 11/2020 AI231586403273ru-000302 1 Danfoss EcoTM RAV
RAVL RA ...

lang:nl score:26 filesize: 1.83 M page_count: 5 document date: 2024-07-09

[\[pdf\]](#)

Danfoss Eco™ Programmable radiator thermostat for smartphone 014G1001 014G1115

AI231586403273uk 000501 assets danfoss documents latest 151146 000202 |||

Danfoss EcoTM Danfoss EcoTM -- , . Danfoss EcoTM -- , . Danfoss Ec ... CZ, PL, TR,
UA, UK UK, DE, CH, AT, DK, FR, IT, PL, CZ RA, M30 RA, M30, RAVL, RAV
014G1001 **014G1115** Danfoss HS 10/2022 AI231586403273uk-000501 1 Danfoss
EcoTM RAV RAVL ...

lang:en score:26 filesize: 1.91 M page count: 5 document date: 2024-07-09

[illegible][illegible][illegible]

[\[pdf\]](#)

Danfoss Eco™ Programmable radiator thermostat for smartphone 014G1001 014G1115

AI231586403273bg 000401 assets danfoss documents latest 151276 000202 |||

Danfoss EcoTM , Danfoss . Danfoss EcoTM . Danfoss EcoTM , ... , CZ, PL, TR, UA,
UK UK, DE, CH, AT, DK, FR, IT, PL, CZ RA, M30 RA, M30, RAVL, RAV 014G1001

014G1115 Danfoss 10/2022 AI231586403273bg-000401 1 Danfoss EcoTM RAV
RAVL RA ...

lang:i-klingon score:26 filesize: 1.9 M page_count: 5 document date: 2024-07-09

[\[pdf\]](#)

Danfoss Eco™ Programmable radiator thermostat for smartphone 014G1001 014G1115

AI231586403273bg 000302 assets danfoss documents latest 152302 |||

Danfoss EcoTM , Danfoss . Danfoss EcoTM . Danfoss EcoTM , ... s EcoTM Retail
Pack UK, DE, CH, AT, DK, FR, IT, PL, CZ RA, M30 RA, M30, RAVL, RAV 014G1001

014G1115 Danfoss 11/2020 AI231586403273bg-000302 1 Danfoss EcoTM RAV
RAVL RA ...

lang: id score: 26 filesize: 4.12 M page_count: 5 document date: 2019-04-03

[\[pdf\]](#)


Danfoss Eco™ Programmable radiator thermostat for smartphone 014G1001 014G1115 4 1 MB Eco

support AI231586403273bg 000401 assets danfoss documents 211253 |||

Danfoss EcoTM , Danfoss . Danfoss EcoTM . Danfoss EcoTM , ... s EcoTM Retail
Pack UK, DE, CH, AT, DK, FR, IT, PL, CZ RA, M30 RA, M30, RAVL, RAV 014G1001

014G1115 Danfoss 10/2022 AI231586403273bg-000401 1 Danfoss EcoTM RAV
RAVL RA ...

lang:i-klingon score:26 filesize: 4.15 M page count: 5 document date: 2021-07-07



[\[pdf\]](#)

Danfoss Eco™ Programmable radiator thermostat for smartphone 014G1001 014G1115

AI231586403273da DK0204 assets danfoss documents DOC356140372890

Datablad Danfoss EcoTM Programmerbar radiatortermostat til smartphone

Anvendelse Funktioner: Let ... Adaptere medfølger RA M30 RA, M30, RAV, RAVL VVS-
nr. 40 3251.952 40 3251.951 Best.nr. 014G1001 **014G1115** Danfoss HS 09/2020

VDLTF201 1 Datablad Tilbehr Danfoss EcoTM Programmerbar radiator...

lang:da score:26 filesize: 10.99 M page_count: 5 document date: 2020-10-01

[\[pdf\]](#)

Danfoss Eco™ Programmable radiator thermostat for smartphone 014G1001 014G1115

AI231586403273da DK0204 assets danfoss documents 150370 |||

Datablad Danfoss EcoTM Programmerbar radiatortermostat til smartphone

Anvendelse Funktioner: Let ... Adaptere medfølger RA M30 RA, M30, RAV, RAVL VVS-
nr. 40 3251.952 40 3251.951 Best.nr. 014G1001 **014G1115** Danfoss HS 09/2020

VDLTF201 1 Datablad Tilbehr Danfoss Eco™ Programmerbar radiator...

lang:da score:26 filesize: 10.89 M page_count: 5 document date: 2020-10-01

[\[pdf\]](#)

Danfoss Eco™ Programmable radiator thermostat for smartphone 014G1001 014G1115 4 2 MB Eco
support AI231586403273uk 000501 assets danfoss documents 211502 |||

Danfoss EcoTM Danfoss EcoTM -- , . Danfoss EcoTM -- , . Danfoss Ec ... CZ, PL, TR, UA, UK UK, DE, CH, AT, DK, FR, IT, PL, CZ RA, M30 RA, M30, RAVL, RAV 014G1001 **014G1115** Danfoss HS 10/2022 AI231586403273uk-000501 1 Danfoss EcoTM RAV RAVL ...

lang:en score:26 filesize: 4.17 M page_count: 5 document date: 2021-07-07



[illegible]

[\[pdf\]](#)

Danfoss Eco™ Programmable radiator thermostat for smartphone 014G1001 014G1115

AI231586403273no 000302 assets danfoss documents 152320

Dataark Danfoss EcoTM programmerbar radiatortermostat for smarttelefon

Bruksområde Bestilling Danfo ... DE, CH, AT, DK, FR, IT, PL, CZ Adaptere inkluderet

RA, M30 RA, M30, RAVL, RAV Kode nr. 014G1001 **014G1115** Danfoss 11/2020

AI231586403273no-000302 1 Dataark Tilbehr Spesifikasjoner 2 Danfoss...

lang:no score:26 filesize: 4.06 M page_count: 5 document date: 2020-11-05

Data Sheet

TECHNOLOGY

Danfoss
HEATING

Danfoss Eco™

Programmable radiator thermostat for smartphone

Application

Features:

- Easy App programming via Bluetooth or smart
- Energy saving
- Easy to install
- Easy to operate
- Adjustable mode
- Open window function
- PID, Accurate temperature control
- Adaptive heating
- Easy to set day and week, weekly scheduling
- Easy to set 120 display
- Easy to set 120 display
- Climate, temperature settings
- Heat, temp range
- Heat, temp range
- Heat, temp range

Danfoss Eco™ is a smart open radiator thermostat for residential use.

Danfoss Eco™ is battery powered, compact and easy to operate with a standard wall or shelf plug. It is compatible with Danfoss Eco™ to be programmed with a smartphone App using Bluetooth connectivity.

Danfoss Eco™ is a smart open radiator thermostat for residential use, just 10 seconds.

Adaptation can be made for different radiator values and radiator type for different radiator heat output value manual control.

Ordering

	Language	Adapters (Included)	Code no.
Danfoss Eco™ Install Pack	EN	DA, DE	01462081
Danfoss Eco™ Reset Pack		SA, MA, DA, DE, EN, FR	01462015

Accessories

Type	Code no.
Adapter for 10A & 16A values	01462029
Adapter for 16A values	01462031
Adapter for 10A & 16A in 16A values	01462032
Adapter for 16A values	01462033
Adapter for 16A in 16A values	01462034
Adapter for 16A in 16A values	01462035
Adapter for 16A in 16A values	01462036
Adapter for 16A in 16A values	01462037
Adapter for 16A in 16A values	01462038
Adapter for 16A in 16A values	01462039
Adapter for 16A in 16A values	01462040
Adapter for 16A in 16A values	01462041
Adapter for 16A in 16A values	01462042
Adapter for 16A in 16A values	01462043
Adapter for 16A in 16A values	01462044
Adapter for 16A in 16A values	01462045
Adapter for 16A in 16A values	01462046
Adapter for 16A in 16A values	01462047
Adapter for 16A in 16A values	01462048
Adapter for 16A in 16A values	01462049
Adapter for 16A in 16A values	01462050
Adapter for 16A in 16A values	01462051
Adapter for 16A in 16A values	01462052
Adapter for 16A in 16A values	01462053
Adapter for 16A in 16A values	01462054
Adapter for 16A in 16A values	01462055
Adapter for 16A in 16A values	01462056
Adapter for 16A in 16A values	01462057
Adapter for 16A in 16A values	01462058
Adapter for 16A in 16A values	01462059
Adapter for 16A in 16A values	01462060
Adapter for 16A in 16A values	01462061
Adapter for 16A in 16A values	01462062
Adapter for 16A in 16A values	01462063
Adapter for 16A in 16A values	01462064
Adapter for 16A in 16A values	01462065
Adapter for 16A in 16A values	01462066
Adapter for 16A in 16A values	01462067
Adapter for 16A in 16A values	01462068
Adapter for 16A in 16A values	01462069
Adapter for 16A in 16A values	01462070
Adapter for 16A in 16A values	01462071
Adapter for 16A in 16A values	01462072
Adapter for 16A in 16A values	01462073
Adapter for 16A in 16A values	01462074
Adapter for 16A in 16A values	01462075
Adapter for 16A in 16A values	01462076
Adapter for 16A in 16A values	01462077
Adapter for 16A in 16A values	01462078
Adapter for 16A in 16A values	01462079
Adapter for 16A in 16A values	01462080
Adapter for 16A in 16A values	01462081
Adapter for 16A in 16A values	01462082
Adapter for 16A in 16A values	01462083
Adapter for 16A in 16A values	01462084
Adapter for 16A in 16A values	01462085
Adapter for 16A in 16A values	01462086
Adapter for 16A in 16A values	01462087
Adapter for 16A in 16A values	01462088
Adapter for 16A in 16A values	01462089
Adapter for 16A in 16A values	01462090
Adapter for 16A in 16A values	01462091
Adapter for 16A in 16A values	01462092
Adapter for 16A in 16A values	01462093
Adapter for 16A in 16A values	01462094
Adapter for 16A in 16A values	01462095
Adapter for 16A in 16A values	01462096
Adapter for 16A in 16A values	01462097
Adapter for 16A in 16A values	01462098
Adapter for 16A in 16A values	01462099
Adapter for 16A in 16A values	01462100
Adapter for 16A in 16A values	01462101
Adapter for 16A in 16A values	01462102
Adapter for 16A in 16A values	01462103
Adapter for 16A in 16A values	01462104
Adapter for 16A in 16A values	01462105
Adapter for 16A in 16A values	01462106
Adapter for 16A in 16A values	01462107
Adapter for 16A in 16A values	01462108
Adapter for 16A in 16A values	01462109
Adapter for 16A in 16A values	01462110
Adapter for 16A in 16A values	01462111
Adapter for 16A in 16A values	0

[\[pdf\]](#)

[\[pdf\]](#) User Manual Installation Guide Datasheet Accessories

Danfoss Eco™ Programmable radiator thermostat for smartphone 014G1001 014G1115

AI231586403273en GB0201 assets danfoss documents 152310

Data Sheet Danfoss EcoTM Programmable radiator thermostat for smartphone

Application Ordering Danfoss EcoTM Retail Pack Language EN Adapters included

RA, M30 RA, M30, RAVL, RAV Code no. 014G1001 **014G1115** Accessories Type

Adapters for RAV RAVL valves Adapter for RA valves Adapter for K M30 ...

lang:en score:26 filesize: 4.06 M page_count: 5 document date: 2020-11-05

[\[pdf\]](#)

Danfoss Eco™ Programmable radiator thermostat for smartphone 014G1001 014G1115

AI231586403273et 000302 assets danfoss documents 152309

Tehniline andmeleht Danfoss Eco™ programmeeritav radiaatoritermostaat

juhtimisega nutitelefonist K ... E, CH, AT, DK, FR, IT, PL, CZ Adapterid tootega

kaasas RA, M30 RA, M30, RAVL, RAV Kood 014G1001 **014G1115** Danfoss 11/2020

AI231586403273et-000302 1 Tehniline andmeleht Danfoss Eco™ programm...

lang:et score:26 filesize: 3.92 M page_count: 5 document date: 2020-11-05

[illegible]

[\[pdf\]](#)

Danfoss Eco™ Programmable radiator thermostat for smartphone 014G1001 014G1115

AI231586403273sv 000302 assets danfoss documents 152327

Datablad Danfoss EcoTM programmerbar radiatortermostat fr app i smartphone

Anvndningsomrde Bestlln ... DE, CH, AT, DK, FR, IT, PL, CZ Adaptrar medfljer RA,

M30 RA, M30, RAVL, RAV Artikelnr 014G1001 **014G1115** Danfoss HS 11/2020

AI231586403273sv-000302 1 Datablad Tillbehör Specifikationer 2 Da...

lang:da score:26 filesize: 3.96 M page_count: 5 document date: 2020-11-04



INTEGRATING
THERMOSOL

Danfoss Eco™

Programmable radiator thermostat for smartphone



Features:

- Easy App programming via Bluetooth on smart phone or tablet
- Energy saving
- Easy to install
- Easy to operate
- Manual modes
- Open window detection
- NO-Access temperature control
- Adaptive heating
- Night & day set back, weekly scheduling, holiday and freeze
- Adaptive heating
- 7 day 24h LCD display
- Adaptive heating, 100-180 degrees
- 100-180 max. temp range
- 100-180 max. temp range
- First Protection

Danfoss Eco™ is a smart home radiator thermostat for residential use.

Danfoss Eco™ is battery powered, compact and easy to install with a universal heat exchanger and programmable thermostat. It is controlled via a smartphone App using Bluetooth technology.

Danfoss Eco™ is available in 2 or 3 second Adaptive or standard for different climates. Danfoss Eco™ is available in different colors. Danfoss Eco™ is available in different colors. Danfoss Eco™ is available in different colors.

Ordering

	Language	Adapters (included)	Cable no.
Danfoss Eco™ Installer Pack	EN	DA, SC	05AC0081
Danfoss Eco™ Repair Pack		BA, MD, RML, RW	05AC0115

Accessories

Type	Cable no.
Adapter for BA & MD, valves	05AC0080
Adapter for RW valves	05AC0081
Adapter for BA & MD in 1/2 inch	05AC0082
Adapter for RW valves	05AC0083
Adapter for SC in 1/2 inch	
Adapter for MD valves	05AC0084
Adapter for MD COMP valves	
Adapter for SC valves	05AC0087
Adapter for SC valves	05AC0089
Adapter for SC valves	

© Danfoss A/S (19-01-2017) A0111314001312 (EN-080810)

[\[pdf\]](#)

Danfoss Eco™ Programmable radiator thermostat for smartphone 014G1001 014G1115

AI231586403273en GB0301 assets danfoss documents latest 196522 |||

Data Sheet Danfoss EcoTM Programmable radiator thermostat for smartphone

Application Ordering Danfoss Eco™ Retail Pack Language EN Adapters included

RA, M30 RA, M30, RAVL, RAV Code no. 014G1001 **014G1115** Accessories Type

Adapters for RAV RAVL valves Adapter for RA valves Adapter for K M30 ...

lang:en score:26 filesize: 4.14 M page_count: 5 document date: 2021-07-07

[illegible]

[\[pdf\]](#)

Danfoss Eco™ Programmable radiator thermostat for smartphone 014G1001 014G1115

AI231586403273fi FI0401 assets danfoss documents latest 151280 000202 |||

Tekninen esite Danfoss Eco™ ohjelmoitava patteritermostaatti lypuhelinsovelluksella

Kyttätkoitus ... K, FR, IT, PL, CZ Sovittimet sis. toimitukseen RA, M30 RA, M30,

RAVL, RAV Tilausnumero 014G1001 **014G1115** Danfoss HS 10/2022

AI231586403273 -FI0401 1 Tekninen esite Lisvarusteet Tekniset tie...

lang:fi score:26 filesize: 1.86 M page count: 5 document date: 2024-07-09

ENGINEERING
TOMORROW



Data Sheet

Danfoss Eco™
Programmable radiator thermostat for smartphone

Application



Features:

- Easy App programming via Bluetooth on smart phone or tablet
- Energy savings
- Easy to install
- Easy to operate
- Manual mode
- Open window detection
- RRD Accurate temperature control
- Adaptive heating
- Night & day set back, weekly scheduling, holiday and travel
- Easy to read LCD display
- Heating radiator 180 degrees
- Min./Max. temp. range
- Child lock
- Frost protection

Danfoss Eco™ is a stand alone radiator thermostat for residential use.

Danfoss Eco™ is battery powered, compact and easy to operate with a magnetic hand held and plug-in adapter. Danfoss Eco™ is programmed with a smartphone App using Bluetooth connectivity.

Danfoss Eco™ is a plug-in model, it is not for universal. Adapter can be used for all thermostat valves manufactured by Danfoss and most other radiator valve manufacturers.

Ordering

	Language	Adapters included	Code no.
Danfoss Eco™ Installer Pack	EN	RA, M30	014G1001
Danfoss Eco™ Retail Pack		RA, M30, RAVL, RAV	014G1115

Accessories

Type	Code no.
Adapter for 500 & 500S valves	014G0250
Adapter for RA valves	014G0251
Adapter for K M30 & L3 valves	014G0252
Adapter for RRD valves	014G0253
Adapter for RAV RAVL valves	
Adapter for RAV RAVL valves	014G0254
Adapter for RAV RAVL valves	
Adapter for RAV RAVL valves	014G0257
Adapter for RAV RAVL valves	
Adapter for RAV RAVL valves	014G0259

© Danfoss HS 10/2022

A0231586403273fi-014G1001

1

[pdf] User Manual Installation Guide Datasheet Accessories

Danfoss Eco™ Programmable radiator thermostat for smartphone 014G1001 014G1115

A1231586403273en GB0401 assets danfoss documents latest 37464 GB0101 |||

Data Sheet Danfoss Eco™ Programmable radiator thermostat for smartphone Application Ordering Danf ... s Eco™ Retail Pack Language EN Adapters included RA, M30 RA, M30, RAVL, RAV Code no. 014G1001 **014G1115** Accessories Type Adapters for RAV RAVL valves Adapter for RA valves Adapter for K M30 ... lang:en **score:26** filesize: 1.89 M page_count: 5 document date: 2024-07-09

ENGINEERING
TOMORROW



Tekninen esite

Danfoss Eco™ ohjelmoitava patteritermostaatti älypuhelinsovelluksella

Käyttötarkuus



Omistajalle:

- Helppo ohjelmointi älypuhelimella tai tabletilla
- Energiasäästö
- Helppo asentaa
- Helppo käyttää
- Avoin ikkuna havaitseminen
- RRD-tarkka lämpötilaohjaus
- Adaptiivinen lämmitys
- Yön ja päivän lämpötilaohjaus, viikkotiedustelu, lomavaihto ja matkustustiedustelu
- Min./maks. lämpötila-alue
- Lastensuojelu
- Jäänsuojelu

Danfoss Eco™ on ohjelmoitava patteritermostaatti asuintalouteen.

Danfoss Eco™ on akkuvirtainen, kompakti ja helppo käyttää magneettikädessä ja plug-in-sovittimella. Danfoss Eco™ on ohjelmoitava älypuhelimella tai tabletilla.

Danfoss Eco™ on plug-in malli, jota ei voi käyttää universaali sovitin. Adapteri voidaan käyttää kaikissa Danfossin

Tilaaminen

	Kieli	Sovittimet sis. toimitukseen	Tilausno.
Danfoss Eco™ asennuspaketti	DE, ES, FI, FR, IT, NL, PL, PT, RU, SK, UK, US, VN, ZA, ZH, CN, TR, UA, UA	RA, M30	014G1001
Danfoss Eco™ myyjäispaketti	UK, DE, CN, UK, DE, CN, FR, IT, PL, CZ	RA, M30, RAVL, RAV	014G1115

© Danfoss HS 10/2022

A0231586403273fi-014G1001

1

[pdf]

Danfoss Eco™ Programmable radiator thermostat for smartphone 014G1001 014G1115

A1231586403273fi FI0401 assets danfoss documents latest 211303 |||

Tekninen esite Danfoss Eco™ ohjelmoitava patteritermostaatti lypuhelinsovelluksella Käyttötarkoitus ... K, FR, IT, PL, CZ Sovittimet sis. toimitukseen RA, M30 RA, M30, RAVL, RAV Tilausnumero 014G1001 **014G1115** Danfoss HS 10/2022 A1231586403273fi-FI0401 1 Tekninen esite Lisvarusteet Tekniset ti... lang:fi **score:26** filesize: 4 M page_count: 5 document date: 2021-07-07

ENGINEERING
TOMORROW



Data Sheet

Danfoss Eco™
Programmable radiator thermostat for smartphone

Application



Features:

- Easy App programming via Bluetooth on smart phone or tablet
- Energy savings
- Easy to install
- Easy to operate
- Manual mode
- Open window detection
- RRD Accurate temperature control
- Adaptive heating
- Night & day set back, weekly scheduling, holiday and travel
- Easy to read LCD display
- Heating radiator 180 degrees
- Min./Max. temp. range
- Child lock
- Frost protection

Danfoss Eco™ is a stand alone radiator thermostat for residential use.

Danfoss Eco™ is battery powered, compact and easy to operate with a magnetic hand held and plug-in adapter. Danfoss Eco™ is programmed with a smartphone App using Bluetooth connectivity.

Danfoss Eco™ is a plug-in model, it is not for universal. Adapter can be used for all thermostat valves manufactured by Danfoss and most other radiator valve manufacturers.

Ordering

	Language	Adapters included	Code no.
Danfoss Eco™ Installer Pack	EN	RA, M30	014G1001
Danfoss Eco™ Retail Pack		RA, M30, RAVL, RAV	014G1115

Accessories

Type	Code no.
Adapter for 500 & 500S valves	014G0250
Adapter for RA valves	014G0251
Adapter for K M30 & L3 valves	014G0252
Adapter for RRD valves	014G0253
Adapter for RAV RAVL valves	
Adapter for RAV RAVL valves	014G0254
Adapter for RAV RAVL valves	
Adapter for RAV RAVL valves	014G0257
Adapter for RAV RAVL valves	
Adapter for RAV RAVL valves	014G0259

© Danfoss HS 10/2022

A0231586403273en-GB0401

1

[pdf] User Manual Installation Guide Datasheet Accessories

Danfoss Eco™ Programmable radiator thermostat for smartphone 014G1001 014G1115

A1231586403273en GB0401 assets danfoss documents latest 211252 |||

Data Sheet Danfoss Eco™ Programmable radiator thermostat for smartphone Application Ordering Danf ... s Eco™ Retail Pack Language EN Adapters included RA, M30 RA, M30, RAVL, RAV Code no. 014G1001 **014G1115** Accessories Type Adapters for RAV RAVL valves Adapter for RA valves Adapter for K M30 ... lang:en **score:26** filesize: 4.14 M page_count: 5 document date: 2021-07-07

Adatlap

Danfoss Eco™

programozható radiátortermostát okostelefonhoz

Alkalmazás



A Danfoss Eco™ programozható radiátortermostát okostelefonhoz.

A Danfoss Eco™ programozható radiátortermostát okostelefonhoz.

A Danfoss Eco™ programozható radiátortermostát okostelefonhoz.

Rendelés

Modell	Alapértelmezett funkciók	Rendelési kód
Danfoss Eco™ Radiator Pack	RA, M30	014G1101
Danfoss Eco™ Radiator Pack	RA, M30, RAVL, RAV	014G1115

[pdf]

Danfoss Eco™ Programmable radiator thermostat for smartphone 014G1001 014G1115

AI231586403273hu HU0401 assets danfoss documents latest 211310 |||

Adatlap Danfoss Eco™ programozhat radiatortermostt okostelefonhoz Alkalmazs Rendels Danfoss termo ... CH, AT, DK, FR, IT, PL, CZ Adapterek mellkelve RA, M30 RA, M30, RAVL, RAV Rendelsi szm 014G1001 **014G1115** Danfoss 10/2022 AI231586403273hu-HU0401 1 Adatlap Tartozkok Mszaki adatok 2 Danfoss... lang:no **score:26** filesize: 4.18 M page_count: 5 document date: 2021-07-07

Tehniline andmeleht

Danfoss Eco™ programmeeritav radiatortermostaat juhtimisega nutitelefoniist

Kasutamine



A Danfoss Eco™ programmeeritav radiatortermostaat juhtimisega nutitelefoniist.

A Danfoss Eco™ programmeeritav radiatortermostaat juhtimisega nutitelefoniist.

A Danfoss Eco™ programmeeritav radiatortermostaat juhtimisega nutitelefoniist.

Tehniline

Modell	Alapeltloetletud funktsioonid	Rendekood
Danfoss Eco™ Radiator Pack	RA, M30	014G1101
Danfoss Eco™ Radiator Pack	RA, M30, RAVL, RAV	014G1115

[pdf]

Danfoss Eco™ Programmable radiator thermostat for smartphone 014G1001 014G1115

AI231586403273et EE0401 assets danfoss documents latest 211302 |||

Tehniline andmeleht Danfoss Eco™ programmeeritav radiaatoritermostaat juhtimisega nutitelefoniist K ... E, CH, AT, DK, FR, IT, PL, CZ Adapterid tootega kaasas RA, M30 RA, M30, RAVL, RAV Kood 014G1001 **014G1115** Danfoss 10/2022 AI231586403273et-EE0401 1 Tehniline andmeleht Danfoss Eco™ programm... lang:et **score:26** filesize: 4 M page_count: 5 document date: 2021-07-07

Data Sheet

Danfoss Eco™

Programmable radiator thermostat for smartphone

Application



A Danfoss Eco™ programmable radiator thermostat for smartphone.

A Danfoss Eco™ programmable radiator thermostat for smartphone.

A Danfoss Eco™ programmable radiator thermostat for smartphone.


Ordering

Language	Adapters included	Code no.
EN	RA, M30	014G1101
EN	RA, M30, RAVL, RAV	014G1115
FR	RA, M30	014G1101
FR	RA, M30, RAVL, RAV	014G1115
DE	RA, M30	014G1101
DE	RA, M30, RAVL, RAV	014G1115
IT	RA, M30	014G1101
IT	RA, M30, RAVL, RAV	014G1115
ES	RA, M30	014G1101
ES	RA, M30, RAVL, RAV	014G1115
PT	RA, M30	014G1101
PT	RA, M30, RAVL, RAV	014G1115
RU	RA, M30	014G1101
RU	RA, M30, RAVL, RAV	014G1115
UK	RA, M30	014G1101
UK	RA, M30, RAVL, RAV	014G1115

[pdf]

User Manual Installation Guide Datasheet

Danfoss Eco™ Programmable radiator thermostat for smartphone A S 014G1115 ECO™ Elektronikus fűtőtest termosztát Conrad adatlap 2316832 danfoss 014g1115 eco elektronikus futotest termosztat asset conrad media10 add 160267 c1 en 002316832DS00 ||| Data Sheet Danfoss Eco™ Programmable radiator thermostat for smartphone Application Ordering Danf ... 014G1101 014G1102 014G1103 014G1104 014G1105 014G1106 014G1107 014G1108 014G1109 014G1110 014G1111 **014G1115** Danfoss HS 04/2019 VDLTF202 1 Data Sheet Accessories 2 Danfoss Eco™ Programmable R... lang:en **score:25** filesize: 10.71 M page_count: 5 document date: 2020-10-14



[pdf]

Danfoss Eco™ Programmable radiator thermostat for smartphone 014G1001 014G1115

AI231586403273de CH0201 assets danfoss documents 152306

Datenblatt Danfoss Eco™, programmierbarer Heizkörperthermostat für Smartphones

Anwendung Danfoss Ec ... del Packung Sprache CH, IT, FR Adapter im Lieferumfang

enthalten RA M30 Bestell-Nr. 014G1001 **014G1115** Danfoss HS 11/2020

AI231586403273de-CH0201 1 Datenblatt Zubehör Technische Daten Dan...

lang:de **score:25** filesize: 3.93 M page_count: 5 document date: 2020-11-05



[pdf]

Danfoss Eco™ Programmable radiator thermostat for smartphone 014G1001 014G1115

AI231586403273nl 000302 assets danfoss documents 152318

Gegevensblad Danfoss Eco™ Programmeerbare radiatorthermostaat voor

smartphone Toepassing Bestelinf ... , CH, AT, DK, FR, IT, PL, CZ Adapters

meegeleverd RA, M30 RA, M30, RAVL, RAV Bestelnr. 014G1001 **014G1115** Danfoss

HS 11/2020 AI231586403273nl-000302 1 Gegevensblad Accessoires Specificaties ...

lang:nl **score:25** filesize: 4.06 M page_count: 5 document date: 2020-11-04



[pdf]

Danfoss Eco™ Programmable radiator thermostat for smartphone 014G1001 014G1115

AI231586403273hu 000302 assets danfoss documents latest 152313 |||

Adatlap Danfoss Eco™ programozhat radiátortermosztát okostelefonhoz Alkalmazs

Rendels Danfoss termo ... CH, AT, DK, FR, IT, PL, CZ Adapterek mellkelve RA, M30

RA, M30, RAVL, RAV Rendelsi szm 014G1001 **014G1115** Danfoss 11/2020

AI231586403273hu-000302 1 Adatlap Tartozkok Mszaki adatok 2 Danfoss...

lang:no **score:25** filesize: 4.08 M page_count: 5 document date: 2019-04-03

[illegible]

[\[pdf\]](#)

Danfoss Eco™ Programmable radiator thermostat for smartphone 014G1001 014G1115

AI231586403273et 000302 assets danfoss documents latest 152309 |||

Tehniline andmeleht Danfoss EcoTM programmeeritav radiaatoritermostaat
juhtimisega nutitelefonist K ... E, CH, AT, DK, FR, IT, PL, CZ Adapterid tootega
kaasas RA, M30 RA, M30, RAVL, RAV Kood 014G1001 **014G1115** Danfoss 11/2020
Al231586403273et-000302 1 Tehniline andmeleht Danfoss EcoTM programm...
lang:et score:25 filesize: 3.93 M page_count: 5 document date: 2019-04-03

[illegible]

[\[pdf\]](#)

Danfoss Eco™ Programmable radiator thermostat for smartphone 014G1001 014G1115

AI231586403273pl 000401 assets danfoss documents 152321

Arkuszy informacyjny Programowalny termostat grzejnikowy Danfoss EcoTM z aplikacj
na smartfon Zastos ... UK, DE, CH, AT, DK, FR, IT, CZ Adaptery w zestawie RA, M30
RA, M30, RAVL, RAV Nr kat. 014G1001 **014G1115** Akcesoria Typ Adaptery do
zaworw RAV i RAVL Adapter do zaworu RA-N Adapter K do zaworw ...
lang:pl score:25 filesize: 3.97 M page count: 5 document date: 2020-11-05

[illegible]

[\[pdf\]](#)

Danfoss Eco™ Programmable radiator thermostat for smartphone 014G1001 014G1115

AI231586403273sl 000302 assets danfoss documents 152322

Tehnicni list Programabilna termostatska glava Danfoss EcoTM za pametne telefone
Uporaba Narocanje ... DE, CH, AT, DK, FR, IT, PL, CZ Adapterji priloženi RA, M30
RA, M30, RAVL, RAV Nar. st. 014G1001 **014G1115** Danfoss 11/2020
AI231586403273sl-000302 1 Tehnicni list Dodatki Tehnicni podatki 2 ...
lang:hr score:25 filesize: 4.1 M page_count: 5 document date: 2020-11-05

[illegible]

[\[pdf\]](#)

Danfoss Eco™ Programmable radiator thermostat for smartphone 014G1001 014G1115

AI231586403273hu HU0401 assets danfoss documents latest 151132 000202 |||

Adatlap Danfoss EcoTM programozhat raditortermosztt okostelefonhoz Alkalmazs
Rendels Danfoss termo ... CH, AT, DK, FR, IT, PL, CZ Adapterek mellkelve RA, M30

RA, M30, RAVL, RAV Rendelsi szm 014G1001 **014G1115** Danfoss 10/2022

AI231586403273hu-HU0401 1 Adatlap Tartozkok Mszaki adatok 2 Danfoss...

lang:no score:25 filesize: 1.93 M page_count: 5 document date: 2024-07-09

Techninis apraksts

IZSTRUKCIJA
TĒMĒJĀRĀBĀ

Danfoss
HEATING

„Danfoss Eco™” programuojamas radiatorių
termostatas, skirtas valdyti šilumaišiu / šilumaišiu / šilumaišiu

Talymas

Savybės

- Naujasis programuojamas termostatas
- Naujasis įrenginys
- Danfoss Eco™
- Lengva montuoti
- Paprasta naudoti
- Naujasis ekranas
- Akių varga funkcija
- PIR šilumos jutiklių programavimas
- Programuojamas laikas
- Naujasis ekranas su funkcijomis, sukuriantis patrauklų, aiškų ir lengvą naudoti
- Lengvas montavimas (20 min)
- Naujasis ekranas su funkcijomis
- Akių varga funkcija

„Danfoss Eco™” yra naujasis programuojamas radiatorių termostatas, skirtas programuoti radiatorių šilumą.

„Danfoss Eco™” yra naujasis programuojamas radiatorių termostatas, skirtas programuoti radiatorių šilumą.

„Danfoss Eco™” yra naujasis programuojamas radiatorių termostatas, skirtas programuoti radiatorių šilumą.

„Danfoss Eco™” yra naujasis programuojamas radiatorių termostatas, skirtas programuoti radiatorių šilumą.

„Danfoss Eco™” yra naujasis programuojamas radiatorių termostatas, skirtas programuoti radiatorių šilumą.

Užrašymai

	Rakta	Asortimentas / šilumaišio tipas	Modelis
„Danfoss Eco™” programuojamas radiatorių termostatas	10, 12, 15, 18, 21, 24, 27, 30, 33, 36, 39, 42, 45, 48, 51, 54, 57, 60, 63, 66, 69, 72, 75, 78, 81, 84, 87, 90, 93, 96, 99, 102, 105, 108, 111, 114, 117, 120, 123, 126, 129, 132, 135, 138, 141, 144, 147, 150, 153, 156, 159, 162, 165, 168, 171, 174, 177, 180, 183, 186, 189, 192, 195, 198, 201, 204, 207, 210, 213, 216, 219, 222, 225, 228, 231, 234, 237, 240, 243, 246, 249, 252, 255, 258, 261, 264, 267, 270, 273, 276, 279, 282, 285, 288, 291, 294, 297, 300, 303, 306, 309, 312, 315, 318, 321, 324, 327, 330, 333, 336, 339, 342, 345, 348, 351, 354, 357, 360, 363, 366, 369, 372, 375, 378, 381, 384, 387, 390, 393, 396, 399, 402, 405, 408, 411, 414, 417, 420, 423, 426, 429, 432, 435, 438, 441, 444, 447, 450, 453, 456, 459, 462, 465, 468, 471, 474, 477, 480, 483, 486, 489, 492, 495, 498, 501, 504, 507, 510, 513, 516, 519, 522, 525, 528, 531, 534, 537, 540, 543, 546, 549, 552, 555, 558, 561, 564, 567, 570, 573, 576, 579, 582, 585, 588, 591, 594, 597, 600, 603, 606, 609, 612, 615, 618, 621, 624, 627, 630, 633, 636, 639, 642, 645, 648, 651, 654, 657, 660, 663, 666, 669, 672, 675, 678, 681, 684, 687, 690, 693, 696, 699, 702, 705, 708, 711, 714, 717, 720, 723, 726, 729, 732, 735, 738, 741, 744, 747, 750, 753, 756, 759, 762, 765, 768, 771, 774, 777, 780, 783, 786, 789, 792, 795, 798, 801, 804, 807, 810, 813, 816, 819, 822, 825, 828, 831, 834, 837, 840, 843, 846, 849, 852, 855, 858, 861, 864, 867, 870, 873, 876, 879, 882, 885, 888, 891, 894, 897, 900, 903, 906, 909, 912, 915, 918, 921, 924, 927, 930, 933, 936, 939, 942, 945, 948, 951, 954, 957, 960, 963, 966, 969, 972, 975, 978, 981, 984, 987, 990, 993, 996, 999, 1002, 1005, 1008, 1011, 1014, 1017, 1020, 1023, 1026, 1029, 1032, 1035, 1038, 1041, 1044, 1047, 1050, 1053, 1056, 1059, 1062, 1065, 1068, 1071, 1074, 1077, 1080, 1083, 1086, 1089, 1092, 1095, 1098, 1101, 1104, 1107, 1110, 1113, 1116, 1119, 1122, 1125, 1128, 1131, 1134, 1137, 1140, 1143, 1146, 1149, 1152, 1155, 1158, 1161, 1164, 1167, 1170, 1173, 1176, 1179, 1182, 1185, 1188, 1191, 1194, 1197, 1200, 1203, 1206, 1209, 1212, 1215, 1218, 1221, 1224, 1227, 1230, 1233, 1236, 1239, 1242, 1245, 1248, 1251, 1254, 1257, 1260, 1263, 1266, 1269, 1272, 1275, 1278, 1281, 1284, 1287, 1290, 1293, 1296, 1299, 1302, 1305, 1308, 1311, 1314, 1317, 1320, 1323, 1326, 1329, 1332, 1335, 1338, 1341, 1344, 1347, 1350, 1353, 1356, 1359, 1362, 1365, 1368, 1371, 1374, 1377, 1380, 1383, 1386, 1389, 1392, 1395, 1398, 1401, 1404, 1407, 1410, 1413, 1416, 1419, 1422, 1425, 1428, 1431, 1434, 1437, 1440, 1443, 1446, 1449, 1452, 1455, 1458, 1461, 1464, 1467, 1470, 1473, 1476, 1479, 1482, 1485, 1488, 1491, 1494, 1497, 1500, 1503, 1506, 1509, 1512, 1515, 1518, 1521, 1524, 1527, 1530, 1533, 1536, 1539, 1542, 1545, 1548, 1551, 1554, 1557, 1560, 1563, 1566, 1569, 1572, 1575, 1578, 1581, 1584, 1587, 1590, 1593, 1596, 1599, 1602, 1605, 1608, 1611, 1614, 1617, 1620, 1623, 1626, 1629, 1632, 1635, 1638, 1641, 1644, 1647, 1650, 1653, 1656, 1659, 1662, 1665, 1668, 1671, 1674, 1677, 1680,		

[\[pdf\]](#)

Danfoss Eco™ Programmable radiator thermostat for smartphone 014G1001 014G1115

AI231586403273lt LT0401 assets danfoss documents latest 211357 |||

Techninis aprašymas „Danfoss Eco™ programuojamas radiatori termostatas, skirtas valdymui ismaniuo ... HU, CZ, PL, TR, UA, UK RA, M30 014G1001 UK, DE, CH, AT,

DK, FR, IT, PL, CZ RA, M30, RAVL, RAV **014G1115** Danfoss HS 10/2022

AI231586403273lt-LT0401 1 Techninis aprasymas „Danfoss EcoTM pr...

lang: id score: 25 filesize: 4.15 M page_count: 5 document date: 2021-07-07

[illegible]

[\[pdf\]](#)

Danfoss Eco™ Programmable radiator thermostat for smartphone 014G1001 014G1115

AI231586403273et EE0401 assets danfoss documents latest 37475 000201 |||

Tehniline andmeleht Danfoss EcoTM programmeeritav radiaatoritermostaat
juhtimisega nutitelefonist K ... E, CH, AT, DK, FR, IT, PL, CZ Adapterid tootega
kaasas RA, M30 RA, M30, RAVL, RAV Kood 014G1001 **014G1115** Danfoss 10/2022

AI231586403273et-EE0401 1 Tehniline andmeleht Danfoss EcoTM programm...

lang:et score:25 filesize: 1.86 M page_count: 5 document date: 2024-07-09

