

Winix L200

Winix L200 Ultrasonic Humidifier User Manual

Model: L200

IMPORTANT SAFETY INSTRUCTIONS

Please read and save these instructions before operating your humidifier. Failure to follow these instructions may result in electric shock, fire, or serious injury.

- Always place the humidifier on a firm, flat, water-resistant surface at least 12 inches (30 cm) away from walls and appliances.
- Do not operate the humidifier without water in the tank.
- Do not place the humidifier near heat sources such as stoves, radiators, or direct sunlight.
- Keep the humidifier out of reach of children and pets.
- Unplug the humidifier before filling, cleaning, or moving it.
- Do not immerse the humidifier base in water or other liquids.
- Use only clean, cool tap water or distilled water. Do not add essential oils directly into the water tank; use the designated aroma pad tray.
- Do not block the mist outlet.
- If the humidifier emits an unusual sound or smell, turn it off immediately and unplug it.

PRODUCT OVERVIEW

The Winix L200 Ultrasonic Humidifier is designed to add essential moisture to your living space, featuring both cool and warm mist options, UV+ LED technology for water sanitization, and an aroma pad tray for essential oils.



Figure 1: Front view of the Winix L200 Ultrasonic Humidifier. The image displays the unit's sleek black design, the transparent water tank section, and the digital control panel at the bottom. The control panel shows a digital reading of "55%" and various icons for power, mist level, warm mist, UV+ LED, timer, and night light settings.

Key Features:

- **Large Capacity:** 2-gallon water tank for extended operation.
- **Long Runtime:** Up to 120 hours of continuous mist output.
- **Dual Mist Options:** Provides both cool and warm mist.
- **UV+ LED Technology:** Helps reduce bacteria in the water.
- **Aromatherapy:** Includes pre-soaked aroma pads for essential oil diffusion.
- **User-Friendly Design:** Top-fill water tank and integrated carry handle for easy refilling and cleaning.
- **Adjustable Settings:** Customizable mist level, direction, and night light.
- **Safety Auto Shut-off:** Automatically turns off when water level is low.

SETUP

1. **Unpack:** Carefully remove the humidifier from its packaging. Retain packaging for future storage or transport.
2. **Placement:** Place the humidifier on a flat, stable, and water-resistant surface. Ensure it is at least 12 inches (30 cm) away from walls, furniture, and electronic devices to prevent moisture damage.
3. **Initial Rinse:** Before first use, rinse the water tank and base with cool water. Do not use detergents or abrasive cleaners.
4. **Fill Water Tank:**
 - Remove the top cover.
 - Fill the water tank directly from the top opening with clean, cool tap water or distilled water. Do not exceed the maximum fill line.
 - Replace the top cover securely.

5. **Power Connection:** Plug the power cord into a standard 120V AC electrical outlet.

OPERATION

Control Panel:

The control panel features a digital display and touch-sensitive buttons for various functions.

- **Power Button ():** Turns the humidifier on or off.
- **Mist Level Button (≡):** Adjusts mist output from level 1 to 5.
- **Warm Mist Button (☼):** Activates or deactivates the warm mist function.
- **UV+ LED Button (UV+):** Turns the UV+ LED sanitization feature on or off.
- **Timer Button ():** Sets the operating timer (e.g., 2, 4, 8 hours).
- **Night Light Button (*):** Controls the intensity of the night light or turns it off.
- **Humidity Setting Button (●):** Allows setting a desired humidity level (e.g., 40% - 60%). The unit will automatically adjust mist output to maintain this level.

Operating Instructions:

1. **Power On:** Press the Power button () to turn on the humidifier. The default mist level will activate.
2. **Adjust Mist Level:** Press the Mist Level button (≡) repeatedly to cycle through mist output levels (1 to 5).
3. **Warm Mist Function:** Press the Warm Mist button (☼) to activate the warm mist. The indicator light will illuminate. Press again to turn off. Allow a few minutes for the mist to warm up.
4. **UV+ LED Sanitization:** Press the UV+ LED button (UV+) to activate the internal UV+ LED light, which helps sanitize the water. The indicator light will illuminate. Press again to turn off.
5. **Set Timer:** Press the Timer button () to select an operating duration (e.g., 2, 4, 8 hours). The humidifier will automatically turn off after the selected time.
6. **Night Light:** Press the Night Light button (*) to adjust the brightness of the internal night light or turn it off.
7. **Set Desired Humidity:** Press the Humidity Setting button (●) to set your desired humidity level (e.g., 40%, 45%, 50%, 55%, 60%). The unit will automatically maintain this level by adjusting its mist output.
8. **Aromatherapy with Aroma Pads:**
 - Locate the aroma pad tray, typically found on the side or back of the unit.
 - Open the tray and insert one of the included pre-soaked aroma pads.
 - Close the tray. The aroma will diffuse with the mist. Replace pads as needed.
9. **Adjust Mist Direction:** The mist nozzle on top of the unit can be rotated to direct the mist flow as desired.

MAINTENANCE

Regular cleaning is essential to prevent mineral buildup and ensure optimal performance and hygiene of your humidifier.

Daily Maintenance:

- Unplug the unit.

- Empty any remaining water from the tank and base.
- Rinse the tank and base with cool water.
- Refill the tank with fresh water before each use.

Weekly Cleaning:

- **Unplug the Humidifier.**
- **Clean the Water Tank:**
 - Remove the top cover and empty the tank.
 - Pour 2 cups of undiluted white vinegar into the tank. Swish it around to coat all interior surfaces.
 - Let it stand for 20 minutes.
 - Scrub the interior with a soft brush or cloth to remove mineral buildup.
 - Rinse thoroughly with clean water until the vinegar smell is gone.
- **Clean the Base and Transducer:**
 - Carefully pour 1 cup of undiluted white vinegar into the water reservoir of the base, ensuring it covers the transducer (the small metal disc).
 - Let it soak for 20 minutes.
 - Gently clean the transducer and other surfaces with a soft brush or cotton swab to remove mineral deposits. Do not scrape the transducer.
 - Empty the vinegar from the base and rinse thoroughly with clean water. Do not immerse the base in water.
- **Demineralization Capsules:** The unit includes demineralization capsules. Place one capsule in the water tank to help prevent mineral buildup and extend the life of the humidifier. Replace the capsule every 30-40 fillings or as indicated by the manufacturer.
- **Drying:** Wipe all surfaces dry with a clean cloth before reassembling.

Storage:

When storing the humidifier for an extended period, ensure all parts are clean and completely dry. Store in a cool, dry place, preferably in its original packaging.

TROUBLESHOOTING

Problem	Possible Cause	Solution
No mist or very little mist.	<ul style="list-style-type: none"> • No water in tank. • Mineral buildup on transducer. • Mist outlet blocked. • Unit not properly assembled. 	<ul style="list-style-type: none"> • Refill water tank. • Clean the transducer as per maintenance instructions. • Ensure mist outlet is clear. • Check that the top cover is securely in place.
White dust around the humidifier.	<ul style="list-style-type: none"> • Hard water with high mineral content. 	<ul style="list-style-type: none"> • Use distilled or demineralized water. • Ensure demineralization capsule is in use and replaced regularly.

Problem	Possible Cause	Solution
Unusual odor.	<ul style="list-style-type: none">• Dirty water or tank.• New unit smell (temporary).	<ul style="list-style-type: none">• Clean the humidifier thoroughly.• Ensure fresh water is used daily.• The new unit smell should dissipate after a few uses.
Water leakage.	<ul style="list-style-type: none">• Overfilled tank.• Unit not on a level surface.• Damage to tank or base.	<ul style="list-style-type: none">• Do not fill past the maximum fill line.• Place on a completely flat surface.• Inspect for cracks or damage. Contact support if damaged.
Humidifier automatically shuts off.	<ul style="list-style-type: none">• Low water level.• Timer function activated.• Desired humidity level reached.	<ul style="list-style-type: none">• Refill the water tank.• Check timer settings.• The unit will resume operation when humidity drops below the set level.

SPECIFICATIONS

- **Model:** L200
- **Brand:** Winix
- **Operation Mode:** Ultrasonic
- **Color:** Black
- **Water Tank Capacity:** 2 Gallons (approx. 7.5 Liters)
- **Runtime:** Up to 120 hours (depending on mist level and settings)
- **Coverage Area:** Up to 600 Square Feet
- **Product Dimensions (D x W x H):** 8.5" x 10.6" x 14.6" (21.6 cm x 26.9 cm x 37.1 cm)
- **Item Weight:** 7.92 pounds (3.6 kg)
- **Voltage:** 120V
- **Wattage:** 70 Watts
- **Special Features:** Programmable, Warm Mist, UV+ LED, Aroma Pad Tray, Auto Shut-off
- **Included Components:** Humidifier unit, Pre-Soaked Aroma Pads, Demineralization Capsules

WARRANTY AND SUPPORT







The Winix L200 Ultrasonic Humidifier comes with a **1-year manufacturer's warranty** from the date of purchase. This warranty covers defects in materials and workmanship under normal household use.

This warranty does not cover damage resulting from misuse, neglect, accident, improper installation, unauthorized repairs, or use with improper voltage.

For warranty claims, technical assistance, or general inquiries, please refer to the contact information provided in your product packaging or visit the official Winix website for customer support details.

Please have your model number (L200) and proof of purchase available when contacting support.

Related Documents - L200

	<p>Winix L500 Ultrasonic Humidifier User Manual</p> <p>Comprehensive user manual for the Winix L500 Ultrasonic Humidifier. Learn about its features, operation, maintenance, safety, and specifications. Supports multiple languages. Visit winixeuropa.eu for more information.</p>
	<p>Winix 5500 Air Cleaner: Use and Care Guide HEPA & PlasmaWave Technology</p> <p>A comprehensive guide for the Winix 5500 Washable HEPA Air Cleaner, detailing its features, operation, maintenance, and PlasmaWave™ technology for optimal home air purification.</p>
	<p>Instrukcja Obsługi Oczyszczacza Powietrza WINIX AGN335 Series</p> <p>Instrukcja obsługi dla oczyszczacza powietrza WINIX AGN335 Series, zawierająca informacje o instalacji, funkcjach, konserwacji, rozwiązywaniu problemów oraz specyfikacje techniczne.</p>
	<p>Winix 9800 Air Purifier User Manual and Guide</p> <p>Comprehensive user manual for the Winix 9800 Air Purifier. Learn about setup, operation, maintenance, filter replacement, safety precautions, specifications, and Wi-Fi connectivity for your Winix air purifier.</p>
	<p>Winix XQ Pro Air Purifier User Manual and Guide</p> <p>Comprehensive guide to the Winix XQ Pro Air Purifier, covering setup, operation, maintenance, safety, and specifications for optimal indoor air quality.</p>
	<p>Winix C545 Air Purifier User Manual and Guide</p> <p>Comprehensive user manual for the Winix C545 Air Purifier, covering setup, operation, maintenance, safety, and specifications. Learn how to use your air purifier effectively.</p>

[\[pdf\]](#) User Manual Guide Warranty Diagram

L200 L201 User Manual Winix AmericaPosition the humidifier at least 12 in 30 cm away from walls and appliances to prevent them getting wet Place on a table or deskL200 Webwinixamerica 2022 01 Web srsltid AfrmBOoqkiUp97GDty64wrW qBXSkZA03htaeXetPOC12riN8QA7v8KU AmericaL200 deskThese pads are designed for use with WINIX Ultrasonic products L100 Humidifiers bedrooms desks tables Our humidifier L200 WebL200 qBXSkZA03htaeXetPOC12riN8QA7v8KUwinixamerica

AfrmBOopj8NfZJ2ETwrKQm8vlsXm3pxFc54SQCGPYzwJigTN2VUD2h0LZ humidifier Servicing must be performed by professional qualified personnel Stop These L200

AfrmBOopj8NfZJ2ETwrKQm8vlsXm3pxFc54SQCGPYzwJigTN2VUD2h0LZwinixamerica

AfrmBOorMv13JmMzxoPwDLxdgLFoUusm3ADbpXqXXkS w8ETivZoDEqe2 Position w8ETivZoDEqe2winixamerica AfrmBOoo

OaSuuMNViaOeyHC2NvcV2GyRcpFEAA7ELsabpxLkQEXBJYNK deskPosition

OaSuuMNViaOeyHC2NvcV2GyRcpFEAA7ELsabpxLkQEXBJYNKwinixamerica

AfrmBOoqufotZGjQBetGeuzg31WwEGeyt33Fp3XZHJOIX0ALEiUkQosIH

AfrmBOoqufotZGjQBetGeuzg31WwEGeyt33Fp3XZHJOIX0ALEiUkQosIhwinixamerica

AfrmBOoopdP1zhfgm3wvvnCg0tD0NgukTs NHnwFkWfb142Frc60etHWx1

NHnwFkWfb142Frc60etHWx1winixamerica

AfrmBOooR5GiDfhxmlukP621ILP7HXLdkdPsIt8DWHIBSH8yKnYoLiMBH

AfrmBOoo8umWsoW8IOXjrh6BpF4cZMnMxtfljVzjbVIW7zq0uzCESFA0Kwinixamerica AfrmBOoqfF5xuez

EKjB7HDiRAxKdHnm84jNdqPPqSvSTW3xFC fl6j2nwinixamerica

AfrmBOoqq8kFjXAECDtSf0U0aNXsk8wdaQRQceyAtx89bZdOtxkX42WUAWinixamerica ||| ||| User Manual

Ultrasonic Humidifier Model Name: L200 / L201 Use Care Guide: The product warranty is printed on the back of this guide. This product is manufactured for use only in USA / CA. This product is suitable for 120 V only. Contact Win ||| User Manual Ultrasonic Humidifier Model Name: L200 / L201 Use Care Guide: The

product warranty is printed on the back of this guide. This product is manufactured for use only in USA / CA. This product is suitable for 120 V only. Contact Win ||| User Manual Ultrasonic Humidifier Model

Name: L200 / L201 Use Care Guide: The product warranty is printed on the back of this guide. This

product is manufactured for use only in USA / CA. This product is suitable for 120 V only. Contact Win ||| User Manual Ultrasonic Humidifier Model Name: L200 / L201 Use Care Guide: The product warranty is

printed on the back of this guide. This product is manufactured for use only in USA / CA. This product is suitable for 120 V only. Contact Win ||| User Manual Ultrasonic Humidifier Model Name: L200 / L201 Use

Care Guide: The product warranty is printed on the back of this guide. This product is manufactured for use only in USA / CA. This product is suitable for 120 V only. Contact Win ||| User Manual Ultrasonic

Humidifier Model Name: L200 / L201 Use Care Guide: The product warranty is printed on the back of this guide. This product is manufactured for use only in USA / CA. This product is suitable for 120 V only.

Contact Win ||| User Manual Ultrasonic Humidifier Model Name: L200 / L201 Use Care Guide: The product warranty is printed on the back of this guide. This product is manufactured for use only in USA /

CA. This product is suitable for 120 V only. Contact Win ||| User Manual Ultrasonic Humidifier Model Name: L200 / L201 Use Care Guide: The product warranty is printed on the back of this guide. This

product is manufactured for use only in USA / CA. This product is suitable for 120 V only. Contact Win ||| User Manual Ultrasonic Humidifier Model Name: L200 / L201 Use Care Guide: The product warranty is

printed on the back of this guide. This product is manufactured for use only in USA / CA. This product is suitable for 120 V only. Contact Win ||| User Manual Ultrasonic Humidifier Model Name: L200 / L201 Use

Care Guide: The product warranty is printed on the back of this guide. This product is manufactured for use only in USA / CA. This product is suitable for 120 V only. Contact Win

User Manual Ultrasonic Humidifier Model Name: **L200** / L201 Use Care Guide: The product warranty is printed on the back of this guide. This product is manufactured for use only in USA / CA. This product is suitable for 120 V only. Contact Winix for product related inquiries and customer servi...

lang:en score:47 filesize: 687.39 K page_count: 2 document date: 2022-01-26



[\[pdf\]](#) User Manual Instructions Guide Warranty Diagram

Ultrasonic Humidifier Winix Read all instructions before installation and use Always place humidifier on a firm red LED indicator will continue to blink at the same L200 L201 User Manual 210928 winixamerica 2021 10




User Manual Ultrasonic Humidifier Model Name: **L200** / L201 Use Care Guide: The product warranty is printed on the back of this guide. This product is manufactured for use only in USA / CA. This product is suitable for 120 V only. Contact Winix for product related inquiries and customer servi...

lang:en score:44 filesize: 3.3 M page_count: 2 document date: 2021-10-19


[\[pdf\]](#) User Manual Instructions Specifications Guide Diagram

WHERE TO USE MODEL PART DIAGRAM CONTROL PANEL MAINTENANCE AND CLEANING
ULTRASONIC COOL MIST HUMIDIFICATION INITIAL OPERATION SAF Model Part Diagram Control Panel Ultrasonic Cool Mist Winix L100 User Manual 201022 1 4 2 5 3 6 PACKAGE CONTENTS Unit Pre Soaked Aroma Pads The Product warranty is printed on the back of this guide This manufactu red for use only in USA CA Follow instructions manual to reduce risk electric shock short circuit and or fire If power cord damaged it must be replaced with a special Reassembly available by manufacturer its service agent appliance not intended person including children reduced physical sensory product manufactured suitable 120 V Name Use Care Guide Humidifier UNIT SPECIFICATIONS FCC STATEMENT
IMPORTANT SAFETY INSTRUCTIONS Thank you purchasing LUNA1 0 EN indd 2020 10 22 23 7 9 8
окт 10 — owner winix l100 humidifier winixamerica assets sylvane media documents products s3
MODEL PART DIAGRAM Nozzle Water Tank Water Tank Cap Guide Bracket Silencer Control Display PACKAG ... nstant refilling. These pads are designed for use with WINIX Ultrasonic humidifier products: L100, **L200**, L201. Humidifiers for bedrooms, desks, or tables: Our humidifier helps add comfort wherever y...
lang:en score:38 filesize: 1.73 M page_count: 2 document date: 2020-10-22



[\[pdf\]](#) User Manual Owner's Manual Guide Diagram

WHERE TO USE MODEL PART DIAGRAM CONTROL PANEL MAINTENANCE Winix L200 201 User Manual 201022 L201 Model Name Use CareGuide Ultrasonic Humidifier The Product warranty is printed on the back of this 22 окт 2020 r — humidity set in 40% 45% 50% 55% 60% CO order * NOTE When level reached humidifier will cycle off until room drops 5% below then again 06 Adjustable Mist Level LUNA2 0 EN indd 1 10 5 54 09 7 9 8 product guide owner manual winix l200 winixamerica assets sylvane media documents products s3
MODEL PART DIAGRAM Guide Bracket Silencer Water Valve Water Tank Cap Nozzle Handle Mist Tube PACK ... tlet Control Display Demineralization Capsules 2
User Manual Ultrasonic Humidifier Model Name: **L200** / L201 Use Care Guide: The Product warranty is printed on the back of this guide. This P...
lang:en score:38 filesize: 1.79 M page_count: 2 document date: 2020-10-22



[\[pdf\]](#) User Manual Instructions Guide Diagram

L100 User Manual 201022 WinixTurn off the humidifier 2 Push Aroma Pad Tray at back of base and pull it out 3 Tear pouch notch winixamerica 2022 01 srsItid

AfmBOOpZBnJL8t1wrbAJtq2LsIrQJw8nMSMw7yPVrhd4UV4T 6KeWNIW Winixcontrol panel Winix AmericaTurn notch 2 If you want to remove aroma scent or if is not operating for a long time clean dry tray put in placewinixamerica 6KeWNIWwinixamerica AfmBOOpL

Pu7aAn97xbHQ1HfqMZFWUFdLkfQGAAfY5BTg0 zPhkrut7u Americacontrol placeReplacing Pads Pre Soaked last 48 hours each come two scents 1 eucalyptus lavender Please don t winixamerica zPhkrut7uwinixamerica AfmBOOrJvjQpdny6bz43RXFaP8 pyb 7ilLdLAAfyeePq0 tfvjHnrl t These pads are designed use with WINIX Ultrasonic products L200 L201 Humidifiers bedrooms desks tables Ourwinixamerica tfvjHnrlwinixamerica AfmBOOptP7v6p

3UHhTLjdgWyl7TtJlP2QL98T8EWUsn4f2rq3ltzWGb WHERE TO USE MODEL PART DIAGRAM

CONTROL WinixL100 WinixThese tables Turn OurL100 201022L100 201022winixamerica

AfmBOOp3Ke2PljsSqUxAvW EbXmogNb klv Rv7 fwMpJ3a9xQXaKz1dwinixamerica ||| ||| MODEL PART DIAGRAM Nozzle Water Tank Water Tank Cap Guide Bracket Silencer Control Display PACKAGE

CONTENTS Night Mood Light Air Outlet Float Ultrasonic Transducer Unit Pre-Soaked Aroma Pads 2 Ultrasonic Humidifier Model Name: Use Care Guid ||| MODEL PART DIAGRAM Nozzle Water Tank Water Tank Cap Guide Bracket Silencer Control Display PACKAGE CONTENTS Night Mood Light Air Outlet Float Ultrasonic Transducer Unit Pre-Soaked Aroma Pads 2 Ultrasonic Humidifier Model Name: Use Care Guid ||| MODEL PART DIAGRAM Nozzle Water Tank Water Tank Cap Guide Bracket Silencer Control Display PACKAGE CONTENTS Night Mood Light Air Outlet Float Ultrasonic Transducer Unit Pre-Soaked Aroma Pads 2 Ultrasonic Humidifier Model Name: Use Care Guid ||| MODEL PART DIAGRAM Nozzle Water Tank Water Tank Cap Guide Bracket Silencer Control Display PACKAGE CONTENTS Night Mood Light Air Outlet Float Ultrasonic Transducer Unit Pre-Soaked Aroma Pads 2 Ultrasonic Humidifier Model Name: Use Care Guid

MODEL PART DIAGRAM Nozzle Water Tank Water Tank Cap Guide Bracket Silencer Control Display PACKAG ... nstant refilling. These pads are designed for use with WINIX Ultrasonic humidifier products: L100, **L200**, L201. Humidifiers for bedrooms, desks, or tables: Our humidifier helps add comfort wherever y... lang:en score:31 filesize: 1.67 M page_count: 2 document date: 2021-10-19

[\[pdf\]](#) User Manual Instructions Guide Diagram

MAINTENANCE AND CLEANING INITIAL OPERATION SAFETY CAUTIONS 1 4 2 5 3 6 PACKAGE CONTENTS Unit Pre Soaked Aroma Pads User Manual L100 The Product warranty is printed on the back of this guide This manufactu red for use only in USA CA 201022 winixamerica 2021 10 ||| MODEL PART DIAGRAM Nozzle Water Tank Water Tank Cap Guide Bracket Silencer Control Display PACKAG ... nstant refilling. These pads are designed for use with WINIX Ultrasonic humidifier products: L100, **L200**, L201. Humidifiers for bedrooms, desks, or tables: Our humidifier helps add comfort wherever y... lang:en score:30 filesize: 1.67 M page_count: 2 document date: 2021-10-19

[\[pdf\]](#) User Manual Guide Warranty Diagram

L200 L201 User Manual 5 mar 2022 — Position the humidifier at least 12 in 30 cm away from walls and appliances to prevent them getting wet Place on a table or desk files bbystatic z c9WMt

QokXqwb5ZuXfCw |||

User Manual Ultrasonic Humidifier Model Name: **L200** / L201 Use Care Guide: The product warranty is printed on the back of this guide. This product is manufactured for use only in USA / CA. This product is suitable for 120 V only. Contact Winix for product related inquiries and customer servi...

lang:en score:28 filesize: 687.39 K page_count: 2 document date: 2022-01-26

