

[Manuals.plus](#) /

> [Scotts](#) /

> [Scotts 3 Gallon Wheeled Cart Sprayer \(Model 190618W\) Instruction Manual](#)

Scotts 190618W

Scotts 3 Gallon Wheeled Cart Sprayer (Model 190618W) Instruction Manual

INTRODUCTION

This manual provides instructions for the safe and effective use of your Scotts 3 Gallon Wheeled Cart Sprayer, Model 190618W. This sprayer is designed for various applications including controlling weeds and pests, nurturing plants, and cleaning surfaces. Its wheeled design and manual pump offer portability and ease of use for garden and lawn care tasks.

Key features include a 3-in-1 adjustable poly nozzle, a premium shut-off with a comfortable grip and lock-on function for continuous spraying, an extra-long heavy-duty non-corrosive wand, a no-spill funnel top, a see-through tank with fill markings, and a convenient storage compartment.

SAFETY INFORMATION

Always read and follow the instructions provided with the chemicals you are using. Failure to do so can result in serious injury or damage.

- Keep the sprayer out of reach of children and pets.
- Do not use the sprayer under high pressure or in a way that could cause injury.
- Always wear appropriate protective clothing, including gloves and eye/face protection, when using the sprayer.
- After use, clean the sprayer thoroughly and dispose of any remaining chemicals according to local regulations and the chemical manufacturer's instructions.
- Do not store chemicals in the sprayer for extended periods.
- Ensure all connections are secure before pressurizing the sprayer to prevent leaks.

SETUP AND ASSEMBLY

Follow these steps to assemble your Scotts Wheeled Cart Sprayer:

1. **Attach Wheels:** Securely attach the wheels to the cart base. Ensure they are firmly in place to allow for smooth movement.
2. **Install Handle:** Insert the handle into the designated slots on the sprayer body. Twist the collar to tighten and secure the handle. Verify the handle is stable before use.
3. **Connect Hose and Wand:** Connect the sprayer hose to the tank outlet and the spray wand to the other end of the hose. Hand-tighten all connections to prevent leaks.
4. **Attach Nozzle:** Screw the 3-in-1 adjustable poly nozzle onto the end of the spray wand.





Figure 1: Front view of the assembled Scotts 3 Gallon Wheeled Cart Sprayer, showing the tank, wheels, handle, hose, and wand.



Figure 2: Close-up view of one of the sprayer's wheels, highlighting its design for mobility.



Figure 3: Top view of the sprayer, showing the ergonomic handle and the integrated storage compartment.

OPERATING INSTRUCTIONS

To operate your Scotts Wheeled Cart Sprayer:

1. **Prepare Solution:** Ensure the tank is clean. Carefully mix your desired liquid solution according to the chemical manufacturer's instructions.
2. **Fill Tank:** Unscrew the pump assembly from the top of the tank. Use the no-spill funnel top to pour the solution into the tank. Do not overfill; observe the fill markings on the see-through tank. Leave adequate air space for pressurization.
3. **Secure Pump:** Reinsert the pump assembly and screw it tightly onto the tank.
4. **Pressurize Sprayer:** Pump the handle up and down repeatedly until resistance is felt and the tank is sufficiently pressurized. The number of pumps required will vary based on the liquid level and desired pressure.
5. **Adjust Nozzle:** The 3-in-1 adjustable poly nozzle allows for different spray patterns. Rotate the nozzle tip to select between a solid stream, a fine mist, or a fan spray pattern.



Figure 4: The nozzle adjusted to produce a wide fan spray pattern.



Figure 5: The nozzle adjusted to produce a concentrated jet stream spray pattern.



Figure 6: The nozzle adjusted to produce a conical spray pattern.

6. **Begin Spraying:** Squeeze the trigger on the premium shut-off handle to begin spraying. For continuous spraying, engage the lock-on feature on the handle.
7. **Depressurize:** After use, always depressurize the sprayer before storing or refilling. This is typically done by lifting the pressure relief valve or by unscrewing the pump assembly slowly.

MAINTENANCE AND CLEANING

Proper maintenance ensures the longevity and performance of your sprayer:

- **After Each Use:** Thoroughly rinse the tank, hose, and wand with clean water. Spray clean water through the nozzle to clear any chemical residue.
- **Clean Nozzle:** If the nozzle becomes clogged, remove it and clean it with water. Do not use metal objects that could damage the nozzle opening.
- **Check Seals:** Periodically inspect all seals and O-rings for wear or damage. Replace if necessary to prevent leaks.
- **Lubrication:** Apply a small amount of silicone grease to the pump plunger O-ring occasionally to maintain smooth operation and a good seal.
- **Storage:** Store the sprayer in a cool, dry place, away from direct sunlight and freezing temperatures. Ensure it is depressurized and empty before storage.

TROUBLESHOOTING

Problem	Possible Cause	Solution
No spray or weak spray	Low pressure; clogged nozzle; empty tank; worn pump seals.	Pump more to increase pressure; clean nozzle; refill tank; inspect and replace pump seals.
Leaks from tank or hose connections	Loose connections; damaged O-rings or seals; cracked tank/hose.	Tighten all connections; inspect and replace O-rings/seals; replace damaged components.
Handle detaches easily	Handle not securely tightened.	Ensure the handle is fully inserted and the collar is twisted tightly to lock it in place. Avoid lifting the sprayer by the handle when full if it feels unstable.
Sprayer tips over easily	Uneven ground; heavy load; narrow wheel base.	Operate on level ground; be mindful of the sprayer's balance, especially when full.

SPECIFICATIONS

- **Brand:** Scotts
- **Model Number:** 190618W
- **Tank Volume:** 3 Gallons
- **Material:** Polyethylene (PE)
- **Power Source:** Manual Pump
- **Included Components:** 3-in-1 Adjustable Poly Nozzle, Convenient Storage Compartment
- **Dimensions (W x H):** Approximately 12.13 inches x 24 inches
- **UPC:** 841688006027

WARRANTY AND SUPPORT

This Scotts 3 Gallon Wheeled Cart Sprayer (Model 190618W) comes with a **3 Year Limited Warranty** from the manufacturer.

For warranty claims, technical assistance, or to purchase replacement parts, please contact Scotts customer support directly. Refer to the product packaging or the Scotts official website for the most current contact information.