

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

> [DOONA](#) /

> [Doona Liki Rain Cover Instruction Manual](#)

DOONA ACC/SPA/670182

Doona Liki Rain Cover Instruction Manual

Model: ACC/SPA/670182

IMPORTANT SAFETY INFORMATION

Please read this instruction manual carefully before using the Doona Liki Rain Cover. Keep these instructions for future reference. Failure to follow these instructions could result in injury to your child.

- Always ensure the rain cover is securely attached to the Liki Trike to prevent it from dislodging.
- Never leave your child unattended with the rain cover installed.
- Ensure adequate ventilation when the rain cover is in use. The Liki Rain Cover includes side ventilation holes for this purpose.
- Do not use the rain cover in extreme heat, as this may cause overheating inside.
- Keep the rain cover away from open flames and other heat sources.
- Regularly inspect the rain cover for any signs of wear or damage. Discontinue use if damaged.

PRODUCT OVERVIEW

The Doona Liki Rain Cover is designed to protect your child from rain and wind while riding in the Liki Trike. It features a clear viewing window, side ventilation, and easy attachment mechanisms.



Image: The Doona Liki Rain Cover securely fitted onto a Liki Trike, providing full weather protection.

Raincover



Image: An illustration of the Liki Rain Cover on a trike, pointing out key features such as side ventilation holes, quick and easy front access, and its compatibility with most tricycles.

SETUP AND INSTALLATION

Follow these steps to correctly install the Liki Rain Cover on your Liki Trike:

1. **Unfold the Rain Cover:** Carefully remove the rain cover from its packaging and unfold it.
2. **Position the Cover:** Place the rain cover over the Liki Trike, ensuring the clear window portion is positioned over the child's seating area and the front of the trike.
3. **Secure the Rear:** Locate the attachment points at the rear of the rain cover. Secure these straps or elastic loops around the trike's handle or frame, ensuring a snug fit.
4. **Fasten the Sides:** Adjust the sides of the rain cover to drape evenly over the trike. Secure any side fasteners (snaps, Velcro, or elastic) to the trike's frame to prevent wind from lifting the cover.
5. **Check Front Access:** Verify that the front access zipper or opening functions correctly for easy child access.

6. **Ensure Ventilation:** Confirm that the side ventilation holes are not obstructed to allow for air circulation.

For a visual guide, please refer to the installation video below:

Your browser does not support the video tag.

Video: A demonstration of how to properly install the Doona Liki Rain Cover on the Liki Trike, showing each step from positioning to securing the cover.



Image: The Doona Liki Rain Cover completely installed on a Liki Trike, ready for use in wet weather conditions.

OPERATING INSTRUCTIONS

Once installed, the Liki Rain Cover provides immediate protection. The clear window allows your child to see their surroundings, and you to monitor your child. The front access feature allows for easy entry and exit without fully removing the cover.

- **Child Access:** Use the designated front opening (zipper or flap) to place or remove your child from the trike.
- **Ventilation:** The integrated side ventilation holes are designed to maintain airflow. Do not block these openings.

- **Visibility:** Keep the clear window clean for optimal visibility for both the child and the parent.

MAINTENANCE AND CARE

Proper care will extend the life of your Liki Rain Cover:

- **Cleaning:** Wipe clean with a damp cloth and mild soap. Do not use harsh chemicals or abrasive cleaners.
- **Drying:** Allow the rain cover to air dry completely before folding and storing to prevent mold or mildew.
- **Storage:** Store the rain cover in a cool, dry place away from direct sunlight when not in use. Avoid folding it tightly for extended periods to prevent creasing of the clear window.
- **Inspection:** Periodically check for tears, holes, or damage to the fabric and clear window.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Rain cover does not fit properly.	Incorrect positioning or attachment.	Review the "Setup and Installation" section and video. Ensure all straps and fasteners are correctly secured.
Condensation inside the cover.	Insufficient ventilation.	Ensure side ventilation holes are clear and unobstructed. If conditions are very humid, some condensation may be unavoidable.
Damage to the cover (tears, holes).	Wear and tear or accidental damage.	Discontinue use if the damage compromises protection. Contact customer support for replacement options.

SPECIFICATIONS

Model Number: ACC/SPA/670182

Product Dimensions: 21.65 x 23.62 x 15.35 inches

Item Weight: 13 ounces (0.81 lbs)

Material Type: Polyester, Polyurethane (PU)

Target Gender: Unisex

Batteries Required: No

Color: Black

WARRANTY AND SUPPORT

The Doona Liki Rain Cover comes with a manufacturer's warranty. For specific warranty details, claims, or technical support, please refer to the official Doona website or contact their customer service department. Keep your proof of purchase for warranty purposes.

For further assistance, please visit the [DOONA Store on Amazon](#).