DeVilbiss DEV704504

DeVilbiss DV1-B Basecoat Digital HVLP Spray Gun User Manual

Model: DEV704504

1. Introduction

This manual provides essential information for the safe and effective operation, setup, and maintenance of your DeVilbiss DV1-B Basecoat Digital HVLP Spray Gun. Please read this manual thoroughly before using the product to ensure optimal performance and safety.

2. Important Safety Information

WARNING:
Always use appropriate personal protective equipment (PPE), ensure proper ventilation, avoid direct skin or eye contact with paint, and exercise caution when handling pressurized equipment. Refer to product packaging for specific safety warnings and local regulations.

3. Product Overview and Features

The DeVilbiss DV1-B Basecoat Digital HVLP Spray Gun is engineered for precision basecoat application, designed for durability and user comfort.



Figure 1: DeVilbiss DV1-B Basecoat Digital HVLP Spray Gun. This image shows the complete spray gun assembly, featuring its ergonomic handle, trigger, air cap, fluid nozzle, and digital pressure gauge.

Key Features:

- Made To Withstand Even The Toughest Jobs
- Designed With The User In Mind

- Fit To Match The Needs In The Shop, At Home Or In The Field
- Proven And Tested For Durability And Function In Real-World Conditions
- Crafted With The User In Mind Using The High-Quality Materials And World-Class Craftsmanship

4. Components and Parts Identification

Familiarize yourself with the main components of your spray gun:

- **Air Cap:** Controls the spray pattern and atomization.
- **Fluid Nozzle:** Determines the fluid flow rate and spray pattern.
- **Fluid Needle:** Regulates the amount of fluid released.
- **Trigger:** Activates air and fluid flow.
- **Air Inlet:** Connection point for air supply.
- **Fluid Inlet:** Connection point for paint cup or fluid hose.
- **Digital Pressure Gauge:** Provides precise air pressure readings for consistent application.
- **Fan Pattern Adjustment Knob:** Adjusts the width of the spray pattern.
- **Fluid Control Knob:** Adjusts the fluid flow.
- **Air Flow Adjustment Knob:** Fine-tunes air pressure at the gun.

5. Setup and Preparation

5.1 Initial Inspection

Before first use, inspect the spray gun for any signs of damage or missing parts. Ensure all components are securely fastened.

5.2 Air Supply Connection

1. Ensure your air compressor provides clean, dry, regulated air at the recommended pressure.
2. Connect a suitable air hose to the air inlet of the spray gun.
3. Set the air pressure according to the paint manufacturer's recommendations, using the integrated digital gauge for accuracy.

5.3 Fluid Preparation

1. Prepare your basecoat material according to the paint manufacturer's specifications for viscosity and reduction.
2. Strain the paint to remove any impurities that could clog the gun.
3. Fill the paint cup (if applicable) or connect the fluid hose to the fluid inlet.

6. Operating Instructions

6.1 Adjusting the Spray Gun

- **Fan Pattern:** Rotate the fan pattern adjustment knob to achieve the desired spray pattern width (horizontal or vertical).
- **Fluid Flow:** Turn the fluid control knob to adjust the amount of paint released. Start with a moderate setting and adjust as needed.
- **Air Pressure:** Use the air flow adjustment knob and monitor the digital gauge to set the optimal atomization air

pressure for your material.

6.2 Spraying Technique

1. Hold the gun perpendicular to the surface, maintaining a consistent distance (typically 6-8 inches).
2. Begin moving the gun before pulling the trigger and release the trigger before stopping movement.
3. Overlap each pass by approximately 50% to ensure even coverage.
4. Maintain a consistent speed and distance for uniform application.

7. Maintenance and Cleaning

Proper cleaning and maintenance are crucial for the longevity and performance of your spray gun.

7.1 Daily Cleaning

1. Empty any remaining paint from the cup/hose.
2. Flush the gun with an appropriate cleaning solvent until clear.
3. Remove the air cap and fluid nozzle. Clean them thoroughly with a brush and solvent.
4. Clean the fluid needle and gun body.
5. Reassemble the gun, ensuring all parts are dry and properly seated.

7.2 Periodic Maintenance

- Regularly check and replace worn seals and O-rings.
- Lubricate moving parts (e.g., trigger pivot, fluid needle packing) with a non-silicone lubricant designed for spray guns.
- Inspect the air cap and fluid nozzle for damage or wear that could affect spray pattern.

8. Troubleshooting

Problem	Possible Cause	Solution
Pulsating Spray	Low fluid level, clogged fluid passage, loose fluid nozzle.	Refill paint, clean gun, tighten nozzle.
Uneven Spray Pattern	Damaged or dirty air cap/nozzle, incorrect air pressure.	Clean/replace air cap/nozzle, adjust air pressure.
Excessive Overspray	Too high air pressure, gun too far from surface, paint too thin.	Reduce air pressure, move gun closer, thicken paint.
Poor Atomization	Low air pressure, paint too thick, worn fluid nozzle.	Increase air pressure, thin paint, replace nozzle.

9. Specifications

Attribute	Value
Brand	DeVilbiss

Attribute	Value
Model Name	DEV704504
Color	Factory
Recommended Uses For Product	Painting
Material	Alloy Steel, Brass
Item Weight	2.15 Pounds
Style	Gun
Power Source	Hand Powered
Product Dimensions	9.5 x 8.5 x 3 inches
UPC	658701045044
Manufacturer	DeVilbiss
Part Number	DEV-704504
Date First Available	September 14, 2020

10. Warranty and Support

For warranty information and technical support, please refer to the official DeVilbiss website or contact their customer service directly. Keep your purchase receipt as proof of purchase.
DeVilbiss Official Website: www.devilbiss.com

© 2024 DeVilbiss. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question