

[Manuals.plus](#) /

› [DINGLILIGHTING](#) /

› User Manual for DLLT Modern Ceiling Fan with Lights

DINGLILIGHTING WS-FPZ12-40C

User Manual for DLLT Modern Ceiling Fan with Lights

Model: WS-FPZ12-40C | Brand: DINGLILIGHTING

INTRODUCTION

This manual provides comprehensive instructions for the installation, operation, and maintenance of your DLLT Modern Ceiling Fan with Lights. This semi-flush mount ceiling fan features 7 invisible blades, a 40W LED light with stepless dimming and color temperature adjustment (3000K-6500K), and a convenient remote control. It also includes a 3-speed fan and a reversible motor for year-round comfort. Please read this manual thoroughly before installation and use to ensure safe and efficient operation.

SAFETY INFORMATION

Always follow basic safety precautions when installing and operating electrical appliances to reduce the risk of fire, electric shock, and personal injury.

- Ensure power is disconnected at the circuit breaker before installation or maintenance.
- Installation should be performed by a qualified electrician or in accordance with local electrical codes.
- Do not operate the fan with damaged wiring or if it is not functioning properly.
- Keep hands, hair, and clothing away from moving parts of the fan.
- This product is designed for indoor use only.

PACKAGE CONTENTS

Verify that all components are present and undamaged before beginning installation.

- DLLT Modern Ceiling Fan with Integrated LED Light
- Remote Control
- Mounting Hardware Kit
- User Manual (this document)
- Installation Manual (PDF) - [Download PDF](#)



Figure 1: Overview of the DLLT Modern Ceiling Fan with Lights and its remote control.

SETUP AND INSTALLATION

The DLLT Modern Ceiling Fan is designed for easy and quick installation due to its simple structure. For detailed, step-by-step installation instructions, please refer to the dedicated Installation Manual (PDF) provided with your product or accessible via the link in the Package Contents section.

Key Installation Considerations:

- Ensure the mounting surface can support the weight of the fan.
- Connect wiring according to local electrical codes and the provided wiring diagram in the installation manual.
- The fan is a semi-flush mount design, suitable for various room types including bedrooms, living rooms, and kitchens. Its low profile (overall height only 20cm/6.87in) makes it safe and suitable for spaces like bunk beds.



Product Information			
Size	23 Inch	Fan Speed	3 Speed
Voltage	100V-120V	Switch	Remote control
Color Temperature	3000K-6500K	Material	Metal+Acrylic

Figure 2: Product dimensions and key specifications for installation planning.



Figure 3: Breakdown of main components including Metal Base, Black Metal Shell, Acrylic Lampshade, and ABS Fan Blades.

OPERATING INSTRUCTIONS

Your DLLT Ceiling Fan is operated primarily via the included remote control, offering a range of functions for light and fan settings.

Remote Control Functions

Bladeless Ceiling Fan with Light



Lighting
Setting



Fan
Speed



Turn
on/off



Time
Setting



Night light
mode



Change color
temperature



Figure 4: Visual guide to the remote control and its various functions.

- **Light On/Off:** Press the dedicated button to turn the LED light on or off.
- **Fan On/Off:** Press the dedicated button to turn the fan on or off.
- **3 Fan Speeds:** Cycle through low, medium, and high fan speeds for optimal comfort.



Figure 5: Illustration of the three available fan speeds: Low (comfortable wind), Medium (natural wind), and High (cooling wind).

- **Add/Reduce Color Temperature:** Adjust the light color from warm white (3000K) to cool white (6500K).



Brightness and Light Colors Dimming by Remote




Figure 6: Demonstrates the range of color temperatures from 3000K (warm light) to 6500K (cool light) and brightness adjustment.

- **Add/Reduce Brightness:** Stepless dimming allows you to adjust the light brightness to any desired level.
- **Brightness Mode (Warm-Neutral-White Light):** Quickly switch between preset warm, neutral, and cool light modes.
- **Night Light Mode:** Activates a faint warm white light, suitable for sleeping or low-light environments.
- **Timing:** Set the fan/light to turn off automatically after a specified period (e.g., 0.5H, 1H, 2H).
- **Reversible Function:** Change the fan's rotation direction to either cool down the room (forward) or warm up the room by circulating warm air (reverse).

Update Remote for Reversible function



Figure 7: Explains the reversible function for cooling in summer (forward) and warming in winter (reverse).

Product Demonstration Video

Your browser does not support the video tag.

Video 1: A demonstration of the Modern LED Multi Function Ceiling Fan with Light, showcasing its features and operation.

MAINTENANCE

Regular maintenance ensures the longevity and optimal performance of your ceiling fan.

- **Cleaning:** Before cleaning, ensure the power is turned off at the circuit breaker. Use a soft, damp cloth to wipe down the exterior surfaces. Do not use abrasive cleaners or solvents.
- **Blade Cleaning:** The invisible blades are enclosed, reducing dust accumulation. If necessary, gently clean the visible parts with a soft brush or cloth.
- **Light Source:** The LED light source is integrated and designed for long-term use. It does not require replacement under normal operating conditions.

TROUBLESHOOTING

If you encounter issues with your ceiling fan, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
---------	----------------	----------

Problem	Possible Cause	Solution
Fan does not operate.	No power, remote control battery low/dead, remote not paired.	Check circuit breaker. Replace remote batteries. Refer to installation manual for remote pairing instructions.
Light does not turn on or flickers.	Power issue, remote control issue, LED driver fault.	Ensure power is supplied. Check remote batteries. If problem persists, contact customer support.
Fan is noisy.	Loose mounting, internal motor issue.	Ensure all mounting screws are tightened. If noise persists, contact customer support. Note: Some minimal operational sound is normal.
Remote control is unresponsive.	Batteries dead, remote not paired, interference.	Replace batteries. Re-pair remote if necessary (refer to installation manual). Ensure no strong interference sources nearby.

SPECIFICATIONS

Feature	Detail
Brand	DINGLILIGHTING
Model Name	WS-FPZ12-40C
Product Dimensions	23"L x 23"W x 1.57"H
Item Weight	10.63 Pounds
Material	Acrylonitrile Butadiene Styrene, Acrylic
Light Source Type	LED
Wattage	40 watts
Brightness	2200 Lumen
Light Color Temperature	3000K-6500K (warm white to cool white)
Voltage	120 Volts
Control Method	Remote Control
Special Features	LED Light, Bladeless, Remote Controlled, Timer, Reversible Motor
Installation Type	Flush Mount
Room Type	Bathroom, Kitchen, Bedroom, Living Room, Dining Room

WARRANTY AND SUPPORT

DINGLILIGHTING values customer experience and offers a limited warranty on this product. We are committed to resolving any questions or concerns you may have regarding your ceiling fan with lights as soon as possible.

For warranty claims, technical support, or any inquiries, please contact DINGLILIGHTING customer service through the retailer where the product was purchased or visit the official DINGLILIGHTING store on Amazon: [DINGLILIGHTING Store](#).

