

[Manuals.plus](#) /

› [HJC](#) /

› HJC i30 Solid Natural Motorcycle Helmet User Manual

HJC i30

HJC i30 Solid Natural Motorcycle Helmet User Manual

Model: i30

PRODUCT OVERVIEW

The HJC i30 Solid Natural Motorcycle Helmet is designed for motorcycle riders, offering protection and comfort. This helmet meets or exceeds U.S. Department of Transportation (DOT) FMVSS No. 218 standards, ensuring compliance with safety regulations. It features an advanced polycarbonate shell, a clear face shield, and an integrated sun visor for varying light conditions.



Image: HJC i30 Solid Natural Motorcycle Helmet, showcasing its black finish and clear face shield.

SETUP AND INITIAL USE

Unpacking and Inspection

- Carefully remove the helmet from its packaging.
- Inspect the helmet for any visible damage that may have occurred during shipping.
- Ensure all components, including the clear face shield and integrated sun visor, are present and functioning correctly.
- Remove any protective films or decals from the visor before use.

Fitting the Helmet

Proper fit is crucial for safety. The helmet should fit snugly around your head without causing pressure points. The cheek pads should make firm contact with your cheeks. To secure the helmet, fasten the chin strap and adjust it so that it is tight but comfortable, allowing no more than two fingers to fit between the strap and your chin.

Bluetooth Communication System (Optional)

The HJC i30 helmet is designed to be compatible with Smart HJC Bluetooth communication systems (sold separately). The helmet features pre-drilled locations for easy installation of speakers and microphone. Refer to the specific Smart HJC communication system's manual for detailed installation and pairing instructions.

OPERATING THE HELMET FEATURES

Clear Face Shield Operation

The clear face shield can be raised or lowered using the tab located at the bottom center of the shield. It features multiple detent positions to allow for varying levels of airflow and protection. Ensure the shield is fully closed for maximum protection while riding.

Integrated Sun Visor Operation

The helmet includes an integrated sun visor for glare reduction. To deploy the sun visor, locate the slider mechanism on the left side of the helmet and push it forward. To retract the sun visor, pull the slider mechanism backward. Use the sun visor only in appropriate lighting conditions and ensure it does not obstruct your vision.

Ventilation System

The i30 helmet features a ventilation system to enhance rider comfort. Locate the adjustable vents on the top of the helmet. Slide the vent covers to open or close them, allowing for controlled airflow through the helmet. Adjust as needed based on riding conditions and personal preference.

MAINTENANCE

Cleaning the Exterior

Clean the helmet's exterior with a soft cloth and mild soap and water. Avoid abrasive cleaners or solvents, as these can damage the helmet's finish or shell material. Rinse thoroughly and dry with a soft, clean cloth.

Visor Care

The clear face shield and sun visor should be cleaned with a soft cloth and warm water. For stubborn dirt or insects, soak a soft cloth in warm water and place it over the affected area for a few minutes before gently wiping clean. Do not use harsh chemicals or paper towels, which can scratch the visor surface. Replace scratched or damaged visors immediately.

Interior Liner Care

The interior comfort liner is removable and washable. Gently detach the cheek pads and crown liner. Hand wash them in cool water with mild soap. Allow them to air dry completely before reinserting them into the helmet. Ensure all components are securely reinstalled before using the helmet.

TROUBLESHOOTING

Visor Not Operating Smoothly

- Check for dirt or debris in the visor mechanism. Clean thoroughly.
- Ensure the visor is correctly seated in its mounting points.
- If the issue persists, contact HJC customer support or an authorized dealer for assistance.

Excessive Wind Noise

- Verify that the face shield is fully closed and sealed against the helmet gasket.
- Check that all vents are closed if you desire less airflow and noise.
- Ensure the helmet is properly sized and fitted to your head. An ill-fitting helmet can contribute to increased wind noise.

Discomfort or Pressure Points

- Re-evaluate the helmet fit. The helmet should be snug but not painfully tight.
- Ensure the interior liner and cheek pads are correctly installed and not bunched up.
- If discomfort persists, consider trying a different size or consulting with a helmet fitting specialist.

SPECIFICATIONS

Brand: HJC

Model Name: i30 Solid

Item Model Number: 0837-0105-05

UPC: 190501177438

Material: Polycarbonate (PC)

Color: Black

Item Weight: 3.46 pounds

Product Dimensions: 15 x 11 x 11.5 inches

Safety Rating: DOT Certified (FMVSS 218)

Shell Type: Hard

Shape: Aerodynamic

Vehicle Service Type: Street Bike

WARRANTY AND SUPPORT

For specific warranty information regarding your HJC i30 helmet, please refer to the documentation included with your purchase or visit the official HJC website. For technical support, replacement parts, or further assistance, please contact HJC customer service or an authorized HJC dealer.

You can find more information and contact details on the [HJC Store on Amazon](#).

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question