

HJC i30

HJC i30 Slight Natural Motorcycle Helmet User Manual

Model: i30

1. INTRODUCTION

This manual provides essential information for the proper use, maintenance, and care of your HJC i30 Slight Natural Motorcycle Helmet. Please read this manual thoroughly before using your helmet to ensure maximum safety and optimal performance. Retain this manual for future reference.

2. SAFETY INFORMATION

Your HJC i30 helmet is designed to provide protection during motorcycling activities. It meets stringent DOT FMVSS 218 standards, indicating it has been rigorously tested for energy absorption, penetration resistance, and secure chin strap performance. Always wear your helmet correctly fastened.

Warning:

- Never modify your helmet. Modifications can compromise its protective capabilities.
- A helmet cannot protect against all possible impacts. Always ride defensively and within your limits.
- If the helmet sustains an impact, even if no visible damage is apparent, it should be replaced immediately. Its protective capacity may be compromised.

3. PRODUCT OVERVIEW

The HJC i30 helmet features an advanced polycarbonate composite shell, designed for a lightweight, superior fit, and comfort. It includes an inner, drop-down sunshield and an optimized ventilation system.



This image displays the HJC i30 helmet, showcasing its overall design, the clear outer visor, and the integrated sunshield mechanism visible on the side.

Key Components:

- **Outer Shell:** Advanced Polycarbonate Composite.
- **Clear Outer Visor:** Provides primary eye protection.
- **Integrated Sunshield:** Retractable internal visor for sun glare reduction.
- **Ventilation System:** Top vents and exhaust vents for airflow.
- **Liner and Cheek Pads:** Removable and washable for hygiene and comfort.
- **Chin Strap:** Secure retention system.

4. SETUP

4.1 Proper Helmet Fit

A properly fitting helmet is crucial for safety. The helmet should fit snugly around your head without causing pressure points. It should not move freely when you shake your head. The cheek pads should press firmly against your cheeks. If the helmet feels loose or can be easily rotated, it is too large.

4.2 Chin Strap Fastening

Always secure the chin strap firmly. The strap should be tight enough so that the helmet cannot be pulled off your head, but not so tight as to cause discomfort. Ensure the quick-release buckle is fully engaged.

4.3 Visor Adjustment

The clear outer visor can be opened and closed. Ensure it latches securely in the closed position to prevent accidental opening during riding. The integrated sunshield is operated by a lever, typically located on the side of the helmet, allowing it to be deployed or retracted as needed for varying light conditions.

5. OPERATING INSTRUCTIONS

5.1 Clear Visor Operation

To open the clear visor, lift it from the bottom edge. It can be set in various open positions or fully closed. To close, push the visor down until it clicks into place.

5.2 Integrated Sunshield Operation

Locate the lever on the side of the helmet. Push the lever forward or backward to deploy or retract the internal sunshield. Use the sunshield to reduce glare in bright conditions. Do not use the sunshield in low light or at night.

5.3 Ventilation System

The HJC i30 features top vents and rear exhaust vents. These vents can be opened or closed to control airflow through the helmet. Adjust the top vents by sliding the controls to increase or decrease ventilation. Proper ventilation helps to reduce heat and fogging inside the helmet.

6. MAINTENANCE

6.1 Exterior Cleaning

Clean the helmet's exterior with a soft cloth, warm water, and mild soap. Avoid abrasive cleaners, solvents, or petroleum-based products, as these can damage the shell material and finish. Rinse thoroughly and dry with a soft, clean cloth.

6.2 Visor Care

Clean the clear outer visor and integrated sunshield with warm water and a soft cloth. For stubborn dirt, use a helmet-specific visor cleaner. Avoid wiping a dry or dirty visor, as this can cause scratches. Replace scratched visors immediately as they can impair vision.

6.3 Liner Removal and Washing

The interior lining and cheek pads are removable for cleaning. Carefully detach them by unsnapping or unhooking them from the helmet shell. Hand wash the liner and pads in cool water with a mild detergent. Allow them to air dry completely before reinserting them into the helmet. Ensure all components are securely reattached before use.

7. TROUBLESHOOTING

7.1 Visor Fogging

If your visor fogs up, ensure the ventilation system is open to allow maximum airflow. Slightly opening the visor to the first detent can also help to clear fog. Anti-fog treatments or pinlock inserts (if compatible) can further reduce fogging.

7.2 Discomfort or Pressure Points

If you experience discomfort or pressure points, re-evaluate the helmet's fit. While some break-in is normal, persistent discomfort may indicate an incorrect size. Ensure the liner and cheek pads are correctly seated. If issues persist, consult a helmet fitting specialist.

8. SPECIFICATIONS

Feature	Specification
Model Name	i30 Slight
Brand	HJC
Shell Material	Advanced Polycarbonate Composite
Liner Material	Multi-density EPS
Safety Certification	DOT FMVSS 218 Certified
Item Weight	Approximately 3.46 pounds
Product Dimensions	Approximately 15 x 11 x 11.5 inches
Vehicle Service Type	Street Bike
Included Components	Helmet

9. WARRANTY AND SUPPORT

For warranty information or technical support, please refer to the official HJC website or contact your authorized HJC dealer. Keep your proof of purchase for any warranty claims.