

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- › [Fein](#) /
- › [Fein Turbo II Wet/Dry Vacuum Instruction Manual](#)

## Fein Turbo 2

# Fein Turbo II Wet/Dry Vacuum Instruction Manual

Model: Turbo 2

## 1. INTRODUCTION

---

Thank you for choosing the Fein Turbo II Wet/Dry Vacuum. This manual provides essential information for the safe and efficient operation, maintenance, and troubleshooting of your new dust extractor. Please read this manual thoroughly before using the product and keep it for future reference.



Figure 1: Fein Turbo II Wet/Dry Vacuum

## 2. SAFETY INFORMATION

Always observe the following safety precautions to reduce the risk of fire, electric shock, or injury.

- Read all instructions before use.
- Do not leave the appliance unattended when plugged in. Unplug from outlet when not in use and before servicing.
- Do not use outdoors or on wet surfaces.
- Do not allow to be used as a toy. Close attention is necessary when used by or near children.
- Use only as described in this manual. Use only manufacturer's recommended attachments.
- Do not use with damaged cord or plug. If appliance is not working as it should, has been dropped, damaged, left outdoors, or dropped into water, return it to a service center.
- Do not pull or carry by cord, use cord as a handle, close a door on cord, or pull cord around sharp edges or corners. Do not run appliance over cord. Keep cord away from heated surfaces.


- Do not unplug by pulling on cord. To unplug, grasp the plug, not the cord.
- Do not handle plug or appliance with wet hands.
- Do not put any object into openings. Do not use with any opening blocked; keep free of dust, lint, hair, and anything that may reduce air flow.
- Keep hair, loose clothing, fingers, and all parts of body away from openings and moving parts.
- Do not pick up anything that is burning or smoking, such as cigarettes, matches, or hot ashes.
- Do not use to pick up flammable or combustible liquids, such as gasoline, or use in areas where they may be present.
- Do not pick up toxic material, asbestos, or other hazardous materials.
- Use extra care when cleaning on stairs.
- Do not use without dust bag and/or filters in place.
- Turn off all controls before unplugging.
- Anti-Static Functionality: The integrated anti-static system helps prevent electrostatic buildup, reducing risks when working with fine dust and other materials.

### 3. WHAT'S IN THE BOX

---

Your Fein Turbo II Wet/Dry Vacuum package includes the following components:

- Fein Turbo II Wet/Dry Vacuum Unit
- 13-foot Vacuum Hose
- 19-foot Power Cord
- Side Brushes (as listed in specifications)
- HEPA Filter (pre-installed or included)
- Operating Manual



# Additional Accessories

Accessories Sold Separately

Figure 2: Included Accessories and Optional Attachments

## 4. SETUP INSTRUCTIONS

- Unpacking:** Carefully remove all components from the packaging. Inspect for any damage.
- Filter Installation:** Ensure the HEPA filter is correctly installed. For dry vacuuming, a dust bag is recommended. For wet vacuuming, remove the dust bag.
- Hose Connection:** Attach the 13-foot vacuum hose to the inlet port on the front of the unit. Ensure a secure connection.
- Accessory Storage:** The unit features practical accessory storage. Utilize the integrated holders and hooks for convenient organization of the hose, power cord, and other attachments.
- Power Connection:** Plug the 19-foot power cord into a suitable electrical outlet.

# Practical Accessory Storage

Accessories Sold Separately



Figure 3: Practical Accessory Storage

Video 1: Fein Wet and Dry Dust Extractors and Accessories - This video demonstrates the setup and features of Fein dust extractors, including hose connection and accessory use.

## 5. OPERATING INSTRUCTIONS

### 5.1. Power On/Off

To turn the unit on, rotate the control knob to the 'I' position. To turn off, rotate to the '0' position.

### 5.2. Dry Vacuuming

For dry debris, ensure the dust bag is installed and the HEPA filter is clean. Attach the appropriate nozzle to the hose and begin vacuuming. The 1,100-watt motor delivers 151 CFM airflow for efficient dust removal.

### 5.3. Wet Vacuuming

For liquid spills, remove the dust bag. Ensure the HEPA filter is suitable for wet use or replaced with a wet filter if necessary. Attach the appropriate wet nozzle and vacuum liquids. The unit provides 98 PSI static water lift for effective liquid extraction.

#### 5.4. Integrated Autostart for Power Tools

The unit features an autostart outlet. Plug your power tool into this outlet. When the power tool is activated, the vacuum will automatically turn on with a slight delay to prevent current overload. This feature improves workflow efficiency and ensures continuous dust extraction during tool operation.

#### 5.5. Quiet Operation

The Fein Turbo II operates at a low noise level of 66 dB(A), making it suitable for noise-sensitive environments without compromising suction power.



# Compact Class Vacuum

Figure 4: Using the vacuum with a power tool for dust extraction

Video 2: Noise Test of Fein Turbo 1 HEPA Dust Extractor - Demonstrates the low noise level during operation.

Video 3: Great for all Types of Messes - Shows the versatility of the vacuum for various cleaning tasks.

## 6. MAINTENANCE

### 6.1. Filter Cleaning and Replacement

Regularly check the HEPA filter for dust buildup. For optimal performance, clean or replace the filter as needed. Refer to the filter manufacturer's instructions for specific cleaning procedures. Always use genuine Fein replacement filters.

### 6.2. Dust Bag Replacement

When the dust bag is full, replace it with a new one. Ensure the new bag is properly seated to prevent dust leakage.

### 6.3. General Cleaning

Wipe the exterior of the unit with a damp cloth. Do not use harsh chemicals or abrasive cleaners. Ensure all components are dry before storage.

## 7. TROUBLESHOOTING

Problem	Possible Cause	Solution
No power	Unit unplugged; circuit breaker tripped	Check power cord connection; reset circuit breaker
Low suction	Clogged hose/nozzle; full dust bag; dirty filter	Clear obstruction; replace dust bag; clean/replace filter
Dust escaping	Improperly installed filter/dust bag; damaged filter/bag	Reinstall filter/bag correctly; replace damaged components
Unit does not start with power tool (Autostart)	Power tool not plugged into autostart outlet; autostart switch not engaged	Ensure power tool is correctly plugged in; check autostart switch setting

## 8. SPECIFICATIONS

- **Brand:** Fein
- **Model Name:** Turbo 2
- **Capacity:** 10 Gallons (8.5 Gallon variant also available)
- **Motor Horsepower:** 1.477 horsepower (Max 1.48 HP)
- **Amperage:** 9.17 Amps
- **Maximum Suction:** 151 CFM Airflow, 98 PSI Static Water Lift

- **Noise Level:** 66 Decibels (dB)
- **Hose Length:** 13 Feet
- **Power Cord Length:** 19 Feet
- **Filter Type:** HEPA Filter
- **Special Feature:** Bag, Anti-Static System, Autostart Outlet
- **Product Dimensions:** 10"L x 10"W x 10"H
- **Item Weight:** 25 pounds
- **Color:** Orange
- **Power Source:** Corded Electric
- **Recommended Uses:** Garage, Construction Sites, Workshops, Hard Floor, Carpet

## Powerful Suction

98.4 Static Waterlift  
151 CFM Air Volume

## Easy Operation

360-Degree Rotation

## Large Capacity

8.5 Gallon  
Container Volume



Figure 5: Key Features and Specifications

## 9. WARRANTY

For detailed warranty information, please refer to the official documentation included with your product or visit the official Fein website. Protection plans may be available for purchase separately.

## 10. SUPPORT

---

If you require further assistance, have questions about your Fein Turbo II Wet/Dry Vacuum, or need to order replacement parts, please visit the official Fein website or contact their customer support. You can find more information at [Fein Store on Amazon](#).

Video 4: Is it worth it? Fein Turbo I Wet/Dry Dust Extractor - A user review highlighting features and performance.