

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [OXVA](#) /

› [OXVA Origin X Unicoil PK/5 \(0.2 Ohm\) Instruction Manual](#)

OXVA Origin X Unicoil PK/5 (0.2 Ohm)

OXVA Origin X Unicoil PK/5 (0.2 Ohm) Instruction Manual

Model: Origin X Unicoil PK/5 (0.2 Ohm)

INTRODUCTION

This manual provides essential information for the proper use, installation, and maintenance of your OXVA Origin X Unicoil PK/5 (0.2 Ohm) replacement coils. Please read this manual thoroughly before use to ensure optimal performance and safety.

SAFETY INFORMATION

WARNING: This product contains nicotine, which is a highly addictive substance. Keep out of reach of children and pets. Not for sale to minors.

- Ensure coils are correctly installed before use.
- Do not use damaged coils.
- Prime new coils properly to prevent dry hits and extend coil life.
- Dispose of used coils responsibly according to local regulations.
- This product is intended for use with compatible OXVA Origin X devices only.

PRODUCT OVERVIEW

The OXVA Origin X Unicoil PK/5 (0.2 Ohm) package contains five individual replacement coils designed for the OXVA Origin X vaping system. These coils are rated at 0.2 Ohm and are optimized for specific wattage ranges to deliver consistent performance.





Image: The retail packaging for the OXVA Origin X Unicoil PK/5 (0.2 Ohm) replacement coils. It displays a black box with "OXVA Unicoil" branding and an illustration of a coil. To the right, five individually blister-packed coils are visible, showcasing their metallic construction and red O-rings. A prominent warning label about nicotine content is also present on the box.






Image: A view of the reverse side of the five OXVA Origin X Unicoil (0.2 Ohm) replacement coils, still sealed within their clear blister packaging. The metallic body of each coil, along with its red sealing rings and wicking ports, is clearly visible through the transparent plastic.



Image: A detailed close-up of a single OXVA Origin X Unicoil (0.2 Ohm) replacement coil. The metallic construction is evident, with visible wicking ports on the side. Markings indicating "55-60W" and "0.2Ω" are clearly etched on the coil's body, along with red silicone O-rings at the top and bottom for sealing.

SETUP AND INSTALLATION

- Remove Old Coil:** If replacing an existing coil, ensure your device is turned off. Carefully remove the pod from your device. Unscrew or pull out the old coil from the base of the pod.
- Prime New Coil:** Before installing a new coil, apply a few drops of e-liquid directly onto the cotton wicking ports of the coil. Allow the e-liquid to soak in for 5-10 minutes. This step is crucial for preventing dry hits and ensuring proper wicking.
- Install New Coil:** Insert the new 0.2 Ohm Unicoil into the base of the pod, ensuring it is seated firmly and correctly.
- Fill Pod:** Fill the pod with your preferred e-liquid, ensuring not to overfill.
- Reattach Pod:** Reinsert the filled pod into your OXVA Origin X device.
- Wait:** After installation and filling, wait at least 5-10 minutes before using the device. This allows the e-liquid to fully saturate the coil's cotton.

OPERATING INSTRUCTIONS

Once the coil is primed and installed, and the pod is filled, you can begin using your device. The 0.2 Ohm Unicoil is designed for a wattage range of 55-60W. Adjust your device's wattage settings accordingly for optimal performance and coil longevity.

- Start at the lower end of the recommended wattage range (e.g., 55W) and gradually increase to find your preferred setting.
- Avoid chain vaping, as this can lead to premature coil burning. Allow the coil to re-saturate between puffs.
- Monitor e-liquid levels to prevent dry burning of the coil.

MAINTENANCE

- Coil Replacement:** Coils are consumable parts and will need regular replacement. Replace your coil when you notice a burnt taste, reduced vapor production, or diminished flavor. The lifespan of a coil varies depending on usage habits and e-liquid type.
- Cleaning:** Periodically clean the coil seating area in your pod and device to ensure good connectivity and prevent e-liquid residue buildup. Use a dry cloth or cotton swab.
- Storage:** Store unused coils in a cool, dry place away from direct sunlight and extreme temperatures.

TROUBLESHOOTING

Problem	Possible Cause	Solution
"No Atomizer" / "Check Atomizer" Error	Coil not properly installed; faulty coil; dirty connection.	Ensure coil is fully seated. Clean contacts on coil and device. Try a new coil.
Burnt Taste	Coil not primed; e-liquid level too low; coil is old/burnt out; wattage too high.	Prime new coil thoroughly. Refill pod. Replace coil. Reduce wattage.
Leaking	Coil not seated correctly; damaged O-rings; overfilling; thin e-liquid.	Re-seat coil. Check O-rings for damage. Do not overfill. Consider thicker e-liquid.
Weak Flavor/Vapor	Coil is old; insufficient priming; low battery.	Replace coil. Ensure proper priming. Charge device battery.

SPECIFICATIONS

- Brand:** OXVA
- Model:** Unicoil (for Origin X)
- Resistance:** 0.2 Ohm
- Recommended Wattage:** 55-60W
- Quantity:** 5 Count
- Manufacturer Reference:** GTVAP-99652832
- Package Dimensions:** 12.9 x 4.1 x 1.9 cm
- Package Weight:** 40 g

WARRANTY AND SUPPORT

As consumable items, coils typically do not come with a long-term warranty unless they are dead on arrival (DOA). Please inspect your coils upon receipt. For any issues or support, please contact your retailer or the manufacturer, OXVA, directly with your purchase details.

For further assistance, visit the official OXVA website or consult your device's user manual.