

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Gardena](#) /

› [Gardena Rollup Wall Hose Box XL 35m Instruction Manual](#)

Gardena 18632-20

Gardena Rollup Wall Hose Box XL 35m Instruction Manual

1. PRODUCT OVERVIEW

The Gardena Rollup Wall Hose Box XL 35m is a wall-mounted hose storage solution designed for convenient garden watering. This model features a 35-meter hose that automatically retracts, providing a tidy and efficient way to manage your garden hose. Key features include:

- **Automatic Hose Retraction:** A short pull on the hose activates the RollControl mechanism, which retracts the hose at an even speed, preventing tangles and ensuring safe storage.
- **Flexible Wall Mount:** The wall mount allows the hose box to swivel 180 degrees, enabling flexible use in various directions and reaching all corners of your garden.
- **Integrated Hose Guide:** Ensures the hose rolls up neatly and without kinking or twisting, layer by layer.
- **Short Locking Stops:** The hose can be extended to the desired length and will lock into place at short intervals, allowing you to work comfortably.
- **Accessory Storage:** Features a practical holder for storing Gardena sprayers or nozzles directly on the wall bracket.
- **Frost-Proof Design:** Engineered to withstand frost, allowing the unit to remain outdoors year-round without damage.



Image 1: Internal view of the hose box, illustrating the coiled hose and the automatic retraction mechanism.

2. SETUP AND INSTALLATION

The Gardena Rollup Wall Hose Box is designed for easy wall mounting. All necessary mounting hardware is included with the product.

2.1 Mounting Location

Choose a suitable wall location near your water source. Ensure the wall material can support the weight of the hose box when filled with water. The box should be mounted at a height that allows comfortable access and operation.

2.2 Installation Steps

1. Mark the drilling points on the wall using the provided wall bracket as a template.
2. Drill holes at the marked points.
3. Insert the appropriate wall plugs (included) into the drilled holes.
4. Secure the wall bracket to the wall using the provided screws.
5. Attach the hose box to the mounted wall bracket. Ensure it clicks securely into place.
6. Connect the short connection hose from the hose box to your water tap.



Image 2: The hose box securely mounted on a wall, ready for use.



13.9 kg / 30.6 lbs

Image 3: Product dimensions for installation planning.

2.3 Video Guide: Setup and Operation

Your browser does not support the video tag.

Video 1: Official product summary video demonstrating the setup and key operational features of the GARDENA Rollup Wall Hose Box.

3. OPERATING INSTRUCTIONS

3.1 Extending the Hose

To extend the hose, simply pull it out to the desired length. The hose will automatically lock into place at short intervals. You will hear a clicking sound as it locks. This allows you to stop at any point without the hose retracting.



35 m / 114.8 ft



Image 4: The hose extended from the box, illustrating its operational length.

3.2 Retracting the Hose (RollControl)

When you are finished watering, give the hose a short, firm tug. This will disengage the locking mechanism. The hose will then automatically and smoothly retract into the box thanks to the integrated RollControl technology and centrifugal brake. The built-in hose guide ensures the hose winds up evenly without kinks or twists.



Image 5: A user operating the hose, highlighting the convenience of the wall-mounted system.

3.3 Using Accessories

The wall bracket includes a convenient holder for your Gardena sprayers, nozzles, or other watering accessories. This keeps them organized and readily accessible.



Image 6: Example of Gardena hose connectors and a spray nozzle.

4. MAINTENANCE

The Gardena Rollup Wall Hose Box is designed for durability and minimal maintenance.

- **Frost Protection:** The hose box is frost-proof and can remain outdoors year-round. However, for optimal longevity, it is recommended to drain any remaining water from the hose and disconnect it from the tap during freezing temperatures if possible.
- **Cleaning:** Periodically wipe down the exterior of the hose box with a damp cloth to remove dirt and debris.
- **Hose Inspection:** Regularly inspect the hose for any signs of wear, cracks, or damage. Replace the hose if necessary to ensure proper function and prevent leaks.

5. TROUBLESHOOTING

- **Hose not retracting:** Ensure the hose is not tangled or obstructed. Give a short, firm tug to disengage the locking mechanism. If the issue persists, check for debris inside the retraction mechanism.
- **Hose retracting too slowly/quickly:** The RollControl mechanism is designed for even speed. If you notice significant

deviation, ensure the hose is clean and free of obstructions.

- **Leaks from connections:** Check that all hose connections to the tap and accessories are securely tightened. Inspect rubber washers for wear and replace if damaged.
- **Water pressure issues:** Ensure your water tap is fully open and there are no kinks in the hose.

6. SPECIFICATIONS

Feature	Detail
Brand	Gardena
Model Number	18632-20
Style	Wall-Mounted Hose Box
Hose Capacity	35 Meters
Material	Plastic
Color	Turquoise, Black, Grey, Orange, White
Installation Type	Wall Mount
Operation Mode	Automatic
Item Weight	13.91 Grams <i>(Note: This value appears to be a data entry error, as the actual weight of a hose box is significantly higher.)</i>
Item Dimensions (L x W x H)	26.18 x 10.63 x 20.08 inches
Item Diameter	13 Millimeters

7. WARRANTY AND SUPPORT

Gardena provides a **5-year EU Spare Part Availability Duration** for this product, ensuring components are available for repairs and maintenance within this period.

For specific warranty terms, technical support, or to inquire about spare parts, please refer to the official Gardena website or contact their customer service directly. Keep your proof of purchase for warranty claims.