

LEDVANCE 4058075474642

LEDVANCE Smart LED Floodlight 30W RGBW User Manual

Model: 4058075474642

1. INTRODUCTION

This manual provides essential information for the safe and efficient use of your LEDVANCE Smart LED Floodlight 30W RGBW. Please read these instructions carefully before installation and operation, and retain them for future reference.

The LEDVANCE Smart LED Floodlight is a versatile outdoor lighting solution featuring WiFi technology for smart control. It offers a wide range of customizable colors (RGB) and warm white light, dimming capabilities, and compatibility with popular smart home systems like Google Assistant and Amazon Alexa.



Image 1.1: The LEDVANCE Smart LED Floodlight 30W RGBW with its packaging, highlighting key features and smart home compatibility.

Key Features:

- Controllable via the LEDVANCE Smart+ app (Android 8.0 / iOS 14.0 and above).
- RGB color control with approximately 16 million adjustable color options.
- Dimmable functionality.
- Color temperature: 3,000 K (Warm White).
- Mounting bracket for up to 180° inclination.
- Designed for outdoor use with IP65 protection.

2. SETUP AND INSTALLATION

Before proceeding with installation, ensure the power supply is disconnected to prevent electrical shock. This product is designed for outdoor use and must be installed by a qualified electrician in accordance with local wiring regulations.

2.1 Physical Installation

1. **Choose a suitable location:** Select a stable surface for mounting, such as a wall or ceiling, ensuring it can support the floodlight's weight. The floodlight is rated IP65 for outdoor use.
2. **Mount the bracket:** Use appropriate screws and wall plugs (not included) to securely attach the mounting bracket to the chosen surface. The bracket allows for up to 180° inclination for optimal light

direction.

3. **Connect wiring:** Connect the floodlight's power cable to your mains electricity supply. Ensure all connections are secure and properly insulated. This product operates on 230 Volts AC.
4. **Adjust the floodlight:** Once securely mounted and wired, adjust the angle of the floodlight using the bracket to direct the light as desired.



Image 2.1: The LEDVANCE Smart LED Floodlight installed on an exterior wall, providing illumination.

2.2 Smart Connectivity

The LEDVANCE Smart LED Floodlight utilizes WiFi technology for smart control via the LEDVANCE Smart+ app.

1. **Download the App:** Download the LEDVANCE Smart+ app from the App Store (iOS 14.0 and above) or Google Play Store (Android 8.0 and above). You can find the app by searching for "LEDVANCE Smart+" or by scanning the QR code on the product packaging or in the image below.
2. **Create an Account:** Open the app and follow the on-screen instructions to create a new user account or log in if you already have one.
3. **Add Device:** Power on the floodlight. In the LEDVANCE Smart+ app, select the option to add a new device. Follow the in-app instructions to connect your floodlight to your home WiFi network. This typically involves putting the device into pairing mode (often by cycling power) and entering your WiFi credentials.
4. **Integrate with Smart Assistants:** Once connected to the LEDVANCE Smart+ app, you can link your floodlight to Google Assistant or Amazon Alexa for voice control. Refer to the respective smart assistant's app for instructions on linking third-party smart home devices.



Image 2.2: Product packaging illustrating compatibility with the LEDVANCE Smart+ app, Google Assistant, and Amazon Alexa, along with a QR code for app download. For more information, visit lead.me/SmartPlusWifi.

3. OPERATING INSTRUCTIONS

Your LEDVANCE Smart LED Floodlight can be controlled through the LEDVANCE Smart+ app or via voice commands using compatible smart assistants.

3.1 Using the LEDVANCE Smart+ App

The app provides full control over your floodlight's functions:

- **Power On/Off:** Toggle the floodlight on or off directly from the app interface.
- **Brightness Adjustment:** Use the dimmer slider to adjust the light intensity from 1% to 100%.
- **Color Selection:** Choose from 16 million RGB colors or select the warm white (3000K) option.
- **Scene Creation:** Create custom lighting scenes for different moods or occasions.

- **Scheduling:** Set schedules for automatic turning on/off at specific times or based on sunrise/sunset.



Image 3.1: A smartphone displaying the LEDVANCE Smart+ app interface, controlling the floodlight's color and brightness.

3.2 Voice Control (Google Assistant / Amazon Alexa)

Once integrated, you can use voice commands to control your floodlight:

- "Hey Google, turn on the outdoor light."
- "Alexa, set the floodlight to blue."
- "Hey Google, dim the patio light to 50%."
- "Alexa, turn off the garden light."

4. MAINTENANCE

Regular maintenance ensures optimal performance and longevity of your LEDVANCE Smart LED Floodlight.

4.1 Cleaning

- Ensure the floodlight is turned off and cooled down before cleaning.
- Wipe the exterior with a soft, damp cloth. Do not use abrasive cleaners or solvents, as these can damage the finish or internal components.
- Periodically check for any debris accumulation on the light's surface and gently remove it.

4.2 Disposal and Recycling

This product contains electronic components and should not be disposed of with household waste. Please follow local regulations for the recycling of electrical and electronic equipment. For information on recycling this

and other types of lamps, consult local waste management guidelines.

In the event of a broken or damaged lamp, exercise caution. Avoid direct contact with broken glass or internal components. For detailed instructions on how to clean up and dispose of broken lamps, refer to local environmental guidelines or contact your waste disposal service.

5. TROUBLESHOOTING

If you encounter issues with your LEDVANCE Smart LED Floodlight, refer to the following common troubleshooting steps:

- **Light not turning on:**
 - Check the power supply and ensure the floodlight is properly connected to a working power source.
 - Verify that the light is not switched off in the app or by voice command.
- **Connectivity issues (WiFi/App):**
 - Ensure your WiFi network is active and the signal strength is adequate at the floodlight's location.
 - Restart your WiFi router.
 - Try re-pairing the device with the LEDVANCE Smart+ app. This may involve cycling the power to the floodlight several times to enter pairing mode.
 - Ensure your smartphone's operating system and the LEDVANCE Smart+ app are updated to the latest versions.
- **Incorrect color display or limited color range:**
 - While the floodlight offers a wide RGB spectrum, some specific shades (e.g., very pure cool white or deep red) might appear slightly different due to the LED mixing technology.
 - Ensure the app is correctly configured for RGBW control.
- **Light turns on automatically after power outage:**
 - Some smart lights default to an 'on' state after a power interruption. Check the app settings for a 'power-on behavior' option to configure this.
 - If the light fails to reconnect to WiFi after a power outage, manually restart the floodlight by disconnecting and reconnecting its power supply, then check the app for reconnection.
- **Physical damage or malfunction:**
 - If the floodlight shows signs of physical damage, such as melting or water ingress, discontinue use immediately. This indicates a potential defect or improper installation/environmental exposure.
 - Contact customer support or a qualified electrician for inspection and repair.

6. SPECIFICATIONS

Attribute	Value
Brand	LEDVANCE
Model Number	4058075474642
Power Consumption	30 Watt
Luminous Flux	2190 lm

Color Temperature	3000 Kelvin (Warm White)
Color Options	RGB (approx. 16 million colors)
Dimmable	Yes
Voltage	230 Volt
Material	Aluminum, Glass
Finish	Dark Grey
IP Rating	IP65 (Dust tight and protected against water jets)
Average Lifespan	30,000 Hours
Product Dimensions	8.23 x 6.61 x 1.18 cm
Weight	650 grams
Connectivity	WiFi
Control Method	App/Voice (Google Assistant, Amazon Alexa)



Image 6.1: Technical drawing showing the dimensions of the LEDVANCE Smart LED Floodlight (168mm width, 209mm height, 30mm depth).

7. WARRANTY AND SUPPORT

7.1 Warranty Information




For specific warranty details, please refer to the documentation provided with your purchase or contact your retailer. Warranty terms typically cover manufacturing defects for a specified period from the date of purchase.




7.2 Customer Support

If you require further assistance, have questions about installation, operation, or troubleshooting that are not covered in this manual, please contact LEDVANCE customer support or visit the official LEDVANCE website. You can also visit the LEDVANCE store on Amazon for product information and updates:[LEDVANCE Amazon Store](#).

© 2025 LEDVANCE. All rights reserved.

Related Documents - 4058075474642

	LEDVANCE SMART+ WiFi Installation Guide A guide to installing and setting up LEDVANCE SMART+ WiFi-enabled lighting products, including integration with Google Assistant and Amazon Alexa.
	LEDVANCE SMART+ WiFi Installation Guide A comprehensive guide for installing and setting up LEDVANCE SMART+ WiFi devices, including integration with Google Assistant and Amazon Alexa.
	LEDVANCE SMART+ Garden Dot Extension: Product Information and Setup Comprehensive guide to the LEDVANCE SMART+ Garden Dot Extension, covering product specifications, installation, and smart home integration with Google Assistant and Amazon Alexa.


	LEDVANCE SMART+ WIFI Flood + Remote Installation and Operation Guide Comprehensive guide for the LEDVANCE SMART+ WIFI Flood light. Covers installation, Wi-Fi setup via the LEDVANCE app, remote control functions (color, dimming, scenes), pairing, grouping, and safety precautions. Features outdoor smart lighting with RGBW capabilities.
	LEDVANCE ENDURA® FLOOD SPLIT Solar Floodlight: Specifications & Installation Guide Comprehensive guide to the LEDVANCE ENDURA® FLOOD SPLIT solar floodlight series, detailing specifications, dimensions, installation steps, and operating modes for the 10W and 30W models. Includes technical data and usage instructions.
	LEDVANCE SMART+ WiFi Installation Guide A comprehensive guide for installing and setting up LEDVANCE SMART+ WiFi devices, including troubleshooting tips and integration with Google Home and Amazon Alexa.

Documents - LEDVANCE – 4058075474642



[pdf] Datasheet

Ledvance Smart Floodlight 30W 4058075474642 Datasheet smcc flywheelsites |||
PRODUCT DATASHEET SMART WIFI FLOOD 30W SMART MULTICOLOR
Floodlights with WiFi technology Areas o ... clarations of conformity SMART OUTD
WIFI FLOOD DG PRODUCT DATASHEET LOGISTICAL DATA Product code
4058075474642 4058075474659 Packaging unit Pieces/Unit Folding box 1 Shipping
box 12 Dimensions ...
lang:en score:30 filesize: 1.12 M page_count: 4 document date: 2022-02-17



[pdf]

LEDVANCE 4058075474642 SMART MULTICOLOR 3000 K 30 00W Nom de l'article 00 W 2400 lm Numéro d 1000159319 ASIN B08KGLTV1D GTIN Numéro 810BIBFkQdLm media amazon images I 810BIBFkQdL ref dp product quick view |||

DE Artikelname: LEDVANCE **4058075474642** SMART MULTICOLOR 3000 K 30,00 W 2400 lm Artikelnummer: 1000159319 ASIN: B08KGLTV1D GTIN: **4058075474642** WEEE-Nummer: 30638372 Kleingerte, die in privaten Haushalten genutzt werden können. Herstellerinformation LEDVANCE GmbH Parkring 29-33 85748 Garching Deutsch...

lang:en score:28 filesize: 322.2 K page_count: 2 document date: 2024-12-03



[pdf] Datasheet

PRODUCT DATASHEET SMART WIFI FLOOD 30W asset 13054285 4058075474642 en old ledvance no 00 Free To Use |||

PRODUCT DATASHEET SMART WIFI FLOOD 30W SMART MULTICOLOR Floodlights with WiFi technology Areas o ... clarations of conformity SMART OUTD WIFI FLOOD DG PRODUCT DATASHEET LOGISTICAL DATA Product code **4058075474642** 4058075474659 Packaging unit Pieces/Unit Folding box 1 Shipping box 12 Dimensions ...

lang:en score:28 filesize: 1.12 M page_count: 4 document date: 2021-11-22



[pdf] Catalog

Hämta LEDVANCE SMART Outdoor Flood 30W RGBW grey WiFi C AU 4058075474642 TDS aurdel media catalog product A U |||

PRODUKTDATABLAD SMART WIFI FLOOD 30W SMART MULTICOLOR Floodlight med WiFi teknologi Anvendelseso ... Declarations of conformity SMART OUTD WIFI FLOOD DG PRODUKTDATABLAD LOGISTISKE DATA Produktkode **4058075474642** 4058075474659 Pakningsstrelse antal/enhed Folding box 1 Shipping box 12 Dimension...

lang:da score:27 filesize: 1.12 M page_count: 4 document date: 2021-09-03

**PRODUKTDATENBLATT
SMART+ WIFI FLOOD 30W**
SMART+ MULTICOLOR | Fluter mit WiFi-Technologie



[pdf]

Multicolor LED es kültéri fényszóró 30 W RGBW LEDVANCE SMART MULTICOLOR 4058075474642

Conrad adatlap 2305259 multicolor led kuelteri fenyszoro w rgbw ledvance smart asset conrad media10 add 160267 c1 de 002305259DS00 |||

PRODUKTDATENBLATT SMART WIFI FLOOD 30W SMART MULTICOLOR Fluter mit WiFi-Technologie ANWENDUNGSG ... MART WiFi App ist ein Smartphone oder Tablet erforderlich VERPACKUNGSGINFORMATIONEN Produkt-Code

4058075474642 4058075474659 Verpackungseinheit Stck pro Einheit Faltschachtel 1 Versandschachtel ...

lang:de score:26 filesize: 285.57 K page_count: 4 document date: 2020-09-16



[pdf] Borchure

Brochure LEDVANCE FLOODLIGHT SMART FLOOD IP65 30W RGBW WIFI Floodlight Onninen

4058075474642 fi kesko onninen pim resources production s3 eu west 1 amazonaws pimdocuments |||

TUOTESELOSTE SMART WIFI FLOOD 30W SMART MULTICOLOR Valonheitin WiFi-tekniologialla Kyttkohteet - ... OD Declarations of conformity SMART OUTD WIFI FLOOD DG TUOTESELOSTE LOGISTISET TIEDOT Tuotekoodi **4058075474642** 4058075474659 Pakkausyksikk kpl/yksikk Yksikkpakkaus 1 Lhetyslaatikko 12 Mitat pi...

lang:fi score:26 filesize: 1.12 M page_count: 4 document date: 2022-01-13



[pdf]

PROJEKTOR LED 30W 220 240V 2400LM RGBW WI FI IP65 4058075564626 LEDVANCE

4058075474642 smart wifi floodlight 30w rgb w pl elektrykasklep file 622897 |||

KARTA KATALOGOWA PRODUKTU SMART Wifi Floodlight 30W RGB W SMART MULTICOLOR Nawietlacze z techn ... RTA KATALOGOWA PRODUKTU DANE

LOGISTYCZNE Kod produktu Opakowanie liczba produktw / opakowanie **4058075474642** Skladane pudelko 1 4058075474659 Karton wysylkowy 12 Wymiary dlugo x szeroko x wy...

lang:tl score:26 filesize: 1.05 M page_count: 4 document date: 2023-02-14



[pdf] Datasheet Dimension Guide

PRODUCT DATASHEET SMART Wifi Floodlight 30W RGB W Controllable via LEDVANCE WiFi App with minimum Android™4 4 or iOS 10 0 – voice control available Google Assistant Amazon

4058075474642 ro ledvance product datasheet 6469 124389 |||


PRODUCT DATASHEET SMART Wifi Floodlight 30W RGB W SMART MULTICOLOR Floodlights with WiFi techn ... TA User instruction Declarations Of Conformity CE

PRODUCT DATASHEET LOGISTICAL DATA Product code **4058075474642**

4058075474659 Packaging unit Pieces/Unit Folding box 1 Shipping box 12

Dimensions ...

lang:en score:25 filesize: 1.04 M page_count: 4 document date: 2023-04-19



[pdf] Dimension Guide

lampesdirect fr document product ean 4058075474642 |||

Caractéristiques Ledvance Smart Wifi Projecteur LED Fonc Gris 30W 2190lm 100D - 830 Blanc Chaud IP ... ns Longueur mm Largeur mm Hauteur mm Informations du

capteur Dctecteur inclus Type de capteur **4058075474642** Surface Oui Cble, 3 ples IP65 IK05 Aluminium Gris 209 168 30 Non Pas de dtecteur ...

lang:fr score:25 filesize: 208.65 K page_count: 2 document date: 2023-05-31



[pdf] Datasheet

PRODUCT DATASHEET SMART Wifi Floodlight 30W RGB W LEDVANCE –Controllable via WiFi App with minimum Android™4 4 or iOS 10 0 voice control available Google Assistant Amazon Alexa –For a smart phone Tablet PC is required 4058075474642 en ledvance product datasheet 6469 124389 |||

PRODUCT DATASHEET SMART Wifi Floodlight 30W RGB W SMART MULTICOLOR Floodlights with WiFi techn ... AD DATA DOWNLOAD DATA User instruction

Declarations Of Conformity CE LOGISTICAL DATA Product code **4058075474642**

4058075474659 Packaging unit Pieces/Unit Folding box 1 Shipping box 12

Dimensions ...

lang:en score:25 filesize: 1.04 M page_count: 4 document date: 2023-01-03

PRODUCT DATASHEET SMART+ WIFI FLOOD 30W

SMART+ MULTICOLOR | Floodlights with WiFi technology



[pdf] Datasheet Dimension Guide

PRODUCT DATASHEET SMART WIFI FLOOD 30W Lifespan Number of switching cycles 30000

Additional product data Product remark Reset settings to default by the on for three seconds and off

repeating this five times Mounting location Wall type Surface Capabilities ledvance 4058075474642

datasheet 8d8b26407b4415b225c72ded9f186ffe 1632997835 04646a9cf351cc0d3888

b8b406d15fe93f790abb5bf0e9ab7ab3 ssl cf3 rackcdn |||

PRODUCT DATASHEET SMART WIFI FLOOD 30W SMART MULTICOLOR


Floodlights with WiFi technology AREAS O ... ia LEDVANCE SMART WiFi App, a

smart phone or Tablet PC is required LOGISTICAL DATA Product code

4058075474642 4058075474659 Packaging unit Pieces/Unit Folding carton box 1

Shipping carton box 1...

lang:en **score:24** filesize: 284.96 K page_count: 3 document date: 2021-09-08



[pdf] User Manual

GTIN 4058075474642 unspecified anonymous Sicherheitsinformationen und Warnhinweise HellwegAlle

elektrischen Anschlüsse dürfen nur von qualifiziertem Fachpersonal ausgeführt werden Vorsicht Gefahr

des Schlages41mCtzxK8NLm media amazon images l 41mCtzxK8NL ref dp product quick view |||


Sicherheitsinformationen und Warnhinweise GTIN: **4058075474642** Produktname:

SMART OUTD WIFI FLOOD 30W RGBW DG LEDV Sicherheitsinformationen und

Warnhinweise: Alle elektrischen Anschlsse drfen nur von qualifiziertem Fachpersonal

ausgefhrht werden. Vorsicht, Gefahr des elektrischen Schlages. Produkt der...

lang:de **score:23** filesize: 26.89 K page_count: 1 document date: 2024-12-02



[pdf] Declaration of Conformity


StÄhnout 629 91 kB VenkovnÄ svÄtidlo LEDVANCE SMART Dimmable 50 W 4058075474666 ÄjedÄ©

DART doc 5076836 dart cz document 6 3 8 |||

SMART WIFI FLOOD SMART OUTD WIFI FLOOD 10W RGBW DG SMART OUTD
WIFI FLOOD 20W RGBW DG SMART OUTD WIFI FLOOD 30W RGBW DG SMART
OUTD WIFI FLOOD 50W DIM DG EAN 4058075474604 4058075474628

4058075474642 4058075474666 W lm K 10 800 3000 20 1600 3000 30 2400 3000
50 4000 3000 0.012769 0.012769 0.02494...

lang:it score:21 filesize: 629.91 K page_count: 4 document date: 2021-10-08



[pdf]

G11099585 SH UI WIFI FLOOD LDV 07 X3 www Gebrauchsanweisung 370 3 kBLedvance SMART

Außen Flutlicht Smart Home 20 Watt grau online kaufenv1baywa baumarkt de media be e2 44

1751784778 4058075474628 BDA kBsmart wifi floodLedvance kaufen4058075474642 30 2190 3000


024948 40 220 240 140 50 60 100 9 LEDVANCE GmbH Steinerne Furt 62 86167 Augsburg Germany

ledvancev1baywa BDAmadeo 2572010 ||| ||| SMART WIFI FLOOD SMART OUTD WIFI FLOOD
10W RGBW DG SMART OUTD WIFI FLOOD 20W RGBW DG SMART OUTD WIFI FLOOD 30W RGBW
DG SMART OUTD WIFI FLOOD 50W DIM DG EAN 4058075474604 4058075474628 4058075474642
4058075474666 W lm K 10 630 3000 20 1260 3

SMART WIFI FLOOD SMART OUTD WIFI FLOOD 10W RGBW DG SMART OUTD
WIFI FLOOD 20W RGBW DG SMART OUTD WIFI FLOOD 30W RGBW DG SMART
OUTD WIFI FLOOD 50W DIM DG EAN 4058075474604 4058075474628

4058075474642 4058075474666 W lm K 10 630 3000 20 1260 3000 30 2190 3000
50 4250 3000 0.012769 0.012769 0.02494...


lang:i-klinton score:21 filesize: 361.63 K page_count: 4 document date: 2020-07-17



[pdf]

asset 13034063 SMART WIFI FLOOD ledvance pl media resource original ||| ||| SMART WIFI FLOOD EAN W lm K C V- mA Hz SMART OUTD WIFI FLOOD 10W RGBW DG 4058075474604 10 800 3000 0.012769 -20 . 40 220-240 45 50/60 SMART OUTD WIFI FLOOD 20W RGBW DG 4058075474628 20 1600 3000 0.012769 -20 . 40 220-240 90 50/60 SMART OUTD WIFI FLOOD 30W RGBW DG 4058075474604 10 800 3000 0.012769 -20... 40 220-240 45 50/60 SMART OUTD WIFI FLOOD 20W RGBW DG 4058075474628 20 1600 3000 0.012769 -20... 40 220-240 90 50/60 SMART OUTD WIFI FLOOD 30W RGBW DG 405807547...

lang:it score:20 filesize: 729.29 K page_count: 4 document date: 2023-06-07



[pdf]

SMART WIFI FLOOD Bauhaus 2021 07 30 — EAN W lm K °C V~ mA Hz PF OUTD 10W RGBW DG 4058075474604 10 700 3000 0 012769 20 40 220 240 dammedia ledvance info media resource hires asset 14344875 ||| SMART WIFI FLOOD SMART OUTD WIFI FLOOD 10W RGBW DG SMART OUTD WIFI FLOOD 20W RGBW DG SMART OUTD WIFI FLOOD 30W RGBW DG SMART OUTD WIFI FLOOD 50W DIM DG EAN 4058075474604 4058075474628 4058075474642 4058075474666 W lm K 10 700 3000 20 1400 3000 30 2190 3000 50 4250 3000 0.012769 0.012769 0.02494...

lang:en score:19 filesize: 598.48 K page_count: 4 document date: 2021-07-30



[pdf] Datasheet Dimension Guide

Data sheet SMART MULTICOLOR 30W LEDVANCE 35080 data EN staticde multi lite de shop b2c |||
PRODUCT DATASHEET SMART WIFI FLOOD 30W SMART MULTICOLOR
 Floodlights with WiFi technology Areas o ... clarations of conformity SMART OUTD
 WIFI FLOOD DG **PRODUCT DATASHEET LOGISTICAL DATA** Product code
4058075474642 4058075474659 Packaging unit Pieces/Unit Folding box 1 Shipping
 box 12 Dimensions ...

lang:en **score:19** filesize: 1.12 M page_count: 4 document date: 2021-06-29



[pdf] Datasheet

Osram Ledvance SMART Outdoor WiFi Flood 30W wall lamp dark grey Data sheet
 aaa11d2b6d1b0d7b67ee68bf9e096d56eeaa gzhlis at blob ldb a c 8 |||
PRODUKTDATENBLATT SMART WIFI FLOOD 30W SMART MULTICOLOR Fluter
 mit WiFi-Technologie **ANWENDUNGSGE ...** MART WiFi App ist ein Smartphone oder
 Tablet erforderlich **VERPACKUNGSGE ...** **VERPACKUNGSGE ...** Produkt-Code
4058075474642 4058075474659 Verpackungseinheit Stck pro Einheit Faltschachtel 1
 Versandschachtel ...


lang:de **score:19** filesize: 287.44 K page_count: 3 document date: 2021-04-09



[pdf] Dimension Guide

Fiche produit Ledvance smart wf flood 30w rgbw 2190lm 1179451 6469 124389 tableau électrique fr
 documents |||
FICHE PRODUIT SMART WIFI FLOOD 30W SMART MULTICOLOR Projecteurs
 avec technologie WiFi Zones d ap ... RT WIFI FLOOD Declarations of conformity
 SMART OUTD WIFI FLOOD DG **DONNES LOGISTIQUES** Code produit
4058075474642 4058075474659 Unit d emballage Pices/Unit Etui carton ferm 1
 Carton de regroupement...

lang:fr **score:19** filesize: 1.12 M page_count: 4 document date: 2022-01-24





[\[pdf\]](#)

LIGHTNEWS Zahrada s LEDVANCE Light News asset 13025823 light news zahrada ledvance cz 00

Free To Use |||

LEDVANCE.CZ LIGHTNEWS 10/2021 ZAHRADE S LEDVANCE KRSN SVTLO NEN OTZKOU PROSTORU. NABZME VM NASE FASD ... rasy SMART FLOOD MULTICOLOR Svltomety s technologi WiFi EAN 4058075474604 EAN 4058075474628 EAN **4058075474642** 1050 Kc* 1260 Kc* 1470 Kc* SMART FLOOD DIMMABLE Svltomety s technologi WiFi EAN 4...

lang:it score:17 filesize: 2.56 M page_count: 18 document date: 2021-06-24




[\[pdf\]](#)

LIGHTNEWS LEDVANCE SMART WiFi Light News asset 12958874 light news smart wifi ledvance cz 00

Free To Use |||

LEDVANCE.CZ LIGHTNEWS 03/2021 LEDVANCE SMART WIFI CHYTR OSVTLEN S BEZDRTOVM ZENM LEDVANCE.CZ LED ... DG 4058075474604 SMART OUTD WIFI FLOOD 10W RGBW DG 4058075474628 SMART OUTD WIFI FLOOD 20W RGBW DG **4058075474642** SMART OUTD WIFI FLOOD 30W RGBW DG 4058075474666 SMART OUTD WIFI FLOOD 50W DIM DG 40580...

lang:hr score:17 filesize: 1.62 M page_count: 6 document date: 2021-03-05



[\[pdf\]](#)

How To Busch Jaeger 15 feb 2023 — Einleitung LEDVANCE bietet mit SMART WiFi verschiedene Leuchtmittel Lampen und Zwischenstecker an die ohne eine Bridge direkt ins häusliche WLAN HowTo Ledvance Mit Kompalliste busch jaeger de files ONLINE |||

Kurzanleitung SMART WiFi Integration How-To_ Beschreibung: Wie knnen Die SMART WiFi Produkte von L ... N DOT 9P RGBW 4058075474604 SMART WIFI FLOOD 10W RGBW DG 4058075474628 SMART WIFI FLOOD 20W RGBW DG **4058075474642** SMART WIFI FLOOD 30W RGBW DG 4058075474666 SMART WIFI FLOOD 50W DIM DG 4058075504783 S...

lang:de score:16 filesize: 743.33 K page_count: 12 document date: 2023-03-06



88COUNTYOFTELE

- Einfache und schnelle Installation
- Farberriche Gartenbeleuchtung mit smarten Steuerungsmöglichkeiten
- Vereint die Funktionalität von Allgemeinbeleuchtung und Stimmungsbeleuchtung

PROPRIETÄTSGESCHAFTEN

- Steuerung über LEDVANCE SMART+ WiFi App (mit mindestens Android 4.4 oder iOS 9.0)
- Steuerung über Google Assistant oder Amazon Alexa möglich
- RGB-Farbtrennung, ca. 16 Mio. Farbtiefen/16,7 Millionen einstellbare Farben
- Dimbar
- Fehlfertigungstoleranz: 5.000 K (offenes White)
- Netzspannungsspektrum: WiFi
- Montagehöhen mit Reflektorbereich von bis zu 280°
- Schalter: 0/10V
- Schutzart: nicht $\geq 0,5$ mm Kabel, Kabelschlauch notwendig



15. May 2021, 20:36:55

© 2011, LIEVANCE GmbH. Alle Rechte vorbehalten.



- Einfache und schnelle Installation
- Farbeiche Garteneindeckung mit smarten Steuerungsmöglichkeiten
- Steuert die Frühlingszeit von Algenwachstum und Stängelwachstum

- Streamer über LEANANCE SMART WiFi App mit minimalem Android™ 4.4 oder iOS 10.0
- Steuerung über Google Assistant oder Amazon Alexa möglich
- RS-485-Fachlösung, ca. 16 Mts. Farbgleichzeitigen einstellbar
- Dimmbar
- Farbtemperatur: 1.000 K (Warm Weiß)
- Netzwerkprotokoll: WiFi
- Montagehöhen mit Rotationsbereich von bis zu 180°
- Schutzart: IP65
- Verbindungsnetzwerk: 0,5 m Kabel, Verkabelung notwendig



100

- Einfache und schnelle Installation
- Farbwechsel-Gartenbeleuchtung mit smarten Steuerungsmöglichkeiten

Book 14 | 1000-1100

- Steuerung über LENDANCE SMART+ WiFi App (mit mindestens Android™ 4.4 oder iOS 10.2)
- Steuerung über Google Assistant oder Amazon Alexa möglich
- RGB-Farbleuchtung: ca. 16 Mio. Farbtöne/optionell einstellbar
- Dimmbar
- Farbtemperatur: 1.000 K (Warm White)
- Netzwerkprotokoll: WiFi
- Montagegehäuse mit Rotationswinkel von bis zu 180°
- Schutzart: IP45
- Verkabelung: netzfrei 0,5m Kabel, Verkabelung netzabhängig



August 18, 1933, 06:40:28

© 2021, LEOPOLDO GARCIA. All rights reserved.

Datenblatt SMART MULTICOLOR 30W 35080 DE staticde multi lite de shop b2c |||

PRODUKTDATENBLATT SMART WIFI FLOOD 30W SMART MULTICOLOR Fluter
mit WiFi-Technologie ANWENDUNGSGE ... MART WiFi App ist ein Smartphone oder
Tablet erforderlich VERPACKUNGSINFORMATIONEN Produkt-Code

4058075474642 4058075474659 Verpackungseinheit Stck pro Einheit Faltschachtel 1
Versandschachtel ...

lang:de score:16 filesize: 288.32 K page count: 3 document date: 2021-03-24

PRODUKTDATENBLATT SMART WIFI FLOOD 30W D538275 D pollin at media 07 eb 5d 1701715321 III

PRODUKTDATENBLATT SMART WIFI FLOOD 30W SMART MULTICOLOR Fluter
mit WiFi-Technologie Anwendungsge ... ATT DOWNLOADS DOWNLOADS User
instruction Declarations of conformity VERPACKUNGSINFORMATIONEN EAN
4058075474642 4058075474659 Verpackungseinheit Stck pro Einheit Faltschachtel 1
Versandschachtel ...

lang:de score:16 filesize: 117.73 K page count: 4 document date: 2022-10-07

252956 data files2 elv public 25 2529 Internet III

PRODUKTDATENBLATT SMART WIFI FLOOD 30W SMART MULTICOLOR Fluter
mit WiFi-Technologie Anwendungsge ... ATT DOWNLOADS DOWNLOADS User
instruction Declarations of conformity VERPACKUNGSINFORMATIONEN EAN
4058075474642 4058075474659 Verpackungseinheit Stck pro Einheit Faltschachtel 1
Versandschachtel ...

lang:de score:16 filesize: 1.05 M page count: 4 document date: 2022-08-18



PRODUCT DATASHEET
SMART+ WIFI FLOOD 30W
SMART+ MULTICOLOR | Floodlights with WiFi technology



[\[pdf\]](#) Datasheet Dimension Guide

Product Datasheet Smart Wifi Flood 30w TECHNICAL DATA Electrical data Nominal wattage 30 00 W voltage 220 240 V Mains frequency 50 60 Hz Operating mode Photometrical Color temperature 3000 K rendering index Ra ≥80 Light color designation RGBW Luminous efficacy 73 lm flux 2190 Dimensions weight zmp 3790203 smart wifi flood led bg documents original |||

PRODUCT DATASHEET SMART WIFI FLOOD 30W SMART MULTICOLOR Floodlights with WiFi technology AREAS O ... ia LEDVANCE SMART WiFi App, a smart phone or Tablet PC is required LOGISTICAL DATA Product code **4058075474642** 4058075474659 Packaging unit Pieces/Unit Folding carton box 1 Shipping carton box 1...

lang:en **score:16** filesize: 286.41 K page_count: 3 document date: 2021-04-08



[\[pdf\]](#) Flyer

OSRAM Corporate Design 2013 SAINER WERBEAGENTUR GmbH smart Dec 15 2020 — Se potrivește perfect! În ceea ce privește ambele cerințe pe care le aveți atât lumina inteligentă cât și stilul casei interior exterior flyer ledvance wi fi ro i dedeman media file f l |||

LEDVANCE.COM SMART HOME CONTROLUL AUTOMAT AL LUMINII TOT CE TREBUIE S TII DINTR-O SINGUR PRIVIRE DE ... cm, gri nchis 4058075474628 3. Proiector LED MULTICOLOR, 30 W, 2.190 lm, 16,8 20,9 cm, gri nchis **4058075474642** 4. Proiector LED DIM, 50 W, 4.250 lm, 20 23,7 cm, gri nchis 4058075474666 PROIECTO...

lang:it **score:15** filesize: 5.08 M page_count: 20 document date: 2021-03-24



[\[pdf\]](#) User Manual

LISTA DE PRECIOS ESPAÑA ABRIL 2024 Ledvance LEDVANCE® Tubos LED Lámparas Soluciones Inteligentes SMART Sistemas 4099854089657 220 110 90 36000 96 × 79 144 8 01 29 99 NUEVO ENDURA FL 23 avr — PHILIPS y SILVANIA El fin principal de AMBILAMP manual Nuestro próximo paso será cen tramos en Remote CCT 4058075651715 1000 59 120 25 000 310 x asset 13206149 lista precios trade abril es ledvance 00 Free To Use |||

LEDVANCE.ES LISTA DE PRECIOS ESPAA, ABRIL 2024 LISTA DE PRECIOS ESPAA, ABRIL 2024 Iluminacin Vial ... W RGBW DG SMART OUTD WIFI FLOOD20W REM RGBWDG 4058075474604 10 800 80 4058075474628 20 1600 80 **4058075474642** 30 1400 80 4058075474666 50 4000 80 4058075831438 50 3000 80 4058075831452 100 8000...


lang:es **score:15** filesize: 32.14 M page_count: 464 document date: 2024-05-09

Table with 10 columns: Product code, Description, EAN code, LEDVANCE, and others. It lists various LEDVANCE products and their specifications.


[pdf] Moeskops Ronald 01 2022 THINK SMART WITH LEDVANCE Stand Productgroup Omschrijving EAN code Think Smart Bruto advies prijs Groupe de asset 12678792 think smart productlist benelux ledvance 00 Free To Use ||| Stand: 01.01.2022 Productgroup Groupe de produit THINK SMART WITH LEDVANCE Omschrijving Description ... 75564367 4058075564404 4058075564428 4058075564442 4058075564466 4058075474604 4058075474628 **4058075474642** 4058075474666 4058075576674 4058075575875 4058075575899 4058075575912 4058075576... lang:i-klngon **score:15** filesize: 207.53 K page_count: 4 document date: 2022-01-10

Product Information Sheet COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources. Supplier's name or trade mark: LEDVANCE. Supplier's address: LEDVANCE GmbH, Parkring 33, Garching, Germany. Model identifier: AC34877. Type of light source: LED. Lighting technology used: LED. Light source cap-type: 109 mA. Main or non-main: Mains. Colour-tunable light source: Yes. High luminance light source: No. Auto-gate shield: No. Product parameters: Energy consumption in on-mode (L90/L100): 28. Energy efficiency class: F. Useful luminous flux (lm): 2 500 in wide cone (120°). Correlated colour temperature (K): 3 000. On-mode power (P_{on}): 28.0. Standby power (P_{stb}): 0.00. Networked standby power (P_{net}): -.

[pdf] Dimension Guide Label ProduktatabladLedvance Smart WiFi utendørs lyskaster 30W Obsbygg no1012469 4058075474642obsbygg no globalassets productdocumentsfolder 1012469 4058075474642 ref 835882520B ||| Product Information Sheet COMMISSION DELEGATED REGULATION EU 2019/2015 with regard to energy labelling of light sources Supplier s name or trade mark: LEDVANCE Supplier s address: LEDVANCE GmbH, Parkring 33, Garching, Germany Model identifier: AC34877 Type of light source: Lighting technolog... lang:en **score:14** filesize: 209.42 K page_count: 4 document date: 2024-09-24



[pdf] SMART PROGRAM FOR RESIDENTIAL 2021 Ledvance Bluetooth is perfect for people who like to use voice with Google s smart speakers e g Zigbee compatible all the speaker asset 13034141 program residential ledvance media resource original LEDVANCE.COM SMART PROGRAM FOR RESIDENTIAL 2021 SMART CONTENT 2 CONTENT OVERVIEW OPTIONS FOR ... OD 50 W SMART WIFI FLOOD 30W SMART WIFI FLOOD 20W SMART WIFI FLOOD 10W GTIN EAN 4058075474666 **4058075474642** 4058075474628 4058075474604 1 Dark gray 2 Dark gray 3 Dark gray 4 Dark gray 2 Alumi... lang:en **score:14** filesize: 13.58 M page_count: 112 document date: 2021-08-02



[\[pdf\]](#) Borchure

OSRAM A4 Template 2013 11 beta SAINER WERBEAGENTUR GmbH asset 13212557 outdoor

luminaires brochure 2024 en benelux ledvance 00 Free To Use ||| ||| OUTDOOR LUMINAIRES 2024

LEDVANCE POWER THROUGH LIGHT A STRONG PARTNER IN THE LIGHTING INDUSTRY


LEDVANCE is a prominent player in the lighting industry, known for its innovative lighting products and smart, interconnected lighting solutions.

OUTDOOR LUMINAIRES 2024 LEDVANCE POWER THROUGH LIGHT A STRONG PARTNER IN THE LIGHTING INDUSTRY LED ... B W **** GTIN EAN *** ** 2 3 4 * 1

3 year guarantee 4058075474604 1 4058075474628 1 **4058075474642 1**

4058075831438 2 4058075474666 1 4058075831452 3 Dark gray Dark gray Dark gray...

lang:en score:13 filesize: 183.13 M page_count: 284 document date: 2024-05-13



[LEDVANCE SMART+ Πρόγραμμα 2020/2021: Έξυπνος Φωτισμός για το Σπίτι](#)

Ανακαλύψτε τη σειρά SMART+ της LEDVANCE για έξυπνο φωτισμό σπιτιού.

Εξερευνήστε λύσεις WIFI, Bluetooth και Zigbee για έλεγχο μέσω smartphone, φωνής ή πύλης, με δυνατότητες αυτοματισμού και δημιουργίας ατμόσφαιρας.

lang:i-klngon score:13 filesize: 32.18 M page_count: 73 document date: 2021-09-10



[LEDVANCE SMART+ Residential Lighting Program 2022](#)

Explore the 2022 LEDVANCE SMART+ program for residential smart lighting.

Discover WiFi, Bluetooth, and Zigbee solutions, including lamps, luminaires, and LED strips, designed for enhanced home ambiance, convenience, and control. Learn about SUN@HOME human-centric lighting and EU regulations.

lang:en score:13 filesize: 16.58 M page_count: 224 document date: 2022-01-05



[\[pdf\]](#) Borchure

OSRAM A4 Template 2013 11 beta SAINER WERBEAGENTUR GmbH LUMINARIAS DE EXTERIOR


2024 asset 13241312 outdoor luminaires brochure es ledvance 00 Free To Use |||

LEDVANCE.ES LUMINARIAS DE EXTERIOR 2024 LEDVANCE EL PODER DE LA LUZ UN SOCIO FUERTE EN LA INDUSTRI ... 10.0 800 820 3.000 4058075474628 1

Gris oscuro Aluminio 30.000 20,0 1.600 1.640 3.000 **4058075474642** 1 Gris oscuro

Aluminio 30.000 30.0 2.400 2.500 3.000 4058075831438 2 Negro ...

lang:es score:13 filesize: 35.63 M page_count: 284 document date: 2024-10-30



[\[pdf\]](#)

Smart Residencial 2022 Descargas LEDVANCE asset 13067219 folleto smart residencial ledvance es 00

Free To Use |||

LEDVANCE.ES FOLLETO SMART RESIDENCIAL 2022 SMART CONTENIDO 2


CONTENIDO SMART CONTENIDO R ... 30W SMART WIFI FLOOD 20W SMART

WIFI FLOOD 10W * 1 3 aos de garantia EAN 2 4058075474666 1 **4058075474642** 2

4058075474628 3 4058075474604 4 Gris oscuro Gris oscuro Gris oscuro Gris

oscur...

lang:es score:13 filesize: 95.44 M page_count: 224 document date: 2022-04-21



[\[pdf\]](#)

Folleto Smart Retail Descargas LEDVANCE asset 13066589 retail smart programm 2022 ledvance es 00

Free To Use |||

LEDVANCE.ES FOLLETO SMART RETAIL 2022 SMART CONTENIDO 2


CONTENIDO SMART CONTENIDO En las s ... 30W SMART WIFI FLOOD 20W

SMART WIFI FLOOD 10W * 1 3 aos de garanta EAN 2 4058075474666 1

4058075474642 2 4058075474628 3 4058075474604 4 Gris oscuro Gris oscuro Gris

oscuro Gris oscur...

lang:es score:13 filesize: 18.04 M page_count: 230 document date: 2022-03-24



[\[pdf\]](#) User Manual

Retail SMART Programm 2022 Downloads LEDVANCE asset 13066125 retail smart programm ledvance de 00 Free To Use RETAIL PROGRAMM Ledvance 1 juil — Ein Aus per Fernbedienung oder Sprachbefehl in Telekom Qivicon SAMSUNG SmartThings Schwaiger Komfortable Bedienung ||| LEDVANCE.DE RETAIL SMART PROGRAMM 2022 SMART INHALT 2 INHALT SMART INHALT Verwenden Sie au ... RT WIFI FLOOD 30W SMART WIFI FLOOD 20W SMART WIFI FLOOD 10W * 1 GTIN EAN 4058075474666 1 **4058075474642** 2 4058075474628 3 4058075474604 4 Dunkelgrau Dunkelgrau Dunkelgrau Dunkelgrau 2...

lang:de score:13 filesize: 18.14 M page_count: 230 document date: 2022-03-01



[\[pdf\]](#) User Manual

21681 Trade SMART Katalog 7RZ DE indd PROGRAMM Broschüre 2022 Downloads LEDVANCE asset 13071573 smart program for residential ledvance de 00 Free To Use ||| LEDVANCE.DE SMART PROGRAMM FR DEN WOHNBEREICH 2022 SMART INHALT 2 INHALT SMART INHALT Verwe ... WIFI FLOOD 30W SMART WIFI FLOOD 20W SMART WIFI FLOOD 10W * 1 GTIN EAN 2 4058075474666 1 **4058075474642** 2 4058075474628 3 4058075474604 4 Dunkelgrau Dunkelgrau Dunkelgrau Dunkelgrau A...

lang:de score:13 filesize: 41.19 M page_count: 109 document date: 2022-05-24




[\[pdf\]](#)

20720 Katalog Leuchten Wohnbereich Trade DACH DE lowres dammedia ledvance info media bin asset 12492307 |||

NEUHEITEN LEDVANCE LEUCHTEN FR DEN WOHNBEREICH JANUAR 2021
LEDVANCE.DE INHALT LEDVANCE LEUCHTEN ... WIFI FLOOD 20W SMART WIFI
FLOOD 10W works with Hey Google * GTIN EAN 1 2 2 3 4058075474666
4058075474642 4058075474628 4058075474604 1 Dunkelgrau 2 Dunkelgrau 3
Dunkelgrau 4 Dunkelgrau...

lang:de **score:13** filesize: 13.21 M page_count: 160 document date: 2021-02-12



[LEDVANCE SMART+ Program 2022: Smart Lighting Solutions](#)

Explore the comprehensive LEDVANCE SMART+ program for 2022, featuring innovative WiFi, Bluetooth, and Zigbee smart lighting solutions for homes and businesses. Discover a wide range of lamps, luminaires, and accessories for enhanced living.

lang:en **score:12** filesize: 12.97 M page_count: 232 document date: 2022-02-17



[\[pdf\]](#) Catalog

LEDVANCE Lichtgids oktober 2022 Downloads asset 13091080 ledvance lichtgids nl benelux 00 Free To Use |||

BENELUX.LEDVANCE.COM LICHTGIDS ARMATUREN, LAMPEN, SMART ,
DRIVERS EN LICHTMANAGEMENTSYSTEMEN OKTOBER ... 10W RGBW DG
SMART WIFI FLOOD 20W RGBW DG SMART WIFI FLOOD 30W RGBW DG
4058075474604 4058075474628 **4058075474642** 10 630 20 1.260 30 2.190 63
RGBW 63 RGBW 73 RGBW 30.000h 152x125x28 1 7 30.000h...

lang:nl **score:12** filesize: 94.36 M page_count: 248 document date: 2022-11-02




[\[pdf\]](#) Catalog

LEDVANCE Lichtgids oktober 2022 Downloads asset 13091080 ledvance lichtgids nl benelux 00 Free To Use |||

BENELUX.LEDVANCE.COM LICHTGIDS ARMATUREN, LAMPEN, SMART , DRIVERS EN LICHTMANAGEMENTSYSTEMEN OKTOBER ... 10W RGBW DG SMART WIFI FLOOD 20W RGBW DG SMART WIFI FLOOD 30W RGBW DG 4058075474604 4058075474628 **4058075474642** 10 630 20 1.260 30 2.190 63 RGBW 63 RGBW 73 RGBW 30.000h 152x125x28 1 7 30.000h...

lang:nl **score:12** filesize: 68.47 M page_count: 248 document date: 2022-12-01



[\[pdf\]](#) Catalog

MEA LEDVANCE Lamps Catalogue 2022 Downloads asset 13066472 lamps catalogue ledvance asia 00 Free To Use |||

LEDVANCE.COM THE ENTIRE RANGE OF LAMPS AT A GLANCE OSRAM LED LAMPS FROM LEDVANCE 2022 LEDVANCE is li ... 30W SMART WIFI FLOOD 20W SMART WIFI FLOOD 10W GTIN EAN * 2 1 3 year guarantee 4058075474666 **4058075474642** 4058075474628 4058075474604 1 Dark gray 2 Dark gray 3 Dark gray 4 Dark gray Aluminum...

lang:en **score:12** filesize: 173.73 M page_count: 136 document date: 2022-04-08



[\[pdf\]](#) Catalog

CATALOGO SMART RETAIL 2021 LEDVANCE 06 25 — Per questo ora offriamo ai tuoi clienti tre linee di prodotti con tecnologie differenti per ciascuna delle quali consigliamo in particolare una determinata asset 13017644 catalogo smart retail interattivo dammedia ledvance info media bin 13792462 |||

LEDVANCE.IT CSMATAARLTO GROETAIL 2021 SMART INDICE 2 INDICE PANORAMICA SMART INDICE Per ... OD 30W SMART WIFI FLOOD 20W SMART WIFI FLOOD 10W works with Hey Google Codice EAN 4058075474666 **4058075474642** 4058075474628 4058075474604 * 1 Grigio scuro 2 Grigio scuro 3 Grigio scuro 4 ...

lang:it **score:12** filesize: 5.65 M page_count: 138 document date: 2021-05-27

