

Green Valley Easy One EVO 03

Green Valley Easy One EVO 03 Pre-assembled Steel Roof Bar Instruction Manual

Model: Easy One EVO 03 | Brand: Green Valley

1. PRODUCT OVERVIEW

The Green Valley Easy One EVO 03 is a complete steel roof bar system designed for vehicle transport needs. It features pre-assembled feet for straightforward installation, providing a robust and secure platform for carrying various loads on your vehicle's roof.



Figure 1: Green Valley Easy One EVO 03 Pre-assembled Steel Roof Bars.

2. SAFETY INSTRUCTIONS

Read all instructions carefully before installation and use. Failure to follow these instructions may result in property damage or personal injury.

- **Weight Limit:** Do not exceed the maximum load capacity specified by your vehicle manufacturer or the roof bar system, whichever is lower.
- **Secure Fastening:** Ensure all components are securely fastened before driving. Check tightness regularly, especially after the first few kilometers and after driving on rough roads.
- **Load Distribution:** Distribute the load evenly on the roof bars. Secure items properly to prevent shifting during transit.
- **Driving Speed:** Adjust your driving speed to suit the load and road conditions. Avoid sudden braking or sharp turns.
- **Height Clearance:** Be aware of the increased vehicle height when entering garages, car washes, or low-clearance areas.
- **Maintenance:** Regularly inspect the roof bars for wear, damage, or corrosion. Replace any damaged parts

immediately.

3. PACKAGE CONTENTS

Verify that all components are present and undamaged before beginning installation.

- 2 x Steel Roof Bars
- 4 x Pre-assembled Feet (with mounting hardware)
- 1 x Instruction Manual (this document)



Figure 2: Individual components including feet and mounting hardware.

4. INSTALLATION GUIDE

The Green Valley Easy One EVO 03 roof bars come with pre-assembled feet for simplified installation. Follow these steps carefully.

- 1. Prepare Your Vehicle:** Ensure your vehicle's roof is clean and free of debris where the roof bars will be mounted. Identify the designated mounting points on your vehicle's roof (refer to your vehicle's owner's manual if unsure).
- 2. Position the Feet:** Place the pre-assembled feet onto the designated mounting points on your vehicle's roof. Ensure they are correctly oriented and aligned.
- 3. Attach Roof Bars:** Carefully place the steel roof bars onto the feet. The bars should slot securely into the designated channels or mounts on the feet.
- 4. Secure Fasteners:** Using the provided tools (if any) or appropriate wrenches, tighten all fasteners on the feet to secure the roof bars to your vehicle. Tighten evenly on both sides to ensure a balanced and secure fit. Do not overtighten.

5. **Final Check:** After tightening, gently push and pull on the roof bars to ensure they are firmly attached and do not wobble. Double-check all fasteners for tightness.



Figure 3: Example of Green Valley Easy One EVO 03 roof bars correctly installed on a vehicle.



Figure 4: Close-up view of a pre-assembled foot, showing the secure attachment point.

5. USAGE INSTRUCTIONS

Once installed, your Green Valley Easy One EVO 03 roof bars are ready for use. Always adhere to the safety guidelines.

- Loading:** Place items on the roof bars, ensuring even weight distribution. Use appropriate tie-down straps or cargo nets to secure your load.
- Aerodynamics:** For optimal fuel efficiency and reduced wind noise, remove the roof bars when not in use, especially for long journeys.
- Regular Checks:** Periodically check the tightness of the roof bar fasteners and the security of your load during long trips.

6. MAINTENANCE AND CARE

Proper maintenance ensures the longevity and safe operation of your roof bars.

- Cleaning:** Clean the roof bars regularly with mild soap and water. Avoid abrasive cleaners or solvents that could damage the finish.
- Inspection:** Before each use, inspect the bars and feet for any signs of damage, cracks, rust, or loose components.
- Storage:** When not in use, store the roof bars in a dry, protected area to prevent corrosion and damage.

7. TROUBLESHOOTING

Refer to this section for common issues and their solutions.

Problem	Possible Cause	Solution
Roof bars feel loose after installation.	Fasteners not tightened sufficiently.	Re-tighten all fasteners evenly. Ensure they are snug but do not overtighten.
Excessive wind noise during driving.	Aerodynamic drag from empty bars or improperly secured load.	Ensure bars are correctly positioned. Remove bars when not in use. Secure load properly.
Difficulty fitting bars to vehicle.	Incorrect model for vehicle or improper alignment.	Verify the roof bar model is compatible with your vehicle. Re-check alignment and mounting points.

8. PRODUCT SPECIFICATIONS

Brand	Green Valley
Model	Easy One EVO 03
Manufacturer Part Number	159036
Item Weight	10.9 Kilograms
Package Dimensions	136.5 x 17.5 x 12.5 cm
Material	Steel

9. WARRANTY AND SUPPORT

For warranty information or technical support, please refer to the Green Valley official website or contact your retailer. Keep your proof of purchase for warranty claims.

Return Policy: This product typically comes with a 30-day return policy from the date of purchase, subject to retailer terms and conditions.

© 2023 Green Valley. All rights reserved.

Related Documents - Easy One EVO 03

	<p>Green Valley EASY ONE EVO Roof Rack Installation and Usage Guide</p> <p>Comprehensive guide for installing and using the Green Valley EASY ONE EVO roof rack system. Includes vehicle compatibility, assembly instructions, safety guidelines, and maintenance tips.</p>
	<p>Green Valley Easy One s.w. Roof Bars Installation and Usage Guide</p> <p>Comprehensive guide for installing and using Green Valley Easy One s.w. roof bars, including safety instructions, load capacity, and maintenance tips.</p>
	<p>Green Valley EASY ONE EVO Roof Rack Installation and Usage Guide</p> <p>Comprehensive guide for installing and using the Green Valley EASY ONE EVO roof rack system. Includes vehicle compatibility, assembly instructions, safety guidelines, and maintenance tips.</p>
	<p>Thule Kit 145127 Roof Rack Installation Guide for Nissan Leaf</p> <p>Detailed installation instructions and specifications for the Thule Kit 145127 roof rack system compatible with Nissan Leaf 5-door hatchback models (2010-2017 and 2018-2025). Includes fitment details, load limits, and dimensions.</p>

<p>2</p> <p>Instructions</p> <p>Thule Evo Flush Rail 710600</p>  <p>Brayton</p>	<p>Thule Evo Flush Rail 710600 Installation Instructions</p> <p>Step-by-step instructions for installing the Thule Evo Flush Rail 710600 roof rack system. Includes details on different Thule bar types and mounting procedures.</p>
	<p>Thule Kit 145301 Fitting Instructions for Hyundai Ioniq 5 (2021-)</p> <p>Comprehensive fitting instructions for the Thule Kit 145301 roof rack system, designed for the Hyundai Ioniq 5 (5-door SUV, 2021 onwards). Includes detailed steps, safety guidelines, and vehicle-specific measurements for various Thule bar types.</p>