

[Manuals.plus](#) /

› [AOZBZ](#) /

› AOZBZ Shower Wall Clock User Manual

AOZBZ YE048X16SBR41Q16DN

AOZBZ Shower Wall Clock User Manual

Model: YE048X16SBR41Q16DN

Brand: AOZBZ

INTRODUCTION

This manual provides detailed instructions for the setup, operation, and maintenance of your AOZBZ Shower Wall Clock. Please read this manual thoroughly before using the product to ensure proper function and longevity.



Figure 1: Front view of the AOZBZ Shower Wall Clock, showing the large digital display with time, temperature, and humidity readings.

PRODUCT FEATURES

- **Multi-functional Display:** Shows time, temperature (°C/°F), and humidity.
- **Time Formats:** Supports both 12-hour and 24-hour time formats.
- **Alarm Function:** Integrated alarm for reminders.
- **Countdown Timer:** Features a countdown timer up to 99 minutes, suitable for various activities like showering or cooking.
- **Large LCD Screen:** Provides clear and easy-to-read digits from various angles.
- **IP24 Waterproof Rating:** Designed for daily water resistance, suitable for use in bathrooms and kitchens.
- **Versatile Installation:** Can be installed using a built-in bracket for tabletop use, a suction cup for smooth surfaces, or a hanging hole for wall mounting.

PACKAGE CONTENTS

Please check the package contents upon unboxing:

- 1 x AOZBZ Shower Wall Clock (White)
- 1 x Suction Cup (pre-attached or separate)
- 1 x Built-in Bracket
- *Note: 2 x AAA alkaline batteries are not included and must be purchased separately.*

SETUP

1. Battery Installation

1. Locate the battery compartment on the back of the clock.
2. Open the battery cover.
3. Insert 2 AAA alkaline batteries, ensuring correct polarity (+/-).
4. Close the battery cover securely.




Figure 2: Rear view of the clock, highlighting the battery compartment and control buttons for time setting and temperature display.

2. Initial Setup (Time and Temperature Unit)

1. After battery installation, the clock will power on.
2. To set the time, locate the "Time setting button" on the back (refer to Figure 2). Press and hold this button to enter time setting mode.
3. Use the "Adjust settings button" (refer to Figure 2) to adjust the hours and minutes. Press the "Time setting button" again to confirm each setting and move to the next.
4. To switch between °C and °F for temperature display, locate the "Temperature display switch" on the back (refer to Figure 2) and press it.

OPERATING INSTRUCTIONS

Time and Display Modes

The clock displays time, temperature, and humidity. The main display shows the current time, while smaller indicators show temperature and humidity.

LARGE LCD DIGITAL SCREEN

Intuitive and convenient

Time Display Mode



- 1.Time Display
- 2.Temperature
- 3.Humidity

Timer Display Mode



- 1.Timer
- 2.Temperature
- 3.Humidity
- 4.Time
- 5.Timer Indicator

Figure 3: Illustration of the clock's display in Time Display Mode (top) and Timer Display Mode (bottom), indicating the positions of time, temperature, humidity, and timer indicators.

Using the Countdown Timer

The clock features a countdown timer with a maximum duration of 99 minutes. The touch control keys on the front of the clock are used for timer operation.

- **Setting the Timer:**
 - Press the **(1)** button to add one minute to the timer.
 - Press the **(10)** button to add ten minutes to the timer.
 - The total countdown timer can be set up to 99 minutes.
- **Starting/Pausing the Timer:** Once the desired time is set, the timer will automatically start counting down. There is no separate start/pause button; setting the time initiates the countdown.
- **Clearing the Timer:** Press the **CLEAR** button to reset the timer to 0:00.
- **Alarm:** When the countdown reaches zero, a clear and loud alarm will sound.

COUNTDOWN TIMER FUNCTION

The total countdown timer is 99 minutes. Built-in three touch control key, easily set timer.



Figure 4: Flowchart demonstrating the countdown timer function, showing how to add 1 minute or 10 minutes, and clear the timer.

INSTALLATION METHODS

Your AOZBZ Shower Wall Clock offers three convenient installation options to suit various locations:

1. **Bracket Stand:** Use the built-in foldable bracket on the back of the clock to place it on a flat surface such as a desk, dresser, or countertop.
2. **Suction Cup:** For smooth, clean, and dry surfaces like glass, tiles, or mirrors, attach the clock using the integrated suction cup. Ensure the surface is free of dust and moisture for optimal adhesion.
3. **Wall Hanging:** Utilize the hanging hole on the back of the clock to mount it on a wall using a nail or hook (not included).

THREE INSTALLATION METHOD

It built-in a hole at the back, hang it on the wall. It has a stand, also Place on the desk, dresser. It comes with suction cup, be attached on the smooth surface that is clean and dry.



Figure 5: Visual representation of the three installation methods: suction cup, built-in bracket, and wall hanging hole.

MAINTENANCE

- **Cleaning:** Wipe the clock with a soft, damp cloth. Do not use abrasive cleaners or solvents.
- **Water Exposure:** While the clock is IP24 waterproof for daily splashes, avoid submerging it in water or exposing it to direct, high-pressure water streams.
- **Battery Replacement:** Replace batteries when the display dims or functions become erratic. Always use new AAA alkaline batteries.
- **Storage:** If storing for an extended period, remove the batteries to prevent leakage.




Figure 6: The clock shown with water splashes, illustrating its IP24 daily waterproof capability.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Display is blank or dim.	Low or dead batteries. Incorrect battery polarity.	Replace with new AAA alkaline batteries. Ensure batteries are inserted with correct +/- orientation.
Time or settings are incorrect.	Settings not saved or accidentally changed.	Re-enter time and other settings as per "Initial Setup" section.
Countdown timer does not work.	Timer not set correctly.	Ensure you press the (1) or (10) buttons to set a duration before expecting it to count down.
Suction cup does not stick.	Surface is not clean, dry, or smooth.	Clean and dry the surface thoroughly. Ensure it is a smooth, non-porous material like glass or tile.

SPECIFICATIONS

Feature	Detail
Brand	AOZBZ
Model Number	YE048X16SBR41Q16DN
Display Type	Digital LCD
Functions	Time, Temperature (°C/°F), Humidity, Alarm, Countdown Timer
Countdown Timer Max	99 minutes
Waterproof Rating	IP24 (Daily Waterproof)
Power Source	2 x AAA Alkaline Batteries (not included)
Material	Acrylonitrile Butadiene Styrene (ABS)
Product Dimensions	4.2"W x 4.3"H (approx. 10.6cm W x 11cm H)
Item Weight	5.3 ounces (approx. 150 grams)
Mounting Type	Wall Mount, Suction Cup, Tabletop (Bracket)



Figure 7: Detailed dimensions of the AOZBZ Shower Wall Clock.

WARRANTY AND SUPPORT

For warranty information or technical support, please contact AOZBZ customer service through the retailer where the product was purchased or visit the official AOZBZ website. Please retain your purchase receipt for warranty claims.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question