

[Manuals.plus](#) /

› [Fine Fixtures](#) /

› Fine Fixtures Dakota In-Wall Toilet Combo Set Instruction Manual (Model CT04-WT24RM-CTA12CH)

## Fine Fixtures CT04-WT24RM-CTA12CH

# Fine Fixtures Dakota In-Wall Toilet Combo Set Instruction Manual

MODEL: CT04-WT24RM-CTA12CH

## Introduction

This manual provides detailed instructions for the installation, operation, and maintenance of your Fine Fixtures Dakota In-Wall Toilet Combo Set. Please read this manual thoroughly before beginning installation or use to ensure proper function and longevity of your product.

The Dakota In-Wall Toilet Combo Set features a wall-hung toilet bowl with a soft-close seat, an in-wall tank and carrier system designed for 2x4 inch wall studs, and included push buttons. It incorporates a dual flush system and StormOn flush technology for efficient and clean operation.

## Product Overview



Figure 1: Installed Fine Fixtures Dakota In-Wall Toilet Combo Set.

The Fine Fixtures Dakota In-Wall Toilet Combo Set is designed to save space and provide a sleek, modern aesthetic in your bathroom. Its wall-mounted design conceals the tank and plumbing within the wall, making cleaning easier and enhancing the visual appeal of the space.



Figure 2: Front view of the Dakota wall-hung toilet bowl.

- **Space-Saving Design:** Wall-mounted toilet bowl with hidden plumbing.
- **Easy Cleaning:** No pedestal or exposed trapway for simplified floor cleaning.
- **Efficient Flushing:** Dual flush system (1.6 gallons full, 1.1 gallons partial) for water conservation.
- **Powerful Flush:** StormOn flush technology with Vortex double-swish action for thorough bowl cleaning.
- **Comfort and Safety:** Soft-close seat and cover prevent slamming and reduce noise.
- **Durable Construction:** Fully glazed toilet bowl and wide trap-way to prevent clogging.
- **Adjustable Height:** The carrier system allows for height adjustment up to an additional 3.5 inches during installation.

## Components Included

---

The Dakota In-Wall Toilet Combo Set includes the following main components:

- Wall-hung toilet bowl
- Soft-close toilet seat and cover
- In-wall tank and carrier system (designed for 2x4 inch wall studs)
- Push plate (Chrome Rectangular, ABS)
- All necessary mounting hardware



Figure 3: In-wall tank and carrier system.

This image shows the internal tank and carrier system that is concealed within the wall, providing support for the wall-hung toilet bowl.

## Setup and Installation

---

Installation of the Fine Fixtures Dakota In-Wall Toilet Combo Set requires professional plumbing and construction knowledge. It is recommended to hire a qualified professional for installation.

1. **Wall Preparation:** Ensure the wall studs are 2x4 inches or larger to accommodate the in-wall carrier system. The wall cavity must be prepared according to local building codes and plumbing requirements.
2. **Carrier System Installation:** Securely mount the carrier system to the wall studs. The height of the toilet bowl can be adjusted during this step, allowing for up to 3.5 inches of additional height.
3. **Plumbing Connections:** Connect the water supply and waste lines to the in-wall tank and carrier system. Ensure all connections are watertight and meet local plumbing codes.
4. **Wall Finishing:** Once the carrier system and plumbing are installed and tested, finish the wall with appropriate materials (e.g., drywall, tile).
5. **Toilet Bowl Mounting:** Attach the wall-hung toilet bowl to the carrier system using the provided hardware. Ensure it is level and securely fastened.
6. **Seat Installation:** Install the soft-close toilet seat and cover onto the toilet bowl.
7. **Push Plate Installation:** Install the chrome rectangular ABS push plate onto the wall, connecting it to the flush mechanism of the in-wall tank.

Your browser does not support the video tag.

Video 1: Product Quality Details. This video provides an overview of the features and quality aspects of Fine Fixtures toilets, including the concealed tank system and flush mechanism.

## Operating Instructions

---

The Dakota In-Wall Toilet features a dual flush system for water efficiency.

- **Partial Flush:** Press the smaller button on the push plate for a 1.1-gallon flush, suitable for liquid waste.
- **Full Flush:** Press the larger button on the push plate for a 1.6-gallon flush, suitable for solid waste.

The StormOn flush system utilizes powerful Vortex double-swish jets to ensure the bowl is thoroughly cleaned with each flush, reducing the need for manual cleaning.



Figure 4: Top view of the toilet bowl with the seat open, illustrating the flush mechanism.

## Maintenance

Regular maintenance will ensure the longevity and optimal performance of your toilet.

- **Cleaning the Bowl:** Use a non-abrasive toilet bowl cleaner and a soft brush or cloth. The fully glazed surface is designed for easy cleaning.
- **Exterior Cleaning:** Wipe the exterior surfaces of the toilet bowl and push plate with a soft, damp cloth and mild soap. Avoid harsh chemicals or abrasive cleaners that can damage the finish.
- **Underneath the Bowl:** The wall-hung design allows for easy access to the floor underneath the toilet. Simply wipe with a damp mop or cloth.
- **Soft-Close Seat:** The soft-close mechanism is designed for durability. Avoid forcing the seat down, as this can damage the mechanism. Clean the seat with mild soap and water.
- **Clog Prevention:** The wide trap-way opening is designed to prevent clogging. Avoid flushing excessive amounts of toilet paper or non-biodegradable items.

## Troubleshooting

If you encounter issues with your Fine Fixtures Dakota In-Wall Toilet, please refer to the following common troubleshooting steps:

- **Weak Flush:**
  - Check the water supply valve to ensure it is fully open.
  - Inspect the flush mechanism within the tank for any obstructions or misalignments.
  - Ensure the push plate buttons are correctly engaging the flush mechanism.
- **Continuous Running Water:**
  - Check the fill valve and flapper/seal inside the tank for proper seating.
  - Ensure the water level in the tank is not too high, causing overflow into the flush valve.
- **Leaking:**
  - Inspect all visible connections for tightness.
  - If the leak is from within the wall, contact a qualified plumber immediately.

For issues not resolved by these steps, or for complex repairs, it is recommended to contact a qualified plumber or Fine Fixtures customer support.

## Specifications

| Feature                   | Detail                                           |
|---------------------------|--------------------------------------------------|
| Brand                     | Fine Fixtures                                    |
| Model Number              | CT04-WT24RM-CTA12CH                              |
| Color                     | White Bowl, Chrome Rectangular Push Plates (ABS) |
| Installation Type         | Wall Mounted                                     |
| Product Dimensions (Bowl) | 19.75"D x 14.33"W x 14.33"H                      |
| Product Dimensions (Tank) | 44.87"H x 3.12"L x 23.25"W (In-wall system)      |

|                                 |                                                                           |
|---------------------------------|---------------------------------------------------------------------------|
| Product Dimensions (Push Plate) | 6.5"H x 9.5"W                                                             |
| Item Weight                     | 65 pounds                                                                 |
| Flush Type                      | Dual Flush (1.6 GPF Full, 1.1 GPF Partial) with StormOn Vortex Technology |
| Stud Compatibility              | Designed for 2x4 inch wall studs                                          |
| Seat Features                   | Soft-close, Ultra-thin design                                             |
| UPC                             | 739802086584                                                              |

## Warranty and Support

For warranty information, please refer to the documentation provided with your purchase or contact Fine Fixtures directly. For customer support, including technical assistance or parts inquiries, please reach out to The Bath Choice, the seller of this product.

Contact information for The Bath Choice can typically be found on your purchase receipt or through the retailer's website where the product was acquired.

