



Manuals.plus /

- › Onforu /
- › Onforu RGBW Flood Lights (Model D100) Instruction Manual

Onforu D100

Onforu RGBW Flood Lights (Model D100) Instruction Manual

Brand: Onforu | Model: D100

1. PRODUCT OVERVIEW

The Onforu RGBW Flood Lights (Model D100) provide versatile and vibrant lighting solutions for both indoor and outdoor environments. This 6-pack of 60W LED floodlights features remote control operation, 16 million color options, dynamic lighting modes, and a durable IP66 waterproof design, making them ideal for landscape lighting, event uplighting, and holiday decorations.



Image 1: Overview of the Onforu RGBW Flood Lights 6-pack.


2. WHAT'S INCLUDED

Your Onforu RGBW Flood Lights package includes the following components:

- 6 x RGBW LED Flood Lights (60W total)
- 6 x Ground Stakes
- 1 x RF Remote Control
- 1 x 24V 2A Power Adapter (for connecting all 6 lights)
- Mounting Screws and Accessories
- Instruction Manual

50ft with 6 RGBW Flood Lights

NOTE : Lights Cannot Be Controlled Individually



 **24V 2A Adapter x 1**

 **Remote Control x 1**

 **RGBW Flood Light x 6**

 **Ground Stake x 6**




Image 2: All components included in the package: 6 floodlights, power adapter, remote control, ground stakes, and screws.

3. SETUP AND INSTALLATION

The Onforu RGBW Flood Lights are designed for easy, plug-and-play installation. Follow these steps to set up your lights:

1. **Attach Ground Stakes:** For each floodlight, align the ground stake with the mounting bracket on the light. Insert one of the included screws through the hole in the bracket and thread it into the stake until secure. The bracket allows for a 0-180 degree angle adjustment.




Image 3: Illustration of the 180-degree adjustable angle design for the floodlight bracket.

2. **Connect Lights (Daisy Chain):** The lights are designed for a daisy-chain setup. Connect up to 6 floodlights using the integrated 10ft cables between each light. Ensure the male and female connectors are aligned and inserted correctly, then tighten the waterproof cap.



Image 4: Step-by-step guide for connecting the floodlights in a daisy chain using waterproof connectors.

3. **Position Lights:** Place the lights in your desired outdoor or indoor locations. The ground stakes allow for easy placement in soil, or the brackets can be used for wall mounting. The 10ft cable length between lights provides flexibility for arrangement.



Image 5: Visual representation of the 3-meter (approximately 10ft) distance between lights for flexible placement.

4. **Connect to Power:** Plug the power adapter into a standard 120V electrical outlet. **Important:** The power adapter is not waterproof. Ensure it is placed in a dry location to prevent electric shock.

4. OPERATING INSTRUCTIONS

Control your Onforu RGBW Flood Lights using the included RF remote control. The remote works through walls and doors up to 25ft away, eliminating the need for an app or network pairing.

Remote Control Functions:

- **ON/OFF:** Power the lights on or off.
- **Color Selection:** Choose from 16 million colors or 2700K warm white using the color buttons.
- **Brightness Adjustment:** Increase or decrease light intensity.
- **Dynamic Modes:** Select from 4 dynamic modes (Jump, Fade, Smooth, Strobe) for various effects.
- **Colorflow Modes:** Choose from 8 unique colorflow modes (Rainbow, Chase, Flow, Glow, Fade, Breath, Flash, Jump) for mesmerizing transitions.
- **Speed Adjustment:** Adjust the speed of dynamic and colorflow modes.
- **Timer:** Set lights to turn off automatically after 3 or 6 hours.



Remove the insulation sheet before using the remote control.

Image 6: Detailed layout of the RF remote control, showing buttons for power, color selection, brightness, dynamic modes, colorflow modes, speed, and timer functions.

Timer Function:

To activate the timer, press the