Manuals+
Q & A | Deep Search | Upload

ASUS TUF GAMING B450-PLUS II

ASUS TUF Gaming B450-PLUS II AMD AM4 ATX Motherboard User Manual

1. Product Overview

The ASUS TUF Gaming B450-PLUS II is an ATX motherboard designed for AMD AM4 socket processors, including Ryzen 5000, 3rd, 2nd, and 1st Generation AMD Ryzen CPUs. It features a robust power design, comprehensive cooling solutions, and various connectivity options to support a stable computing experience.
Key features include:

- **AMD AM4 Socket:** Compatibility with a wide range of Ryzen CPUs.
- **Robust Power Design:** DrMOS power stages with high-quality alloy chokes and durable capacitors.
- **Optimized Thermal Solution:** Fanless VRM and PCH heatsink, multiple hybrid fan headers, and Fan Xpert 2 utility.
- **Gaming Connectivity:** HDMI 2.0b, DisplayPort 1.2, dual M.2 slots (NVMe SSD), front panel USB 3.2 Gen 2 Type-A, and USB 3.2 Gen 2 Type-C.
- **Industry-leading Audio:** Realtek S1200A codec with DTS Sound Unbound and ASUS AI Noise Cancelling Mic technology.
- **DIY Friendly:** BIOS Flashback and ASUS exclusive UEFI BIOS with a 256Mb BIOS Flash ROM.

Image 1.1: The ASUS TUF Gaming B450-PLUS II motherboard alongside its retail packaging.

2. Setup and Installation

2.1. Package Contents

Before beginning installation, verify that all components are present in the box:

- ASUS TUF Gaming B450-PLUS II Motherboard
- Rear I/O Panel Shield
- SATA Cables (typically 2)
- M.2 Screw Package
- User Guide / Manual
- Support DVD
- TUF Gaming Stickers



Image 2.1: Illustration of the items typically included in the product packaging.

2.2. Component Installation Overview

This section provides a general guide for installing core components. Refer to the detailed user manual for specific steps and safety precautions.

1. **CPU Installation:** Carefully align your AMD AM4 processor with the socket and gently lower it into place. Secure the retention arm.
2. **CPU Cooler Installation:** Install your CPU cooler according to its manufacturer's instructions. Ensure proper thermal paste application.
3. **Memory (RAM) Installation:** Insert DDR4 memory modules into the DIMM slots. Ensure they are fully seated until the clips lock into place.
4. **Storage Device Installation:** Install M.2 NVMe SSDs into the dual M.2 slots and SATA drives into the SATA ports.
5. **Graphics Card (GPU) Installation:** Insert your graphics card into the primary PCIe x16 slot.
6. **Power Supply Connection:** Connect the 24-pin ATX power connector and the 8-pin CPU power connector from your power supply to the motherboard. Connect power to other components as needed.

Image 2.2: Angled view of the motherboard highlighting the ProCool Socket with solid pins and dual M.2 slots for storage.

2.3. BIOS Update for Ryzen 5000 Series CPUs

If you are installing an AMD Ryzen 5000 series CPU, it is crucial to update the motherboard's BIOS to the latest version. This motherboard supports **BIOS Flashback**, allowing you to update the BIOS without a CPU or RAM installed.

1. **Download BIOS:** Visit the official ASUS support website for the TUF Gaming B450-PLUS II. Download the latest BIOS file.
2. **Prepare USB Drive:** Format a USB flash drive (FAT32) and place the downloaded BIOS file (renamed according to ASUS instructions, typically using the BIOS Renamer tool provided with the download) in the root directory of the USB drive.
3. **Connect Power:** Ensure the motherboard is connected to the power supply (24-pin and 8-pin CPU power) but do not power on the system.
4. **Insert USB Drive:** Insert the prepared USB drive into the dedicated BIOS Flashback USB port on the rear I/O panel. This port is usually labeled.
5. **Initiate Flashback:** Press and hold the BIOS Flashback button (located on the rear I/O panel) for three seconds until the LED starts flashing.
6. **Wait for Completion:** The LED will flash during the update process. Once the flashing stops, the BIOS update is complete. Do not interrupt power during this process.



Image 2.3: Detailed view of the rear I/O panel, showing various ports including the BIOS Flashback button and dedicated USB port.

3. Operating Your Motherboard

3.1. BIOS/UEFI Settings

The UEFI BIOS provides an interface to configure system settings. To access the BIOS, press the `DEL` or `F2` key during system startup.

- **DOCP Profile:** To enable your RAM to run at its advertised speeds (e.g., 3200MHz, 4400MHz O.C.), navigate to the memory settings and enable the D.O.C.P. (Direct Over Clock Profile) or XMP profile.
- **Secure Boot:** For Windows 10/11 installations, you may need to enable Secure Boot in the BIOS for GPT partition style compatibility.

3.2. Connectivity and Audio

The motherboard offers a range of connectivity options:

- **USB Ports:** Multiple USB 3.2 Gen 2 Type-A and Type-C ports, along with USB 3.2 Gen 1 and USB 2.0 ports.

- **Video Outputs:** HDMI 2.0b and DisplayPort 1.2 for integrated graphics (if using an APU).
- **Ethernet:** Realtek L8200 1Gb Ethernet for network connectivity.
- **Audio:** Realtek S1200A 8-channel HD audio codec with DTS Sound Unbound support.



Image 3.1: Overview of the motherboard's layout, indicating the Realtek L8200 1Gb Ethernet, Realtek S1200A audio codec, and Aura Sync RGB lighting header.

3.3. AI Noise Cancelling Microphone Technology

This motherboard integrates ASUS AI Noise Cancelling Mic technology, which uses artificial intelligence to filter out background noise from your microphone input. This enhances communication clarity during gaming or online meetings. Configure this feature through the ASUS Armoury Crate software.

3.4. RGB Lighting

The motherboard includes an RGB header onboard, allowing you to connect compatible RGB LED strips or devices. Control and synchronize lighting effects using the ASUS Armoury Crate utility.

4. Maintenance

Proper maintenance ensures the longevity and optimal performance of your motherboard.

- **Dust Removal:** Regularly clean dust from inside your PC case, especially from heatsinks and fan blades, using compressed air. Ensure the system is powered off and unplugged before cleaning.

- **Firmware Updates:** Keep your BIOS and drivers updated to ensure compatibility and access to the latest features and performance improvements.
- **Cable Management:** Ensure cables are neatly routed to promote good airflow within the case, aiding in cooling.



Image 4.1: Motherboard layout highlighting comprehensive cooling features such as the VRM heatsink, TUF LANGuard, ESD Guard, and ASUS SafeSlot Core+.

5. Troubleshooting

This section addresses common issues you might encounter.

- **No Display/No POST:**
  - Verify all power connections (24-pin ATX, 8-pin CPU, GPU).
  - Reseat RAM modules. Try booting with one stick of RAM.
  - Ensure the CPU is correctly seated and the cooler is properly installed.
  - If using a Ryzen 5000 series CPU, confirm the BIOS has been updated to a compatible version using BIOS Flashback.
- **System Instability/BSODs:**
  - Check RAM stability. If DOCP/XMP is enabled, try disabling it or manually setting timings.
  - Ensure all drivers (chipset, GPU, etc.) are up to date.
  - Monitor CPU and GPU temperatures to rule out overheating.

- **USB Devices Not Working:**
  - Ensure USB drivers are installed.
  - Check BIOS settings for USB controller enablement.
  - Test devices in different USB ports.

6. Technical Specifications

Feature	Specification
Brand	ASUS
Model Name	TUF GAMING B450-PLUS II
CPU Socket	Socket AM4
Compatible Processors	AMD Ryzen 5000, 3rd/2nd/1st Gen AMD Ryzen CPUs
Chipset Type	AMD B450
RAM Memory Technology	DDR4
Memory Speed	4400 MHz (O.C.)
Number of USB 2.0 Ports	4
Product Dimensions	12 x 9.6 x 2 inches
Item Weight	3.2 pounds
Platform	Windows 10

7. Warranty and Support

For detailed warranty information, technical support, and driver downloads, please visit the official ASUS support website. You can find product-specific information by searching for "TUF Gaming B450-PLUS II" on their support page.
ASUS Support Website: https://www.asus.com/support/

Related Documents - TUF GAMING B450-PLUS II

	ASUS TUF B450-PRO GAMING Motherboard User Manual and Specifications Official user manual for the ASUS TUF B450-PRO GAMING motherboard. Find detailed specifications, installation guides for CPU, RAM, and components, BIOS setup instructions, safety information, and connectivity details.

TUF B450-PLUS GAMING	ASUS TUF B450-PLUS GAMING Motherboard User Manual and Specifications Comprehensive user manual and technical specifications for the ASUS TUF B450-PLUS GAMING motherboard, covering package contents, detailed specifications, motherboard layout, connector descriptions, BIOS settings, and installation guides.
TUF B450-PRO بازی	راهنمای کاربر مادربرد ASUS TUF B450-PRO GAMING راهنمای جامع مادربرد ASUS TUF B450-PRO GAMING، راهنمای شامل مشخصات فنی، محتویات بسته، نصب قطعات، تنظیمات بایوس و اطلاعات پورت‌ها.
PRIME B450M-A	ASUS PRIME B450M-A Motherboard User Manual Comprehensive user manual for the ASUS PRIME B450M-A motherboard, detailing package contents, specifications, installation guides for CPU, RAM, and M.2 SSDs, as well as BIOS setup instructions.
TUF بازی B550M-PLUS	ASUS TUF GAMING B550M-PLUS Motherboard Specifications and Manual Detailed specifications, features, and installation guide for the ASUS TUF GAMING B550M-PLUS motherboard, supporting AMD Ryzen processors and DDR4 memory. Includes package contents, hardware overview, BIOS settings, and RAID configuration.
TUF B350M-PLUS GAMING	ASUS TUF B350M-PLUS GAMING Motherboard User Manual Comprehensive user manual for the ASUS TUF B350M-PLUS GAMING motherboard. Includes installation guides, BIOS setup, technical specifications, and safety information for AMD Ryzen processors.

Documents - ASUS – TUF GAMING B450-PLUS II

[pdf] User Manual Documentation Warranty

Материнская плата Asus TUF GAMING B450 PLUS II ATX AMD AM4 manualРазмер 4 МБ Купить в ANDPRO RU materinskaya plata tuf gaming b450 plus ii atx amd am4 manual andpro ru upload asus ||| Motherboard - : 125480, ., ., .33/1; site: https://andpro.ru : 7 495 545-4870 email: info andpro.ru AND-PDF . **TUF GAMING B450-PLUS II** 56 .*/ #1-64 ** 6.JOEC E17233 First Edition September 2020 Copyright 2020 ASUSTeK COMPUTER INC. All Rights Reserved. No part of this ma...

lang:en score:59 filesize: 3.95 M page_count: 32 document date: 2021-07-14

[pdf] Documentation Warranty

Uputstvo za upotrebu EN ASUS TUF GAMING B450 PLUS II matična ploča uputstvo en asus tuf gaming b450 plus ii maticna ploca 6756dcc1d8337 api tehnoteka rs 2024 12 ||| https://tehnoteka.rs Uputstvo za upotrebu EN ASUS **TUF GAMING B450-PLUS II** maticna ploca Tehnoteka je online destinacija za uporeivanje cena i karakteristika bele tehnike, potrosacke elektronike i IT ureaja kod trgovinskih lanaca i internet prodavnica u Srbiji. Nasa stranica vam omoguava da istrazi...

lang:en score:53 filesize: 2.68 M page_count: 34 document date: 2024-12-09

ASUS TUF GAMING B450-PLUS II Motherboard User Manual

Comprehensive user manual for the ASUS TUF GAMING B450-PLUS II motherboard, detailing installation, specifications, BIOS, RAID configurations, and safety guidelines.

lang:en score:53 filesize: 2.29 M page_count: 32 document date: 2020-09-16

[pdf] User Manual Documentation Warranty Catalog

E17223 TUF GAMING B450 PLUS II UM print updated091620dlcdnets asus pub ASUS mb SocketAM4 updated091620 model manualASUS AMD Socket AM4 ATX Back to the Officemmo 86090343 1607593333 1228 15005E17223 updated091620cdn iceshop nl objects mmo 15005dlcdnets User manualmanualASUS Presa 90MB1650 M0EAY0ASUS Officeaedd0d0a9bb55f9ca17a5fb2e900788ff761b1c9 1662356 M0EAY0 icecat multimedia manual 1 en GBmmo updated091620gfx3 senetic akeneo catalog a e d aedd0d0a9bb55f9ca17a5fb2e900788ff761b1c9 GBcdn ||| ||| Motherboard TUF GAMING B450-PLUS II 56 .*/ #1-64 6.JOEC E17233 First Edition September 2020 Copyright 2020 ASUSTeK COMPUTER INC. All Rights Reserved. No part of this manual, including the products and software described in it, may be reprod ||| Motherboard TUF GAMING B450-PLUS II 56 .*/ #1-64 6.JOEC E17233 First Edition September 2020 Copyright 2020 ASUSTeK COMPUTER INC. All Rights Reserved. No part of this manual, including the products and software described in it, may be reprod

Motherboard **TUF GAMING B450-PLUS II** 56 .*/ #1-64 ** 6.JOEC E17233 First Edition September 2020 Copyright 2020 ASUSTeK COMPUTER INC. All Rights Reserved. No part of this manual, including the products and software described in it, may be reproduced, transmitted, transcribed, stored in a ...

lang:en score:52 filesize: 2.29 M page_count: 32 document date: 2020-09-16



[pdf]

PÅyta Asus TUF GAMING B450 PLUS II AMD SATA3 M 2 USB3 1 PCIe3 0 AM4 ATX Sklep internetowy stylem pl plyta asus tuf gaming b450 plus ii amd sata3 m usb3 pcie3 am4 atx 30053 upload files product |||

Plyta Asus TUF GAMING B450 PLUS II/AMD B450/SATA3/M.2/USB3.1/PCIe3.0/AM4/ATX Indeks: 30053 Producent: ASUS Kod producenta: **TUF GAMING B450-PLUS II** Cena: 615.37 zl Opis Plyta Asus TUF GAMING B450 PLUS II/AMD B450/SATA3/M.2/USB3.1/PCIe3.0/AM4/ATX Parametry Model **TUF GAMING B450-PLUS II** EAN 47180...

lang:pl score:51 filesize: 89.65 K page_count: 1 document date: 2022-08-04

[pdf]

Datenblatt Asus TUF GAMING B450 PLUS II Alaplap Foglalat AMD AM4 Formafaktor ATX Alaplapi chipszet AMD® Conrad adatlap 2344718 asus tuf gaming b450 plus ii alaplap foglalat amd am4 formafaktor atx alaplapi asset conrad media10 add 160267 c1 de 814461090DS00 |||

ASUS **TUF GAMING B450-PLUS II** Motherboard - ATX - Socket AM4 - AMD B450 Chipsatz - USB-C Gen2, USB 3.2 Gen 1, USB 3.2 Gen 2 - Gigabit LAN Onboard-Grafik CPU erforderlich HD Audio 8-Kanal Gruppe Hersteller Hersteller Art. Nr. EAN/UPC Mainboards ASUS 90MB1650-M0EAY0 4718017957489 Beschreibung AS...

lang:de score:50 filesize: 630.36 K page_count: 1 document date: 2022-07-27

MDH Computer- und Netzwerktechnik Telekommunikation

ASUS TUF GAMING B450-PLUS II - Motherboard - ATX - Socket AM4 - AMD B450 Chipsatz - USB-C Gen2, USB 3.2 Gen 1, USB 3.2 Gen 2 - Gigabit LAN - Onboard-Grafik (CPU erforderlich)

HD Audio (8-Kanal)

Gruppe	Mainboards
Hersteller	ASUS
Hersteller Art. Nr.	90MB1650-M0EAY0
EAN/UPC	4718017957489

Beschreibung

ASUS TUF GAMING B450-PLUS II - Motherboard - ATX - Socket AM4 - AMD B450 Chipsatz - USB-C Gen2, USB 3.2 Gen 1, USB 3.2 Gen 2 - Gigabit LAN - Onboard-Grafik (CPU erforderlich) - HD Audio (8-Kanal)

Hauptmerkmale

Produktbeschreibung	ASUS TUF GAMING B450-PLUS II - Motherboard - ATX - Socket AM4 - AMD B450
Produkttyp	Motherboard - ATX
Chipsatz	AMD B450
Prozessorsockel	1 x Sockel AM4
Kompatible Prozessoren	Athlon, Ryzen (unterstützt 1., 2. und 3. Generation Ryzen / Ryzen mit Radeon Vega Graphics und 2. Generation Ryzen mit Radeon Graphics / Athlon mit Radeon Vega Graphics)
Max. RAM-Größe	128 GB
Unterstütztes RAM	4 DIMM-Steckplätze - DDR4, non-ECC, ECC, ungepuffert
Massenspeicher-Schnittstellen	6 x SATA-600 (RAID), 2 x M.2
USB-/FireWire-Anschlüsse	1 x USB-C Gen 2 + 1 x USB 3.2 Gen 2 + 4 x USB 3.2 Gen 1 + 2 x USB 2.0 + (2 x USB 3.2 Gen 1 + 4 x USB 2.0 über eine interne Stiftleiste)
Audio	HD Audio (8-Kanal)
LAN	Gigabit Ethernet

Technische Daten @ 1WorldSync. Technische Änderungen und Irrtümer vorbehalten.

© 2022 Marc Dratwa Handelsunternehmen e.K. | Sturmstraße 105 | 40229 Düsseldorf | +49 211 35590870 | info@mdh-handelsunternehmen.de

[pdf] Datasheet

Datenblatt Asus TUF GAMING B450 PLUS II Motherboard PC base AMD AM4 Form factor details ATX chipset AMD® Conrad datasheet 2344718 asus tuf gaming b450 plus ii motherboard pc amd am4 form atx asset conrad media10 add 160267 c1 de 823842335DS00 |||

ASUS **TUF GAMING B450-PLUS II** Motherboard - ATX - Socket AM4 - AMD B450 Chipsatz - USB-C Gen2, USB 3.2 Gen 1, USB 3.2 Gen 2 - Gigabit LAN - OnboardGra k CPU erforderlich HD Audio 8-Kanal Gruppe Hersteller Hersteller Art. Nr. EAN/UPC Mainboards ASUS 90MB1650-M0EAY0 4718017957489 Beschreibung AS...

lang:de score:49 filesize: 656.46 K page_count: 1 document date: 2022-11-08

ASUS IN SEARCH OF INCREDIBLE

TUF GAMING B450-PLUS II

EAN 4718017957489
Produkt Nummer 90MB1650-M0EAY0

- Umfassende Kühlung: VRM-Kühler, PCH-Kühler und Fan Xpert 4 Core
- Next-Gen-Konnektivität: Unterstützung für USB 3.2 Gen 2 Typ-A und Typ-C
- Realtek S1200A Codec: Unverfälschte Audioqualität mit einem nie dagewesenen Signal-Rauschabstand (SNR) von 108dB für den Stereoausgang und 105dB SNR für den Line-In
- AI-Noise-Canceling-Mikrofon: Bietet eine kristallklare Kommunikation im Spiel
- Aura Sync RGB-Beleuchtung: Synchronisiere die LED-Beleuchtung mit einer großen Auswahl kompatibler PC-Hardware

Alle ASUS Produkte werden von der ASUSTeK Computer Inc. hergestellt und entsprechen europäischen Standards, der Richtlinie ISO 9001, sowie in Bezug auf die Umwelt Richtlinie ISO 14001. Alle ASUS Produkte entsprechen den europäischen Normen für elektrische Sicherheit CE/EN 60950. ASUSTeK Computer Inc. entspricht außerdem dem Gesetz hinsichtlich DMCA2. Jedoch, alle Marken und Markennamen und Eigentum dieser jeweiligen Urheber. Produktbilder und Produktspezifikationen können ohne besonderen Hinweis geändert werden. Optische Abweichungen der Bilder möglich.

[pdf]

TUF GAMING B450 PLUS II littlebit at âº asus l1121518 media productattach a s |||

TUF GAMING B450-PLUS II EAN 4718017957489 Produkt Nummer 90MB1650-M0EAY0 Umfassende Khlung: VRM-Khler, PCH-Khler und Fan Xpert 4 Core Next-Gen-Konnektivitt: Untersttzung fr USB 3.2 Gen 2 Typ-A und Typ-C Realtek S1200A Codec: Unverflschte Audioqualitt mit einem nie dagewesenen Signal-Rauschabstand S...

lang:de score:49 filesize: 880.71 K page_count: 3 document date: 2024-02-01



HYRICAN

Produktdatenblatt

ASUS TUF GAMING B450-PLUS II - Motherboard - ATX - Socket AM4 - AMD B450

Produktbeschreibung:	ASUS TUF GAMING B450 PLUS II - Motherboard - ATX - Socket AM4 - AMD B450 - USB-C Gen2, USB 3.2 Gen 1, USB 3.2 Gen 2 - Gigabit LAN - Onboard-Grafik (CPU erforderlich) - HD Audio (8-Kanal)

Gruppe:	Motherboards
Hersteller:	ASUS
Hersteller Artikel Nr:	90MB1650-M0EAY0
EAN:	4718017957489

Marketing:
Marketingbeschreibung nicht verfügbar.

Hauptmerkmale	
Produktbeschreibung	ASUS TUF GAMING B450-PLUS II - Motherboard - ATX - Socket AM4 - AMD B450
Produkttyp	Motherboard - ATX
Chipsatz	AMD B450
Prozessorsockel	1 x Sockel AM4
Kompatible Prozessoren	Athlon, Ryzen (unterstützt 1., 2. und 3. Generation Ryzen / Ryzen mit Radeon Vega Graphics und 2. Generation Ryzen mit Radeon Graphics / Athlon mit Radeon Vega Graphics)
Max. RAM-Größe	128 GB
Unterstütztes RAM	4 DIMM-Steckplätze - DDR4, non-ECC, ECC, ungepuffert
Massenspeicher-Schnittstellen	6 x SATA-600 (RAID), 2 x M.2
USB-/FireWire-Anschlüsse	USB-C Gen2, USB 3.2Gen 1, USB 3.2Gen 2 1 x USB-C Gen 2 + 1 x USB 3.2 Gen 2 + 4 x USB 3.2Gen 1 + 2 x USB 2.0 + (2 x USB 3.2Gen 1 + 4 x USB 2.0 über eine interne Stiftleiste)
Audio	HD Audio (8-Kanal)
LAN	Gigabit Ethernet

powered by vip-mania based on CMITGmbH&Solutions.com

Seite 1/1

[pdf]

Tehnični podatki 2344718 Asus TUF GAMING B450 PLUS II matična plošča Podnožje PC AMD AM4 Faktor oblike podrobnosti ATX Matična nabor č MegaShop spletna trgovina Megashop si tehnicni asus tuf gaming b450 plus ii maticna plosca podnozje pc amd am4 faktor atx p asset conrad media10 add 160267 c1 gl 811414412DS00 c |||

Produktdatenblatt ASUS **TUF GAMING B450-PLUS II** Motherboard - ATX - Socket AM4 - AMD B450 Produktbeschreibung: ASUS **TUF GAMING B450-PLUS II** Motherboard - ATX - Socket AM4 - AMD B450 - USB-C Gen2, USB 3.2 Gen 1, USB 3.2 Gen 2 - Gigabit LAN - Onboard-Grafik CPU erforderlich - HD Audio 8-Kanal G...

lang:de score:48 filesize: 52.56 K page_count: 1 document date: 2020-11-29

ASUS TUF GAMING B450-PLUS II - Motherboard - ATX - Socket AM4 - AMD B450 Chipsatz - USB-C Gen2, USB 3.2 Gen 1, USB 3.2 Gen 2 - Gigabit LAN - Onboard-Grafik (CPU erforderlich)

HD Audio (8-Kanal)

Gruppe	Mainboards
Hersteller	ASUS
Hersteller Art. Nr.	90MB1650-M0EAY0
EAN/UPC	4718017957489

Beschreibung

ASUS TUF GAMING B450-PLUS II - Motherboard - ATX - Socket AM4 - AMD B450 Chipsatz - USB-C Gen2, USB 3.2 Gen 1, USB 3.2 Gen 2 - Gigabit LAN - Onboard-Grafik (CPU erforderlich) - HD Audio (8-Kanal)

Hauptmerkmale

Produktbeschreibung	ASUS TUF GAMING B450-PLUS II - Motherboard - ATX - Socket AM4 - AMD B450
Produkttyp	Motherboard - ATX
Chipsatz	AMD B450
Prozessorsockel	1 x Sockel AM4
Kompatible Prozessoren	Athlon, Ryzen (unterstützt 1., 2. und 3. Generation Ryzen / Ryzen mit Radeon Vega Graphics und 2. Generation Ryzen mit Radeon Graphics / Athlon mit Radeon Vega Graphics)
Max. RAM-Größe	128 GB
Unterstütztes RAM	4 DIMM-Steckplätze - DDR4, non-ECC, ECC, ungepuffert
Massenspeicher-Schnittstellen	6 x SATA-600 (RAID), 2 x M.2
USB-/FireWire-Anschlüsse	1 x USB-C Gen 2 + 1 x USB 3.2 Gen 2 + 4 x USB 3.2 Gen 1 + 2 x USB 2.0 + (2 x USB 3.2 Gen 1 + 4 x USB 2.0 über eine interne Stiftleiste)
Audio	HD Audio (8-Kanal)
LAN	Gigabit Ethernet

Technische Daten © WortSync. Technische Änderungen und Irrtümer vorbehalten.

© 2022 Ecom Luma e.U. | Lindengasse 10 | 7151 Wallern im Burgenland | +436505512191 9

[pdf]

Datenblatt Tehnični podatki 2344718 Asus TUF GAMING B450 PLUS II matična plošča Podnožje PC AMD AM4 Faktor oblike podrobnosti ATX Matična nabor č MegaShop spletna trgovina Megashop si tehnicni asus tuf gaming b450 plus ii maticna plosca podnozje pc amd am4 faktor atx p asset conrad media10 add 160267 c1 de 861027810DS00 c |||

ASUS **TUF GAMING B450-PLUS II** Motherboard - ATX - Socket AM4 - AMD B450 Chipsatz - USB-C Gen2, USB 3.2 Gen 1, USB 3.2 Gen 2 - Gigabit LAN Onboard-Grafik CPU erforderlich HD Audio 8-Kanal Gruppe Hersteller Hersteller Art. Nr. EAN/UPC Mainboards ASUS 90MB1650-M0EAY0 4718017957489 Beschreibung AS...

lang:de score:48 filesize: 630.37 K page_count: 1 document date: 2023-05-01



HYRICAN

Produktdatenblatt

ASUS TUF GAMING B450-PLUS II - Motherboard - ATX - Socket AM4 - AMD B450

Produktbeschreibung:	ASUS TUF GAMING B450-PLUS II - Motherboard - ATX - Socket AM4 - AMD B450 - USB-C Gen2, USB 3.2 Gen 1, USB 3.2 Gen 2 - Gigabit LAN - Onboard-Grafik (CPU erforderlich) - HD Audio (8-Kanal)

Gruppe:	Motherboards
Hersteller:	ASUS
Hersteller Artikel Nr:	90MB1650-M0EAY0
EAN:	4718017957489

Marketing:
Marketingbeschreibung nicht verfügbar.

Hauptmerkmale	
Produktbeschreibung	ASUS TUF GAMING B450-PLUS II - Motherboard - ATX - Sockel AM4 - AMD B450
Produkttyp	Motherboard - ATX
Chipsatz	AMD B450
Prozessorsockel	1 x Sockel AM4
Kompatible Prozessoren	Athlon, Ryzen (unterstützt 1., 2. und 3. Generation Ryzen / Ryzen mit Radeon Vega Graphics und 2. Generation Ryzen mit Radeon Graphics / Athlon mit Radeon Vega Graphics)
Max. RAM-Größe	128 GB
Unterstütztes RAM	4 DIMM-Steckplätze - DDR4, non-ECC, ECC, ungepuffert
Massenspeicher-Schnittstellen	6 x SATA-600 (RAID), 2 x M.2
USB-/FireWire-Anschlüsse	USB-C Gen2, USB 3.2 Gen 1, USB 3.2 Gen 2 + 1 x USB-C Gen 2 + 1 x USB 3.2 Gen 2 + 4 x USB 3.2 Gen 1 + 2 x USB 2.0 + (2 x USB 3.2 Gen 1 + 4 x USB 2.0 über eine interne Stiftleiste)
Audio	HD Audio (8-Kanal)
LAN	Gigabit Ethernet

powered by: wp-media based on DMTGmbH/Solutions.com

Seite 1/1

[pdf]

Podatkovna tablica 2344718 Asus TUF GAMING B450 PLUS II matična ploča Baza AMD AM4 Faktor oblika detalji ATX Set čipova matične ploče AMD® MegaShop spletna trgovina Megashop hr podatkovna asus tuf gaming b450 plus ii maticna ploca baza amd am4 faktor atx set cipova maticne asset conrad media10 add 160267 c1 gl 811414412DS00 ploce |||

Produktdatenblatt ASUS **TUF GAMING B450-PLUS II** Motherboard - ATX - Socket AM4 - AMD B450 Produktbeschreibung: ASUS **TUF GAMING B450-PLUS II** Motherboard - ATX - Socket AM4 - AMD B450 - USB-C Gen2, USB 3.2 Gen 1, USB 3.2 Gen 2 - Gigabit LAN - Onboard-Grafik CPU erforderlich - HD Audio 8-Kanal G...

lang:de score:47 filesize: 52.45 K page_count: 1 document date: 2020-11-29

ASUS TUF GAMING B450-PLUS II - Motherboard - ATX - Socket AM4 - AMD B450 Chipsatz - USB-C Gen2, USB 3.2 Gen 1, USB 3.2 Gen 2 - Gigabit LAN - Onboard-Grafik (CPU erforderlich)

HD Audio (8-Kanal)

Gruppe	Mainboards
Hersteller	ASUS
Hersteller Art. Nr.	90MB1650-M0EAY0
EAN/UPC	4718017957489

Beschreibung

ASUS TUF GAMING B450-PLUS II - Motherboard - ATX - Socket AM4 - AMD B450 Chipsatz - USB-C Gen2, USB 3.2 Gen 1, USB 3.2 Gen 2 - Gigabit LAN - Onboard-Grafik (CPU erforderlich) - HD Audio (8-Kanal)

Hauptmerkmale

Produktbeschreibung	ASUS TUF GAMING B450-PLUS II - Motherboard - ATX - Socket AM4 - AMD B450
Produkttyp	Motherboard - ATX
Chipsatz	AMD B450
Prozessorsockel	1 x Sockel AM4
Kompatible Prozessoren	Athlon, Ryzen (unterstützt 1., 2. und 3. Generation Ryzen / Ryzen mit Radeon Vega Graphics und 2. Generation Ryzen mit Radeon Graphics / Athlon mit Radeon Vega Graphics)
Max. RAM-Größe	128 GB
Unterstütztes RAM	4 DIMM-Steckplätze - DDR4, non-ECC, ECC, ungepuffert
Massenspeicher-Schnittstellen	6 x SATA-600 (RAID), 2 x M.2
USB-/FireWire-Anschlüsse	1 x USB-C Gen 2 + 1 x USB 3.2 Gen 2 + 4 x USB 3.2 Gen 1 + 2 x USB 2.0 + (2 x USB 3.2 Gen 1 + 4 x USB 2.0 über eine interne Stiftleiste)
Audio	HD Audio (8-Kanal)
LAN	Gigabit Ethernet

Technische Daten © WortSync. Technische Änderungen und Irrtümer vorbehalten.

© 2022 Ecom Luma e.U. | Lindengasse 10 | 7151 Wallern im Burgenland | +436505512191 9

[pdf]

Datenblatt ASUS TUF GAMING B450 PLUS II Motherboard ATX Socket AM4ASUS AM4 AMD Produkttyp Chipsatz Prozessorsockel 1 x AM4adatlap 2344718 asus tuf gaming b450 plus ii alaplap foglalat amd am4 formafaktor atx alaplapi chipszet b450asset conrad media10 add 160267 c1 de 861027810DS00 adatlap b450scheda tecnica mainboard attacco pc fattore di forma dettagli chipset della schasset scheda madre a ||| ||| ASUS TUF GAMING B450-PLUS II Motherboard - ATX - Socket AM4 - AMD B450 Chipsatz - USB-C Gen2, USB 3.2 Gen 1, USB 3.2 Gen 2 - Gigabit LAN Onboard-Grafik CPU erforderlich HD Audio 8-Kanal Gruppe Hersteller Hersteller Art. Nr. EAN/UPC Mainboar

ASUS **TUF GAMING B450-PLUS II** Motherboard - ATX - Socket AM4 - AMD B450 Chipsatz - USB-C Gen2, USB 3.2 Gen 1, USB 3.2 Gen 2 - Gigabit LAN Onboard-Grafik CPU erforderlich HD Audio 8-Kanal Gruppe Hersteller Hersteller Art. Nr. EAN/UPC Mainboards ASUS 90MB1650-M0EAY0 4718017957489 Beschreibung AS...

lang:de score:46 filesize: 630.37 K page_count: 1 document date: 2023-05-01

TUF GAMING B450-PLUS II

EAN 4718017957489
Produkt Nummer 90MB1650-M0EAY0

- Umfassende Kühlung: VRM-Kühler, PCH-Kühler und Fan Xpert 4 Core
- Next-Gen-Konnektivität: Unterstützung für USB 3.2 Gen 2 Typ-A und Typ-C
- Realtek S1200A Codec: Unverfälschte Audioqualität mit einem nie dagewesenen Signal-Rauschabstand (SNR) von 108dB für den Stereoausgang und 103dB SNR für den Line-In
- AI-Noise-Cancelling-Mikrofon: Bietet eine kristallklare Kommunikation im Spiel
- Aura Sync RGB-Beleuchtung: Synchronisiere die LED-Beleuchtung mit einer großen Auswahl kompatibler PC-Hardware

[pdf]

Produktdatenblatt Asus TUF GAMING B450 PLUS II Mainboard RAM Speicher max 128 GB 50ac44fb 7665 5d7b 938c 2016327f23c3 d otto de files |||

TUF GAMING B450-PLUS II EAN 4718017957489 Produkt Nummer 90MB1650-M0EAY0 Umfassende Khlung: VRM-Khler, PCH-Khler und Fan Xpert 4 Core Next-Gen-Konnektivitt: Untersttzung fr USB 3.2 Gen 2 Typ-A und Typ-C Realtek S1200A Codec: Unverflschte Audioqualitt mit einem nie dagewesenen Signal-Rauschabstand S...

lang:de score:43 filesize: 874.07 K page_count: 1 document date: 2023-08-03

ASUS TUF GAMING B450-PLUS II AMD B450 Kanta AM4 ATX

Tuotemerkki : ASUS Tuotekoodi: 90MB1650-M0EAY0

Tuotteen nimi : TUF GAMING B450-PLUS II

ASUS TUF GAMING B450-PLUS II. Suoritinvalmistaja: AMD, Prosessorin kanta: Kanta AM4, Yhteensopivat prosessorit: AMD Ryzen 3000 Series. Tuetut muistityypit: DDR4-SDRAM, Sisäinen enimmäismuisti: 128 GB, Muistipaikkojen tyypit: DIMM, Tuetut tallennusasemaliitännät: M.2, SATA, Tuetut tallennusasematyypit: HDD & SSD, RAID-taso: 0, 1, 10, Tuettu rinnakkaiskäsittelytekniikka: CrossFireX. HDMI-versio: 2.0b, USB-liitin: USB A-tyyppi, USB Type-C.

Prosessori	
Suoritinvalmistaja *	AMD
Prosessorin kanta *	Kanta AM4
Yhteensopivat prosessorit *	AMD Ryzen 3000 Series
SMP-suorittimien enimmäismäärä	1
Muisti	
Tuetut muistityypit *	DDR4-SDRAM
Sisäinen muistityypit *	DIMM
Muistipaikkojen tyypit	DIMM
Muistimoduuli	Kaksikanava
RAM-yhteensä enimmäismäärä	128 GB
Tuetut muistinopeudet	2133,2400,2666,2800,3000,3200,3466,3600,3733,3866,4000,4400 MHz
Muistipaikkojen enimmäismäärä	4
Sisäinen muisti	32 GB
Tallennuksen ohjaimet	
Tuetut tallennusasemaliitäntätyypit	HDD & SSD
Tuetut tallennusasemaliitännät *	M.2, SATA
RAID-taso	0, 1, 10
Grafiikka	
Tuettu rinnakkaiskäsittelytekniikka *	CrossFireX
Sisäinen I/O	
USB 2.0-liittimet *	2
USB 3.2 Gen 1 (3.1 Gen 1) liittimet *	1
SATA-liitäntöjä *	6
SATA-liitinten kokonaismäärä	6
S/PDIF out -liitin	✓
Audioliitin	✓
Etupaneelin äänliitin	✓
ATX-virtaliitin (24 pin)	✓
SATA-virtaliitinten määrä	1

Takapaneelin I/O-portit	
USB 3.2 Gen 1 (3.1 Gen 1) C-tyypin porttien määrä *	1
USB 3.2 Gen 2 (3.1 Gen 2) A-tyypin porttien määrä *	1
Ethernet LAN (RJ-45) -portit *	1
HDMI-porttien lukumäärä *	1
HDMI-versio	2.0b
DisplayPort-portteja	1
DisplayPort -versio	1.2
USB-liitin	USB A-tyyppi, USB Type-C
Verkko	
Ethernet LAN	✓
Ethernet-liitännän tyyppi	Gigabit Ethernet
LAN-suoritin(en)	Realtek L8200A
Wi-Fi *	✗
Ominaisuudet	
Emolevyn piirisarja *	AMD B450
Audioohj.	Realtek ALC S1200A
Äänitäntöjä kanavat *	8 kanava
Kiinteyvetti (Kuutiometri *	PC
Emolevyn muotokerroin *	ATX
Emolevyn piirisarjan perhe *	AMD
Jäähdytyksen tyyppi	Aktiivinen
Virtalähteen malli	ATX
Asennuspiikkien määrä	8
Windows-käyttöjärjestelmätuki	Windows 10 x64, Windows 7 x64
Laajennuspaikat	
PCI Express x1 (Gen 2.x)-paikat	3

Publication date: 07-AUG-2025. Prints or copies of information are only valid on the printed Publication date

[pdf] Specifications Datasheet Borchure

ASUS 90MB1650 M0EAY0 TUF GAMING B450 PLUS II AMD Kanta AM4 ATX Brochure product datasheet specifications MPN Icecat Suoritinvalmistaja Prosessorin kanta Yhteensopivat prosessorit Ryzen 3000 Series leaflet data systems fi 3607298 FI 0 srsltid AfmBOordy30ZsHRNIVOBK5skHMRkXEwH8ndjUkl2GTbygpgB0xdAeUIf |||

ASUS **TUF GAMING B450-PLUS II** AMD B450 Kanta AM4 ATX Tuotemerkki : ASUS Tuotteen nimi : **TUF GAMING B450-PLUS II** Tuotekoodi: 90MB1650-M0EAY0 ASUS **TUF GAMING B450-PLUS II**. Suoritinvalmistaja: AMD, Prosessorin kanta: Kanta AM4, Yhteensopivat prosessorit: AMD Ryzen 3000 Series. Tuetut muistityypit: DD...

lang:fi score:43 filesize: 328.02 K page_count: 3 document date: 2025-08-07

TEHNOMAX

ASUS

ASUS AMD MB TUF GAMING B450-PLUS II, 4*DDR4 4400,DUAL M.2,DP/HDMI,AI Noise-Canceling Microphone, AM4

Šifra: TUF G B450-PLUS II/3

Maloprodajna cijena ~~132 €~~ 118 €

Ušteda 13 €

Popust za gotovinsko plaćanje 10%

118 €

Cijena za jednokratno plaćanje i online kupovinu

SPECIFIKACIJA

Tip	Matične ploče
Proizvođač	ASUS
Model	TUF GAMING B450-PLUS II
Tip procesora	AMD Ryzen
Socket	AM4
Čipset	AMD B450
Format ploče	ATX
Podržana memorija	DDR4
Podržani procesori	AMD Ryzen 1. generacija, 2. generacija, 3. generacija (uz odgovarajući BIOS)
Memorija	Do 64 GB ID DRR4, brzine do 4400 MHz (overclocking)
Slotovi za proširenje	2 x PCIe x16, 2 x PCIe x1
Sučelišta	2 x M.2 (W-Mode/SATA), 6 x SATA 6Gb/s
Mrežna karticа	Realtek RTL8111H Gigabit Ethernet
Zvučna karticа	Realtek ALC892, 7.1-kanalni HD Audio
USB	1 x USB 3.2 Gen 2, 2 x USB 3.2 Gen 1, 2 x USB 2.0 (prednji panel), 4 x USB 3.2 Gen 1 (stražnji panel)
Konektori na zadnjoj strani	1 x HDMI, 1 x DisplayPort, 1 x RJ-45, 2 x USB 3.2 Gen 2, 2 x USB 3.2 Gen 1, 1 x USB 2.0, 3 x audio jack (7.1)
Interni konektori	1 x USB 3.2 Gen 1, 2 x USB 2.0, 6 x SATA 6Gb/s, 2 x M.2, 1 x 24-pin ATX, 1 x 8-pin CPU
BIOS	UEFI BIOS, TUF GAMING BIOS

[pdf] Decleration of Conformity Catalog

118 € ASUS AMD MB TUF GAMING B450 PLUS II 4*DDR4 4400 DUAL M 2 DP HDMI AI Noise Canceling Microphone AM4 Šifra G 3 Maloprodajna cijena 132 doc tehnomax me index mod catalog op export product data id 42365 format |||

ASUS ASUS AMD MB **TUF GAMING B450-PLUS II**, 4*DDR4 4400,DUAL M.2,DP/HDMI,AI Noise-Canceling Microphone, AM4 Sifra: TUF G B450-PLUS II/3 Maloprodajna cijena 132 118 Usteda 13 Popust za gotovinsko plaanje 10 118 Cijena za jednokratno plaanje i online kupovinu SPECIFIKACIJA Tip Proizvoac Model Tip ...

lang:hr score:41 filesize: 1.09 M page_count: 0 document date: 0000-00-00



ASUS TUF GAMING B450-PLUS II Quick Start Guide

A quick start guide for the ASUS TUF GAMING B450-PLUS II motherboard, detailing the installation of CPU, CPU fan, memory modules, expansion cards, storage devices, system panel connectors, and ATX power connectors, followed by connecting I/O devices and powering on the system to install the operating system and drivers.

lang:es score:39 filesize: 1.47 M page_count: 2 document date: 2022-02-05



Compatible Motherboard List for Dual GeForce RTX 4060 Ti SSD

- The M.2 slot on the ASUS Dual GeForce RTX 4060 Ti SSD graphics card communicates through lanes split from the PCIe4.0 x16 slot and requires a minimum of PCIe x4 lanes.
- If the motherboard features M.2 slots split from the PCIe4.0 x16 slot, configured as either PCIe4.0 x8 or 2 x PCIe4.0 x4 mode, the priority of the M.2 slot on the ASUS Dual GeForce RTX 4060 Ti SSD may take precedence over the slots on the motherboard. This could result in the motherboard's M.2 slot becoming unavailable (the specific slot with higher priority depends on the motherboard's BIOS settings and layout design).
- The total number of SSDs that can be used depends on how the motherboard splits the PCIe4.0 x16 lanes and the motherboard's BIOS settings. Please refer to the motherboard manual for more information.
- Please refer to the motherboard manual to learn more about the information on BIOS settings for lane splitting and to confirm whether the configuration of the first PCIe is two PCIe4.0 x8 or one PCIe4.0 x8 and two PCIe4.0 x4.
- Before installing the on-card M.2 SSD, please ensure that you've set your motherboard BIOS to either "PCIE X8X8 Mode", "PCIE X8X4X4 Mode", or "PCIE RAID Mode". Once configured, please save your changes and exit the BIOS settings.

P.S. The "PCIE RAID Mode" will separate the PCIe x16 to four PCIe x4, the graphics card will run in the PCIe x4 mode

ASUS Dual GeForce RTX 4060 Ti SSD Motherboard Compatibility List

This document provides a comprehensive list of compatible ASUS motherboards for the Dual GeForce RTX 4060 Ti SSD, detailing PCIe lane configuration requirements and BIOS settings for optimal performance.

lang:en score:33 filesize: 182.63 K page_count: 6 document date: 2023-10-27



PART C. Hardware Periphery Compatibility

1. Hard Drives

1.1. HDD Devices

Type		Model
SATA 6G	HGST	HDS721010DLE630
		HDS721050DLE630
		HDS724040ALE640
		HUH728080ALE600
		HGST HDN726060ALE610
		HDN726040ALE614
	Seagate	ST500DM002
		ST1000DM003
		ST3000DM001
		ST2000DM001
		ST1000LM014
		ST4000DM000
		ST1000DK001
		ST2000NM0033
		ST1000NX0303
		ST2000NX0243
		ST6000NM0024
		ST8000AS0002
		ST2000DM006
		ST500DM009
		ST3000DM008
		ST1000DM0004
		ST6000VX0001
		ST1000DX002
		ST1000DM010
		ST6000DM004
		ST8000DM005
		ST1000VN004
		ST1200DM007
		ST16000NM001G-16TB
	TOSHIBA	DT01ACA100
		DT01ACA050
		HDWE150
		PC P300-HDWD110
	WD	WD1003FZEX
		WD1005VBYZ-1TB
		WD5000AAKX
		WD30EZRX
		WD10EALX
		WD10EZEX
		WD20EFRX
		WD20EZRZ

TUF GAMING B450-PLUS II PAGE 1

[pdf]

Vista Procedure KC Wu Go Now Asus B450 Tuf Gaming Driver Url dlcdnets asus pub ASUS mb SocketAM4 TUF GAMING PLUS II Devices report |||

PART C. Hardware Periphery Compatibility 1. Hard Drives 1.1. HDD Devices Type SATA 6G HGST Seagat ... PC P300-HDWD110 WD1003FZEX WD1005VBYZ-1TB WD5000AAKX WD30EZRX WD10EALX WD10EZEX WD20EFRX WD20EZRZ **TUF GAMING B450-PLUS II** PAGE 1 Type SATA 6G SATA 3G SATA 6G 2.5 1.2. SATA SSD Type SATA 6G SSD ...

lang:de score:33 filesize: 412.46 K page_count: 20 document date: 2020-10-21

[pdf]

PROMO DYING LIGHT static fnac Multimedia editorial Digital 2021 ASUS |||

Voir Termes et Conditions, rendez-vous sur https://promotion.asus.com/fr/fr/fun-holiday pour en savo ... TUF GAMING B550M-PLUS / TUF GAMING B550M-E WIFI / TUF GAMING B550M-E / ROG STRIX B450-F GAMING II / **TUF GAMING B450-PLUS II** / TUF B450-PRO GAMING / TUF GAMING B450M-PRO S / TUF GAMING B450M-PRO II / T...

lang:fr score:25 filesize: 2.46 M page_count: 2 document date: 2021-10-13



[pdf] User Manual

J17223 TUF GAMING B450 PLUS II UM WEB dlcdnets asus pub ASUS mb SocketAM4 |||

...

lang:fr score:25 filesize: 2.38 M page_count: 0 document date: 0000-00-00



[pdf] User Manual

C17223 TUF GAMING B450 PLUS II UM 12P WEB dlcdnets asus pub ASUS mb SocketAM4 |||

...

lang:fr score:24 filesize: 2.38 M page_count: 12 document date: 2020-09-22



[pdf]

TUF GAMING B450 PLUS II Tehnoteka DDR4 DIMM A1 64bit 288 pin module A2 B1 B2 brzi vodic asus tuf gaming b450 plus ii maticna ploca 6756dcb273a88 api tehnoteka rs 2024 12 |||

...

lang:fr score:24 filesize: 2 M page_count: 0 document date: 0000-00-00



ICY DOCK

Motherboards known to be compatible with MB842MP-B

Brand	Platform	Chipset	Motherboards
ASUS			
		B550	
		B650	
ASUS	AMD	TRX40	
		X399	
		X470	
		X570	

[pdf]

Motherboards known to be compatible with MB842MP B LDLC ASUS AMD B450 ROG STRIX E GAMING F TUF B650M PLUS WIFI B650E I GAMING media ldlc bo file fiches ICY DOCK |||

Motherboards known to be compatible with MB842MP-B Brand ASUS ASUS Platform AMD AMD Chipset B450 B550 B650 TRX40 X399 X470 X570 Motherboards ROG STRIX B450-E GAMING ROG STRIX B450-F GAMING ROG STRIX B450-F GAMING II **TUF GAMING B450-PLUS II** TUF B450-PRO GAMING TUF B450-PLUS GAMING TUF GAMING B450...

lang:tl score:23 filesize: 283.88 K page_count: 4 document date: 2023-04-25



ASUS

Motherboard

TUF GAMING B450-PLUS II

Step 1

Step 2

Motherboard Layout

Step 3

Step 4

[pdf]

TUF GAMING B450 PLUS II DNSDDR4 DIMM A1 64bit 288 pin module DDR4 A2 B1 B2 modulematerinskaa plata asus tuf gaming b450 plus ii instrukcia 200309 20082022drv dns shop ru oth M materinskaa 20082022 |||

...

lang:tl score:23 filesize: 1.99 M page_count: 0 document date: 2023-03-02

ASUS IN SEARCH OF INCREDIBLE — MOTHERBOARD May 2021 Mail-In Rebate -- US

Promotion Period: 05/01/2021 ~ 05/31/2021

Model Name	UPC Number	Rebate Amount
ROG STRIX B550-A GAMING	192876826607	$15.00
TUF GAMING B450M-PRO S	192876817629	$20.00
TUF GAMING B450-PLUS II	192876957493	$20.00

How to Claim Your Rebate
1.Register at https://asusmir.com with Offer Code: ASU-042100070(US)
2.Only 1 rebate(s) per qualifying product per household per promotion will be accepted.
3.A copy of the Completed Rebate Submission form, Copy of Clear or Legible Receipt/ Invoice or Packing List(Invoice/order number needs to be shown clearly), Original UPC AND Serial Number Barcode Labels, with order-purchase date between 05/01/2021 and 05/31/2021 must be included with rebate request.
4.The rebate request must be postmarked within thirty(30) days from date of purchase to qualify.
5.You may also track the status of your rebate at https://asusmir.com anytime.
6.Keep a copy of all submission materials for your records.
7.Rebate will be paid via Zelle instant transfer. If you do not qualify for Zelle, you have payment options of either direct deposit (ACH) or physical check mail to your homes address.

CP-O-2105-069877
One UPC code can only redeem MIR rebate once; Not stackable with other MIR form. Physical UPC Code must match with submission UPC code in order to qualify

TERMS AND CONDITIONS: File only one rebate. Make sure it includes all the items from your invoice that are covered under this rebate offer code. This rebate offer is available to qualifying end-user purchasers of a qualifying product. If any terms and conditions are not met the rebate will be denied. Distributors and dealers may not participate in this offer. Only products that are sold and shipped by listed resellers directly will qualify; products purchased from third-party seller on listed resellers' marketplace do not qualify for the offer. The purchase date on your sales receipt, packing slip or invoice must be a date within the eligibility period indicated on the individual rebate application that you must print and mail to the specified address obtained after registering online at https://asusmir.com. The address on your rebate application must match the billing address on the receipt, packing slip or invoice. Limit one (1) rebate per qualifying model, per person, billing address, company, household and receipt/invoice/packing slip during the eligibility period, except where prohibited by law. Only one (1) rebate application per envelope. Any request postmarked or received after the eligibility period will be denied. Maximum accumulated rebate pay out is $599 per person per household for the calendar year. Rebates will be rejected automatically if exceed $599 accumulated amount for the calendar year. Once rebate offer is approved, you will receive an instant text message and/or email from Zelle if you have provided registered Zelle email/phone number during rebate registration. If do you not qualify for Zelle, you will receive a payment acceptance request email from CHASE with rebate offer payment options of either direct deposit to your bank or physical check send to your home address. Offer only valid in US (including Puerto Rico) and payable in US Dollars. Offer subject to change at any time. Void where prohibited by law. Use of fictitious names, multiple addresses and PO Boxes to obtain additional rebates may constitute fraud, violate federal or state laws and may result in prosecution, imprisonment and/or fines, including under the U.S. Mail Fraud Statutes (18 USC, Section 1341 and 1342). Neither the sponsor of the rebate ("Rebate Sponsor") nor the entity providing the rebate reward (the "Reward Vendor") is responsible for late, lost, misdirected or postage-due mail. Incomplete or illegible applications will be denied. Photocopies of UPCs are not accepted unless indicated on the rebate form. Rebate application status updates, approval, denial, and other notices may be sent via e-mail. You may check the status of your rebate by visiting the link provided in your e-mail or visiting https://asusmir.com. Please allow 3 weeks after mailing to make any inquiries regarding your rebate. Fulfillment of this rebate is subject to final approval by ASUS. Reward Vendor is not liable for non-fulfillment of offers by ASUS.

[pdf] Label

MOTHERBOARD May 2021 Mail In Rebate US 053121 ASUS61 REBATE static bhphotovideo FrameWork Rebates Promos |||

MOTHERBOARD May 2021 Mail-In Rebate -- US Promotion Period: 05/01/2021 - 05/31/2021 Model Name ROG STRIX B550-A GAMING TUF GAMING B450M-PRO S **TUF GAMING B450-PLUS II** UPC Number Rebate Amount 192876826607 15.00 192876817629 20.00 192876957493 20.00 How to Claim Your Rebate 1.Register at https:/...

lang:en score:22 filesize: 26.62 K page_count: 1 document date: 2021-05-03

Recevez jusqu'à 525€ de cashback pour l'achat des produits ASUS éligibles

Période de promotion : 19 août 2025 - 29 septembre 2025
Période de demande : 2 septembre 2025 - 13 octobre 2025

Comment ça marche ?

1. Achetez un produit ASUS éligible entre le 19 août 2025 et le 29 septembre 2025 auprès d'un revendeur participant
2. Saisissez les informations requises dans le formulaire de participation avant le 13 octobre 2025 sur le site ASUS : https://promotion.asus.com/fr/fr/back-2-school-2025
3. Après examen et validation de votre demande, vous recevrez votre remise directement sur votre compte bancaire.
(La validation prend jusqu'à 10 jours ouvrables).

ASUS Back to School Cashback Promotion

Details of the ASUS Back to School cashback promotion offering up to €525 on eligible ASUS motherboards, AIO coolers, power supplies, cases, monitors, and networking devices. Includes promotion dates, claim periods, and a list of eligible products with cashback amounts.

lang:fr score:21 filesize: 348.28 K page_count: 9 document date: 2025-07-30

ASUS IN SEARCH OF INCREDIBLE — MOTHERBOARD Aug 2021 Mail-In Rebate -- US

Promotion Period: 08/01/2021 ~ 08/31/2021

Model Name	UPC Number	Rebate Amount
ROG STRIX B550-A GAMING	192876826607	$15.00
TUF GAMING B450M-PLUS II	192876927199	$20.00
TUF GAMING B450M-PRO S	192876817629	$20.00
TUF GAMING B450-PLUS II	192876957493	$20.00

How to Claim Your Rebate
1.Register at https://asusmir.com with Offer Code: ASU-072100084(US)
2.Only 1 rebate(s) per qualifying product per household per promotion will be accepted.
3.A copy of the Completed Rebate Submission form, Copy of Clear or Legible Receipt/ Invoice or Packing List(Invoice/order number needs to be shown clearly), Original UPC AND Serial Number Barcode Labels, with order-purchase date between 08/01/2021 and 08/31/2021 must be included with rebate request.
4.The rebate request must be postmarked within thirty(30) days from date of purchase to qualify.
5.You may also track the status of your rebate at https://asusmir.com anytime.
6.Keep a copy of all submission materials for your records.
7.Rebate will be paid via Zelle instant transfer. If you do not qualify for Zelle, you have payment options of either direct deposit (ACH) or physical check mail to your homes address.

MB-MIR-MULTI-US-080121-083121
One UPC code can only redeem MIR rebate once; Not stackable with other MIR form. Physical UPC Code must match with submission UPC code in order to qualify

TERMS AND CONDITIONS: File only one rebate. Make sure it includes all the items from your invoice that are covered under this rebate offer code. This rebate offer is available to qualifying end-user purchasers of a qualifying product. If any terms and conditions are not met the rebate will be denied. Distributors and dealers may not participate in this offer. Only products that are sold and shipped by listed resellers directly will qualify; products purchased from third-party seller on listed resellers' marketplace do not qualify for the offer. The purchase date on your sales receipt, packing slip or invoice must be a date within the eligibility period indicated on the individual rebate application that you must print and mail to the specified address obtained after registering online at https://asusmir.com. The address on your rebate application must match the billing address on the receipt, packing slip or invoice. Limit one (1) rebate per qualifying model, per person, billing address, company, household and receipt/invoice/packing slip during the eligibility period, except where prohibited by law. Only one (1) rebate application per envelope. Any request postmarked or received after the eligibility period will be denied. Maximum accumulated rebate pay out is $599 per person per household for the calendar year. Rebates will be rejected automatically if exceed $599 accumulated amount for the calendar year. Once rebate offer is approved, you will receive an instant text message and/or email from Zelle if you have provided registered Zelle email/phone number during rebate registration. If do you not qualify for Zelle, you will receive a payment acceptance request email from CHASE with rebate offer payment options of either direct deposit to your bank or physical check send to your home address. Offer only valid in US (including Puerto Rico) and payable in US Dollars. Offer subject to change at any time. Void where prohibited by law. Use of fictitious names, multiple addresses and PO Boxes to obtain additional rebates may constitute fraud, violate federal or state laws and may result in prosecution, imprisonment and/or fines, including under the U.S. Mail Fraud Statutes (18 USC, Section 1341 and 1342). Neither the sponsor of the rebate ("Rebate Sponsor") nor the entity providing the rebate reward (the "Reward Vendor") is responsible for late, lost, misdirected or postage-due mail. Incomplete or illegible applications will be denied. Photocopies of UPCs are not accepted unless indicated on the rebate form. Rebate application status updates, approval, denial, and other notices may be sent via e-mail. You may check the status of your rebate by visiting the link provided in your e-mail or visiting https://asusmir.com. Please allow 3 weeks after mailing to make any inquiries regarding your rebate. Fulfillment of this rebate is subject to final approval by ASUS. Reward Vendor is not liable for non-fulfillment of offers by ASUS.

[pdf] Label

MOTHERBOARD Aug 2021 Mail In Rebate US 1 авг г — 083121 ASUS61 REBATE static bhphotovideo FrameWork Rebates Promos

MOTHERBOARD Aug 2021 Mail-In Rebate -- US Promotion Period: 08/01/2021 - 08/31/2021 Model Name ROG STRIX B550-A GAMING TUF GAMING B450M-PLUS II TUF GAMING B450M-PRO S **TUF GAMING B450-PLUS II** UPC Number Rebate Amount 192876826607 15.00 192876927199 20.00 192876817629 20.00 192876957493 20.00 H...

lang:en score:21 filesize: 26.64 K page_count: 1 document date: 2021-08-01



MOTHERBOARD Jun 2021 Mail-In Rebate -- US
Promotion Period: 06/01/2021 ~ 06/30/2021

Model Name	UPC Number	Rebate Amount
ROG STRIX B550-A GAMING	192876826607	$15.00
TUF GAMING B450M-PLUS II	192876927199	$20.00
TUF GAMING B450M-PRO S	192876817629	$20.00
TUF GAMING B450-PLUS II	192876957493	$20.00

How to Claim Your Rebate
1.Register at https://asusmir.com with Offer Code: ASU-052100077(US)
2.Only 1 rebate(s) per qualifying product per household per promotion will be accepted.
3.A copy of the Completed Rebate Submission form, Copy of Clear or Legible Receipt/ Invoice or Packing List(Invoice/order number needs to be shown clearly), Original UPC AND Serial Number Barcode Labels, with order-purchase date between 06/01/2021 and 06/30/2021 must be included with rebate request.
4.The rebate request must be postmarked within thirty(30) days from date of purchase to qualify.
5.You may also track the status of your rebate at https://asusmir.com anytime.
6.Keep a copy of all submission materials for your records.
7.Rebate will be paid via Zelle instant transfer. If you do not qualify for Zelle, you have payment options of either direct deposit (ACH) or physical check mail to your homes address.

CP-O-2106-071291
One UPC code can only redeem MIR rebate once; Not stackable with other MIR form. Physical UPC Code must match with submission UPC code in order to qualify

TERMS AND CONDITIONS: File only one rebate. Make sure it includes all the items from your invoice that are covered under this rebate offer code. This rebate offer is available to qualifying end-user purchasers of a qualifying product. If any terms and conditions are not met the rebate will be denied. Distributors and dealers may not participate in this offer. Only products that are sold and shipped by listed resellers directly will qualify; products purchased from third-party seller on listed resellers' marketplace do not qualify for the offer. The purchase date on your sales receipt, packing slip or invoice must be a date within the eligibility period indicated on the individual rebate application that you must print and mail to the specified address obtained after registering online at https://asusmir.com. The address on your rebate application must match the billing address on the receipt, packing slip or invoice. Limit one (1) rebate per qualifying model, per person, billing address, company, household and receipt/invoice/packing slip during the eligibility period, except where prohibited by law. Only one (1) rebate application per envelope. Any request postmarked or received after the eligibility period will be denied. Maximum accumulated rebate pay out is $599 per person per household for the calendar year. Rebates will be rejected automatically if exceed $599 accumulated amount for the calendar year. Once rebate offer is approved, you will receive an instant text message and/or email from Zelle if you have provided registered Zelle email/phone number during rebate registration. If do you not qualify for Zelle, you will receive a payment acceptance request email from CHASE with rebate offer payment options of either direct deposit to your bank or physical check send to your home address. Offer only valid in US (including Puerto Rico) and payable in US Dollars. Offer subject to change at any time. Void where prohibited by law. Use of fictitious names, multiple addresses and PO Boxes to obtain additional rebates may constitute fraud, violate federal or state laws and may result in prosecution, imprisonment and/or fines, including under the U.S. Mail Fraud Statutes (18 USC, Section 1341 and 1342). Neither the sponsor of the rebate ("Rebate Sponsor") nor the entity providing the rebate reward (the "Reward Vendor") is responsible for late, lost, misdirected or postage-due mail. Incomplete or illegible applications will be denied. Photocopies of UPCs are not accepted unless indicated on the rebate form. Rebate application status updates, approval, denial, and other notices may be sent via e-mail. You may check the status of your rebate by visiting the link provided in your e-mail or visiting https://asusmir.com. Please allow 3 weeks after mailing to make any inquiries regarding your rebate. Fulfillment of this rebate is subject to final approval by ASUS. Reward Vendor is not liable for non-fulfillment of offers by ASUS.

[pdf] Label

MOTHERBOARD Jun 2021 Mail In Rebate US ASUS4MIRsJun1Jun3021nm13us images10 newegg uploadfilesfornewegg rebate SH |||

MOTHERBOARD Jun 2021 Mail-In Rebate -- US Promotion Period: 06/01/2021 - 06/30/2021 Model Name ROG STRIX B550-A GAMING TUF GAMING B450M-PLUS II TUF GAMING B450M-PRO S **TUF GAMING B450-PLUS II** UPC Number Rebate Amount 192876826607 15.00 192876927199 20.00 192876817629 20.00 192876957493 20.00 H...

lang:en score:21 filesize: 27.25 K page_count: 1 document date: 2021-05-27



MOTHERBOARD Jul 2021 Mail-In Rebate -- US
Promotion Period: 07/01/2021 ~ 07/31/2021

Model Name	UPC Number	Rebate Amount
ROG STRIX B550-A GAMING	192876826607	$15.00
TUF GAMING B450M-PLUS II	192876927199	$20.00
TUF GAMING B450M-PRO S	192876817629	$20.00
TUF GAMING B450-PLUS II	192876957493	$20.00

How to Claim Your Rebate
1.Register at https://asusmir.com with Offer Code: ASU-062100079(US)
2.Only 1 rebate(s) per qualifying product per household per promotion will be accepted.
3.A copy of the Completed Rebate Submission form, Copy of Clear or Legible Receipt/ Invoice or Packing List(Invoice/order number needs to be shown clearly), Original UPC AND Serial Number Barcode Labels, with order-purchase date between 07/01/2021 and 07/31/2021 must be included with rebate request.
4.The rebate request must be postmarked within thirty(30) days from date of purchase to qualify.
5.You may also track the status of your rebate at https://asusmir.com anytime.
6.Keep a copy of all submission materials for your records.
7.Rebate will be paid via Zelle instant transfer. If you do not qualify for Zelle, you have payment options of either direct deposit (ACH) or physical check mail to your homes address.

MB-MIR-MULTI-US-070121-073121
One UPC code can only redeem MIR rebate once; Not stackable with other MIR form. Physical UPC Code must match with submission UPC code in order to qualify

TERMS AND CONDITIONS: File only one rebate. Make sure it includes all the items from your invoice that are covered under this rebate offer code. This rebate offer is available to qualifying end-user purchasers of a qualifying product. If any terms and conditions are not met the rebate will be denied. Distributors and dealers may not participate in this offer. Only products that are sold and shipped by listed resellers directly will qualify; products purchased from third-party seller on listed resellers' marketplace do not qualify for the offer. The purchase date on your sales receipt, packing slip or invoice must be a date within the eligibility period indicated on the individual rebate application that you must print and mail to the specified address obtained after registering online at https://asusmir.com. The address on your rebate application must match the billing address on the receipt, packing slip or invoice. Limit one (1) rebate per qualifying model, per person, billing address, company, household and receipt/invoice/packing slip during the eligibility period, except where prohibited by law. Only one (1) rebate application per envelope. Any request postmarked or received after the eligibility period will be denied. Maximum accumulated rebate pay out is $599 per person per household for the calendar year. Rebates will be rejected automatically if exceed $599 accumulated amount for the calendar year. Once rebate offer is approved, you will receive an instant text message and/or email from Zelle if you have provided registered Zelle email/phone number during rebate registration. If do you not qualify for Zelle, you will receive a payment acceptance request email from CHASE with rebate offer payment options of either direct deposit to your bank or physical check send to your home address. Offer only valid in US (including Puerto Rico) and payable in US Dollars. Offer subject to change at any time. Void where prohibited by law. Use of fictitious names, multiple addresses and PO Boxes to obtain additional rebates may constitute fraud, violate federal or state laws and may result in prosecution, imprisonment and/or fines, including under the U.S. Mail Fraud Statutes (18 USC, Section 1341 and 1342). Neither the sponsor of the rebate ("Rebate Sponsor") nor the entity providing the rebate reward (the "Reward Vendor") is responsible for late, lost, misdirected or postage-due mail. Incomplete or illegible applications will be denied. Photocopies of UPCs are not accepted unless indicated on the rebate form. Rebate application status updates, approval, denial, and other notices may be sent via e-mail. You may check the status of your rebate by visiting the link provided in your e-mail or visiting https://asusmir.com. Please allow 3 weeks after mailing to make any inquiries regarding your rebate. Fulfillment of this rebate is subject to final approval by ASUS. Reward Vendor is not liable for non-fulfillment of offers by ASUS.

[pdf] Label

MOTHERBOARD Jul 2021 Mail In Rebate US 073121 ASUS61 REBATE static bhphotovideo FrameWork Rebates Promos |||

MOTHERBOARD Jul 2021 Mail-In Rebate -- US Promotion Period: 07/01/2021 - 07/31/2021 Model Name ROG STRIX B550-A GAMING TUF GAMING B450M-PLUS II TUF GAMING B450M-PRO S **TUF GAMING B450-PLUS II** UPC Number Rebate Amount 192876826607 15.00 192876927199 20.00 192876817629 20.00 192876957493 20.00 H...

lang:en score:21 filesize: 26.64 K page_count: 1 document date: 2021-06-27

[pdf] Confidentiality Request Letter

T C PROMO DYING LIGHT Deux fois plus de cadeaux cet hiver 1 2 Code ASUS et la clé jeu Steam le code réduction Booking CROSSHAIR VIII DARK HERO ROG WI FI CROSSHAIR ME0521MICZ boulanger scene7 is content Boulanger B Commerce EMS |||

Voir Termes et Conditions, rendez-vous sur https://promotion.asus.com/fr/fr/fun-holiday pour en savo ... TUF GAMING B550M-PLUS / TUF GAMING B550M-E WIFI / TUF GAMING B550M-E / ROG STRIX B450-F GAMING II / **TUF GAMING B450-PLUS II** / TUF B450-PRO GAMING / TUF GAMING B450M-PRO S / TUF GAMING B450M-PRO II / T...

lang:fr score:21 filesize: 2.47 M page_count: 4 document date: 2021-11-03



[pdf]

Corsair Hydro X Series XC5 RGB CPU Water Block AM4 ASUS TUF B450 Plus Gaming Prime B450M K A ROG Strix I Biostar B450MH Gigabyte DS3H Aorus M Pro WiFi MSI Carbon AC Tomahawk Mortar VDH performance pcs product file id 32625 name |||

Performance-PCs.com 1701 R. J. Conlan Blvd. NE, Unit #5 Palm Bay, FL 32905, USA Toll Free: 888-381-8222 www.performance-pcs.com sales performance-pcs.com Like Us Facebook Follow Us Twitter See Our Instagram Watch Our YouTube Corsair Hydro X Series 59.99 XC5 RGB CPU Water Block AM4 Product Ima...

lang:en score:21 filesize: 7.94 M page_count: 16 document date: 2022-03-28



ICY DOCK
Bringing Innovation & Difference

Motherboards known to be compatible with MB842MP-B

Brand	Platform	Chipset	Motherboards
ASUS			
		B550	
		B650	
ASUS	AMD	TRX40	
		X399	
		X470	
		X570	

[pdf] Frequently Asked Questions

global icydock Motherboards known to be compatible with MB842MP B Icy Dock ToughArmor od PLN 935 00 2024 Porównanie cen Cenowarka Polska Compatible gl 1*13cpf20* ga*MTU4MjYzMzk3My4xNjkzOTk3MjUy* ga V99XX4XZR2*MTY5Mzk5NzI1Mi4xLjEuMTY5Mzk5 product faq V99XX4XZR2*MTY5Mzk5NzI1Mi4xLjEuMTY5Mzk5ODE2NC41OC4wLjA |||

Motherboards known to be compatible with MB842MP-B Brand ASUS ASUS Platform AMD AMD Chipset B450 B550 B650 TRX40 X399 X470 X570 Motherboards ROG STRIX B450-E GAMING ROG STRIX B450-F GAMING ROG STRIX B450-F GAMING II **TUF GAMING B450-PLUS II** TUF B450-PRO GAMING TUF B450-PLUS GAMING TUF GAMING B450...

lang:tl score:21 filesize: 202.73 K page_count: 4 document date: 2023-04-25



[MB842MP-B PCIe Adapter Compatibility List for ASUS and ASRock Motherboards]

Detailed compatibility guide for the MB842MP-B M.2 NVMe SSD to PCIe adapter, listing supported ASUS and ASRock motherboards and their PCIe slot bifurcation capabilities with various AMD and Intel CPUs.

lang:es score:20 filesize: 888.11 K page_count: 5 document date: 2024-10-03



[pdf] Frequently Asked Questions

MB842MP B Compatible Motherboards list 20240902 en xlsx User ASUS ICY DOCK ROG STRIX B550 F GAMING WI FI PCIEX16 1 X A TUF PLUS II global icydock product faq |||

Brand ASUS Brand ASUS Brand ASUS Brand ASUS Brand ASUS Brand Chipset Brand AMD Chipset Brand AMD Chipset Brand AMD Chipset Brand Motherboard Chipset Model Model ROG STRIX B450-E GAMING ROG STRIX B450-F GAMING ROG STRIX B450-F GAMING II **TUF GAMING B450-PLUS II** TUF B450-PRO GAMING TUF B450-PL...

lang:en score:20 filesize: 150.56 K page_count: 5 document date: 2024-09-06

REGULAMIN „Back to School Q3 2025" (Promocja Powrót do szkoły III kw. 2025")

Niniejsza promocja – „Back to School Q3 2025" (Promocja Powrót do szkoły III kw. 2025") zostanie przeprowadzona przez ASUS Global Pte. Ltd. („ASUS") i uprawnionych partnerów. Biorąc w niej udział, klienci zgadzają się na poniższe Zasady i warunki („ZW") (artykuł 9: „Wyrażenie zgody").

1. Uregulowania prawne

Niniejsze reguły dotyczące zwrotu środków i udziału, łącznie z Zasadami korzystania z serwisu ASUS oraz Polityką prywatności ASUS stanowią podstawę niniejszych ZW. Biorąc udział w promocji, klient zgadza się z postanowieniami zawartymi w niniejszych ZW. Spółka ASUS jest upoważniona do zmiany niniejszych ZW, przy czym zmiany wymagają odpowiedniego powiadomienia i ogłoszenia. Osoby biorące udział w promocji muszą zgodzić się na takie zmiany.

2. Rozpoczęcie i okres promocji

Promocja rozpoczyna się o godzinie 00:01 czasu środkowoeuropejskiego („CET") dnia 19.08.2025 i kończy się o godzinie 23:59 CET dnia 29.09.2025 („okres promocji"). Produkty objęte promocją (patrz: produkty objęte promocją) muszą zostać nabyte u uprawnionego partnera (patrz lista dystrybutorów poniżej) w „okresie promocji" oraz na „obszarze objętym promocją".

Wszelkie zakupy od dystrybutorów znajdujących się na „obszarze objętym promocją" mogą zostać zgłoszone do udziału w promocji.

Na fakturze/paragonie uczestnika musi znajdować się data zakupu oraz ważny adres rodzicielskiego.

Wszelkie produkty objęte promocją (wyszczególnione w załączniku „produkty objęte promocją") muszą zostać zakupione w okresie od 19.08.2025 do 29.09.2025 za pośrednictwem Internetu lub w sklepie na obszarze objętym promocją (załącznik „obszar objęty promocją").

3. Prawo do wzięcia udziału

Pracownicy spółki ASUS, pracownicy od działów ASUS i/lub partnerzy, czy też firmy i agencje współpracujące, sprzedawcy, dystrybutorzy, a także ich pracownicy/krewni są wykluczeni z udziału w tej promocji. Ponadto klienci korporacyjni/komercyjni również są wykluczeni z udziału w tej promocji.

Uczestniczący w promocji muszą być rezydentami (posiadać stałe zamieszkiwanie) w kraju znajdującym się na „Obszarze objętym promocją". Udział w promocji jest bezpłatny.

4. Przedmiot promocji i zasady udziału w promocji

Biorąc udział w niniejszej promocji, uczestnicy mogą otrzymać premię w postaci wartości pieniężnej w walucie obowiązującej na danym obszarze kwalifikującym się do udziału w promocji, która jest określona w załączniku.

Uczestnik musi zakupić kwalifikujący się „produkt objęty promocją" na „obszarze objętym promocją" od jednego z uprawnionych partnerów w kraju rezydencji (zamieszkiwania) uczestnika. Ponadto musi zgłosić swój udział w promocji w okresie od godz. 00:01 (czasu środkowoeuropejskiego, CET) dnia 02.08.2025 do godziny 23:59 (czasu środkowoeuropejskiego, CET) dnia 13.10.2025 za pośrednictwem formularza internetowego ASUS, dostępnego pod następującym adresem:

https://promotion.asus.com/plpt/back-to-school-2025

[Regulamin Promocji ASUS Back to School Q3 2025]

Szczegółowy regulamin promocji ASUS 'Back to School Q3 2025', obejmujący zasady, okres promocji, kwalifikujące się produkty i kwoty zwrotu gotówki.

lang:pl score:20 filesize: 241.78 K page_count: 21 document date: 2025-08-18

[pdf] Confidentiality Request Letter

T C GAMING WEEK ODR620MICN boulanger scene7 is content Boulanger 2 B Commerce EMS |||

DU 26 OCTOBRE AU 22 NOVEMBRE 2020 *Voir modalits au verso. La promotion ASUS Gaming Weeks Treat ... LUS / PRIME B550-PLUS / PRIME B550M-A WI-FI / PRIME B550M-A / B450 : ROG STRIX B450-F GAMING II / **TUF GAMING B450-PLUS II** / TUF GAMING B450M-PRO II / TUF GAMING B450M-PLUS II / PRIME B450M-A II / PR...

lang:fr score:19 filesize: 2.36 M page_count: 3 document date: 2020-10-13



Regulamin Rate Your Gear

Warunki uczestnictwa "Rate your Gear"

Niniejsza kampania promocyjna jest prowadzona przez firmę ASUS Global Pte. Ltd. (ASUS) i uczestniczących w niej partnerów.

Osoby biorące udział w programie akceptują następujące zasady poprzez dokonanie zgłoszenia swojego uczestnictwa:

1. Warunki ogólne

Informacje przedstawione w niniejszym dokumencie, wraz z Zasadami użytkowania firmy ASUS oraz Polityką prywatności firmy ASUS, stanowią zasady i warunki uczestnictwa w niniejszej Promocji ("Zasady i warunki uczestnictwa").

Biorąc udział w niniejszej promocji, wyrażasz zgodę na zasady i warunki uczestnictwa

2. Okres promocji

Promocja rozpoczyna się 20.01.2025 o 19:00 (czasu środkowoeuropejskiego) i kończy się 31.12.2025 o 23.59 (czasu środkowoeuropejskiego) ("okres promocji").

3. Uprawnienie do uczestnictwa

Pracownicy firmy ASUS, jej spółek zależnych/spółek macierzystych, filii lub agencji reklamowych uczestniczących w tej promocji, jak również przedstawiciele handlowi, dystrybutorzy i inni sprzedawcy reklamowi, ich pracownicy i krewni nie są uprawnieni do udziału w tej promocji. Pośrednicy, sprzedawcy detaliczni i klienci korporacyjni nie są uprawnieni do uczestnictwa.

W promocji mogą brać udział tylko osoby, które mają stałe miejsce zamieszkania na terenie objętym akcją promocyjną i są pełnoletnie. Uczestnictwo jest bezpłatne.

4. Przedmiot i uczestnictwo

Biorąc udział w Promocji, uczestnicy mogą otrzymać nagrodę w postaci określonej kwoty pieniężnej w walucie właściwej dla obszaru objętego promocją.

Udział w Promocji odbywa się poprzez opublikowanie recenzji dotyczącej jednego z Produktów objętych promocją wymienionych w Załączniku 3, w sklepie internetowym sprzedawcy detalicznego z siedzibą w Polsce wymienionym w Załączniku 2.

Recenzja musi zostać opublikowana i zgłoszona w okresie trwania promocji.

Następnie uczestnik przekazuje za pośrednictwem formularza zgłoszeniowego adres URL swojej opublikowanej recenzji i bierze udział w Promocji polegającej na wypłacie gotówki,

Regulamin Promocji ASUS Rate Your Gear

Szczegółowy regulamin promocji ASUS "Rate Your Gear", obejmujący warunki uczestnictwa, okres promocji, zasady zgłaszania recenzji produktów ASUS, wymagania dotyczące recenzji oraz informacje o nagrodach i ochronie danych.

lang:pl score:19 filesize: 115.94 K page_count: 17 document date: 2025-01-23

[pdf]

F17223_TUF_GAMING_B450-PLUS_II_UM_WEB dlcdnets asus pub ASUS mb SocketAM4 TUF_GAMING_B450-PLUS_II TUF GAMING B450-PLUS II Pour éviter tout risque de choc électrique débranchez le câble d'alimentation la prise avant toucher au système

...

lang:pl score:19 filesize: 2.79 M page_count: 32 document date: 2020-09-16



[ASUS X570, B550, and B450 Motherboard Specifications Comparison]

A comprehensive comparison of ASUS X570, B550, and B450 motherboards, detailing specifications such as CPU socket, chipset, memory support, expansion slots, storage, networking, and audio features across ROG, TUF Gaming, and Prime series.

lang:en score:18 filesize: 2.53 M page_count: 3 document date: 2020-11-04



[ASUS Motherboard Comparison: B450, B550, and X570 Series]

A comprehensive comparison of ASUS B450, B550, and X570 series motherboards, detailing specifications, features, and models for optimal PC building.

lang:en score:18 filesize: 1.25 M page_count: 3 document date: 2021-03-04



[pdf] User Manual

TUF GAMING B450-PLUS II Um die Gefahr eines Stromschlags zu verhindern ziehen Sie das Netzkabel aus der Steckdose bevor System an einem anderen Ort aufstellen G17223_TUF_GAMING_B450-PLUS_II_UM_WEB dlcdnets asus pub ASUS mb SocketAM4 TUF_GAMING_B450-PLUS_II

...

lang:en score:18 filesize: 1.93 M page_count: 32 document date: 2020-09-16



[pdf]

MB842MP B Compatible Motherboards list kr user PCIe SSD MB312M4P 2 M 2 NVMe icydock vancheerfile files |||

: . 1 ASUS ROG STRIX B450-E GAMING ROG STRIX B450-F GAMING AMD ROG STRIX B450-F GAMING II **TUF GAMING B450-PLUS II** TUF B450-PRO GAMING TUF B450-PLUS GAMING B450 TUF GAMING B450M-PRO S TUF GAMING B450M-PRO II TUF B450M-PRO GAMING TUF GAMING B450M-PLUS II TUF B450M-PLUS GAMING...

lang:de score:17 filesize: 126.86 K page_count: 5 document date: 2024-10-11



[pdf] Frequently Asked Questions

MB842MP B Compatible Motherboards list tw user PCIe ExpressSlot Elite icydock product faq |||

1 ASUS ROG STRIX B450-E GAMING ROG STRIX B450-F GAMING AMD ROG STRIX B450-F GAMING II **TUF GAMING B450-PLUS II** TUF B450-PRO GAMING TUF B450-PLUS GAMING B450 TUF GAMING B450M-PRO S TUF GAMING B450M-PRO II TUF B450M-PRO GAMING TUF GAMING B450M-PLUS II TUF B450M-PLUS GAMING PRIM...

lang:de score:17 filesize: 174.3 K page_count: 5 document date: 2024-10-14



ASUS and ASRock Motherboard PCIe Slot Bifurcation Compatibility List

Detailed compatibility guide for ASUS and ASRock motherboards, specifying PCIe slot bifurcation settings across various CPU generations. This information is crucial for ensuring proper functionality with PCIe expansion devices that require specific slot configurations, such as the ICY DOCK MB842MP-B.

lang:en score:17 filesize: 273.46 K page_count: 5 document date: 2024-09-13



[pdf]

MB842MP B Compatible Motherboards list fr V2 xlsx liste de compatibilité la carte mère Disque amovible SSD NVMe M 2 à baies vers rack 8 x PCIe 4 0 pour emplacement PCI Express bifurcation requise icydock vancheerfile Files |||

Comment utiliser la liste : Recherchez le modle de votre 1 carte mre Carte mre Marque Marque de chipset Modle de chipset Modle ASUS Marque AMD Marque de chipset ROG STRIX B450-E GAMING ROG STRIX B450-F GAMING ROG STRIX B450-F GAMING II **TUF GAMING B450-PLUS II** TUF B450-PRO GAMING TUF B...

lang:pt score:17 filesize: 880.63 K page_count: 5 document date: 2024-10-03



[pdf] Frequently Asked Questions

MB204 compatible motherboards list tw user PCIe ExpressSlot MB204MP B 4 M 2 NVMe 5 0 x16 PCIe Bifurcation icydock product faq |||

: ASUS 1 ASUS ASUS ASUS ASUS ASUS ASUS ASUS ASUS AMD B450 ROG STRIX B450-E GAMING ROG STRIX B450-F GAMING ROG STRIX B450-F GAMING II **TUF GAMING B450-PLUS II** TUF B450-PRO GAMING TUF B450-PLUS GAMING TUF GAMING B450M-PRO S TUF GAMING B450M-PRO II TUF B450M-PRO GAMING TUF GAMING B...

lang:it score:16 filesize: 215.01 K page_count: 4 document date: 2024-10-14



ASUS, ASRock, AORUS PCIe

ASUS, ASRock AORUS , PCIe x16 , M.2 SSD PCIe .

lang:it score:16 filesize: 311.28 K page_count: 4 document date: 2024-10-07



ASUS and ASRock Motherboard PCIe Bifurcation Compatibility Guide for M.2 NVMe Adapters

A comprehensive compatibility guide detailing PCIe slot bifurcation settings for ASUS and ASRock motherboards across various chipsets (B450, B550, X570, Z490, Z590, Z690, Z790, X399, TRX40, WRX80, WRX90, X670, A620, W480, W680, W790) and CPU generations (AMD Ryzen, Threadripper, Intel Core). Essential for M.2 NVMe SSD to PCIe x16 adapter compatibility.

lang:en score:15 filesize: 236.77 K page_count: 5 document date: 2024-10-07



[pdf] Frequently Asked Questions

lista de compatibilidad placas base ExpressSlot MB204MP B Carcasa tarjeta adaptadora para rack móvil extraíble 4 bahías SSD NVMe M 2 a PCIe x16 ranura expansión requiere bifurcación MB204 compatible motherboards list es icydock product faq |||

Cmo utilizar la lista: Localice el modelo de su placa 1 base Placa madre Marca Marca del chipset Modelo de chipset Modelo ASUS AMD ROG STRIX B450-E GAMING ROG STRIX B450-F GAMING ROG STRIX B450-F GAMING II B450 **TUF GAMING B450-PLUS II** TUF B450-PRO GAMING TUF B450-PLUS GAMING TUF GAMING B4...

lang:es score:15 filesize: 636.87 K page_count: 4 document date: 2024-10-17



[pdf]

la liste de compatibilité carte mère ExpressSlot Slide MB204MP 1B MB204 compatible motherboards list fr icydock vancheerfile Files |||

Comment utiliser la liste: Localisez votre modle de carte 1 mre Carte mre Marque Marque du chipset Modle de Chipset Modle ASUS AMD ROG STRIX B450-E GAMING ROG STRIX B450-F GAMING ROG STRIX B450-F GAMING II B450 **TUF GAMING B450-PLUS II** TUF B450-PRO GAMING TUF B450-PLUS GAMING TUF GAMING B450M-P...

lang:pt score:15 filesize: 637.89 K page_count: 4 document date: 2024-10-17