

[Manuals.plus](#) /

› [Yale](#) /

› Yale Siena Interior Door Handle Instruction Manual

Yale 35-ZR-8x8-A002CE5611

Yale Siena Interior Door Handle Instruction Manual

Model: 35-ZR-8x8-A002CE5611

PRODUCT OVERVIEW

The Yale Siena door handle is designed for interior wooden doors, offering a modern and elegant aesthetic. This handle is rigorously tested for durability and corrosion resistance, ensuring long-lasting performance. It is suitable for doors with a thickness between 35mm and 50mm.



Image: Yale Siena Interior Door Handle, black finish, installed on a white interior door, showing its modern design.

PACKAGE CONTENTS

Before installation, ensure all components are present:

- Yale Siena Door Handle on rose (2 units for both sides of the door)
- Europrofile key covers (2 units)
- 8mm spindle
- Allen screw
- Mounting screws and fixings
- Installation instructions (this manual)

SETUP AND INSTALLATION

Follow these steps for proper installation of your Yale Siena door handle. This handle is designed for easy installation on wooden doors between 35mm and 50mm thick.

1. **Prepare the Door:** Ensure your door has the necessary cutouts for the latch mechanism and the 8mm square hub. The door thickness must be between 35mm and 50mm.
2. **Install the Latch Mechanism:** Insert the latch mechanism into the door edge. Secure it with screws (not explicitly mentioned in product details, but standard for latches).
3. **Insert the Spindle:** Pass the 8mm square spindle through the latch mechanism.
4. **Attach the Handles:** Place one handle on each side of the door, aligning the handle's square hub with the spindle. Ensure the handles are oriented correctly (lever pointing downwards when at rest).
5. **Secure the Handles:** Use the provided mounting screws to fix the handles to the door. The spindle includes a secure grub screw fixing to prevent loosening.
6. **Install Key Covers:** If using the Europrofile key covers, attach one to each side of the door, aligning them with the keyhole.




Image: Detailed dimensions of the Yale Siena door handle, showing handle length (127mm), rose size (53.5mm x 53.5mm), and handle projection (45mm).




Image: Dimensions of the square keyhole covers, each measuring 53.5mm x 53.5mm.

OPERATING INSTRUCTIONS

The Yale Siena door handle is designed for smooth and reliable operation.

- To open the door, simply press the lever handle downwards.
- Release the handle to return it to its horizontal resting position.
- If your door is equipped with a Europrofile cylinder lock, use the appropriate key to lock and unlock the door through the key covers.

The handle mechanism has been tested for 100,000 cycles to ensure consistent performance.

MAINTENANCE

To ensure the longevity and appearance of your Yale Siena door handle, follow these maintenance guidelines:

- **Cleaning:** Wipe the handle regularly with a soft, damp cloth. Avoid abrasive cleaners, solvents, or harsh chemicals, as these can damage the matte black finish.
- **Lubrication:** Periodically, apply a small amount of silicone-based lubricant to the internal moving parts of the latch mechanism (not the handle itself) to maintain smooth operation.
- **Tightening:** Check mounting screws periodically and tighten if necessary to prevent wobbling.
- **Corrosion Resistance:** The handle is tested for up to 96 hours for corrosion resistance, but prolonged exposure to moisture or harsh environments should be avoided for optimal lifespan.

TROUBLESHOOTING

If you encounter issues with your Yale Siena door handle, refer to the following common solutions:

- **Handle is loose:**
 - Check and tighten all mounting screws.
 - Ensure the grub screw on the spindle is securely fastened.
- **Handle is stiff or squeaky:**
 - Apply a silicone-based lubricant to the latch mechanism.
 - Ensure no debris is obstructing the mechanism.
- **Door does not latch properly:**
 - Verify that the latch mechanism is correctly aligned with the strike plate on the door frame. Adjust if necessary.
 - Check for any obstructions in the door frame or latch bolt path.

If problems persist, contact Yale customer support for further assistance.

SPECIFICATIONS

Model Number	35-ZR-8x8-A002CE5611
Brand	Yale
Material	Aluminium, Zinc
Color	Black (Matte finish)
Product Dimensions (L x W x H)	12.7 x 4.5 x 5.35 cm
Handle Size	127 mm x 12 mm x 45 mm
Rose Size	53.5 mm x 53.5 mm
Door Thickness Compatibility	35 mm to 50 mm
Spindle Size	8 mm square hub
Testing	100,000 cycles (performance), 96 hours (corrosion resistance)
Locking Type	Key lock (Europrofile key covers included)
Hand Orientation	Ambidextrous
Usage	Interior doors (kitchen, living room, etc.)

WARRANTY AND SUPPORT

Specific warranty details for the Yale Siena door handle are not explicitly provided in the product information. For warranty claims or detailed support, please refer to the official Yale website or contact their customer service directly. You can find more information and contact details on the official Yale website:www.yalehome.com For privacy-related information, you may visit: [Yale Privacy and Legal Center](#)

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question