

Baby Trend Ally 35

Baby Trend Ally 35 Infant Car Seat Instruction Manual

Model: Ally 35

1. INTRODUCTION

Thank you for choosing the Baby Trend Ally 35 Infant Car Seat. This manual provides essential information for the correct installation, safe use, and proper maintenance of your car seat. Please read all instructions carefully before using the product and keep this manual for future reference. Your child's safety depends on the proper installation and use of this car seat.

2. SAFETY INFORMATION

Always prioritize your child's safety. This car seat is designed for infants weighing between 4 and 35 pounds and up to 25 inches in height. Ensure the car seat is always installed in a rear-facing position in the vehicle.

- **Weight and Height Limits:** Use only for infants weighing 4-35 lbs and up to 25 inches tall.
- **Harness System:** Always secure your child using the 5-point adjustable safety harness. Ensure straps are snug and the chest clip is at armpit level.
- **Side Impact Protection:** The car seat features EPS energy-absorbing foam for superior side impact head protection.
- **Vehicle Installation:** Always install the car seat base securely using either the vehicle's LATCH system or the vehicle's seat belt. Refer to your vehicle's owner manual for specific car seat installation instructions.
- **Reversible Infant Insert:** The reversible infant insert is designed to cradle your child and provide additional comfort and support for smaller infants.

ANTI-REBOUND
PROTECTION
CARRY HANDLE

EXTRA-LARGE,
ADJUSTABLE
2-PANEL CANOPY

COLD WEATHER
BOOT COVER

1-HAND
EASY-ACCESS
SEAT RELEASE

4-POSITION
ADJUSTABLE
HEIGHT BASE

BUILT-IN BELT
LOCK-OFF



LESS THAN 4-35LBS AND FAA-APPROVED,
SAFETY CERTIFIED FOR STRESS-FREE TRAVEL

Image: Key safety features of the Baby Trend Ally 35 Infant Car Seat, including the 5-point harness and adjustable base.

3. PACKAGE CONTENTS

Your Baby Trend Ally 35 Infant Car Seat package includes:

- Two (2) Baby Trend Ally 35 Infant Car Seats
- Two (2) Car Seat Bases with LATCH connectors
- Two (2) Reversible Infant Inserts
- Two (2) Cold Weather Boot Covers
- Two (2) Adjustable Canopies
- This Instruction Manual

4. SETUP AND INSTALLATION

Proper installation is crucial for your child's safety. Follow these steps carefully.

4.1 Car Seat Base Installation

The car seat base can be installed using either the LATCH system or the vehicle's seat belt.

1. Place the car seat base on the vehicle seat in a rear-facing position.
2. **Using LATCH:** Locate the LATCH anchors in your vehicle. Attach the LATCH connectors from the car seat base to the vehicle's LATCH anchors. Tighten the LATCH strap until the base is secure and does not move more than one inch side-to-side or front-to-back.
3. **Using Vehicle Seat Belt:** Route the vehicle's lap and shoulder belt through the designated belt path on the car seat base. Buckle the seat belt and remove all slack. Engage the built-in belt lock-off to secure the belt tightly.
4. **Adjust Recline:** Use the 4-position push-button height adjustable base to achieve the correct recline angle. Verify the recline angle using the dual bubble level indicators on the base. The bubble must be within the green zone for proper installation.



Image: Car seat base components, including LATCH connectors and the bubble level indicator for proper recline.



Image: Side view demonstrating the 4-position adjustable recline of the car seat base.

4.2 Attaching the Infant Car Seat to the Base

1. Align the infant car seat with the installed base.
2. Lower the car seat onto the base until it clicks securely into place.
3. Pull up on the car seat to ensure it is firmly attached to the base.

4.3 Harness Adjustment

The 5-point harness must be properly adjusted to fit your child securely.

1. Place your child in the car seat.
2. Fasten the buckle and chest clip. The chest clip should be at armpit level.
3. Pull the harness adjustment strap to tighten the harness until it is snug against your child's body. You should not be able to pinch any excess webbing at the shoulder.
4. To loosen the harness, press the harness release button and pull the shoulder straps forward.



Image: Top view of the car seat showing the infant insert and harness system.

4.4 Video Installation Guide

Your browser does not support the video tag.

Video: Official installation guide for the Baby Trend Ally 35 Infant Car Seat, demonstrating base installation, LATCH connectors, and the reversible infant insert.

5. OPERATING INSTRUCTIONS

5.1 Securing Your Child

Always ensure your child is properly secured in the car seat before travel.

1. Place your child in the car seat, ensuring their back is flat against the seat back.
2. Bring the shoulder straps over your child's shoulders and connect the buckle tongues into the crotch buckle.
3. Slide the chest clip up to armpit level.

4. Tighten the harness until it is snug.

5.2 Adjusting the Canopy

The car seat features an adjustable canopy to protect your child from sun and elements.

- To extend the canopy, pull it forward over the child.
- To retract the canopy, push it back towards the handle.



Image: Car seat with the cold weather boot cover and canopy in use.



Image: Car seat with the canopy fully extended for sun protection.

5.3 Carrying the Car Seat

The multi-grip carry handle allows for easy transport of the car seat.

- Ensure the handle is locked in an upright position before lifting.
- Always carry the car seat with both hands when a child is inside.

6. MAINTENANCE AND CARE

Regular maintenance ensures the longevity and safety of your car seat.

- **Cleaning Fabric:** The deluxe seat pad and cozy car seat cover are removable for cleaning. Refer to the care labels for specific washing instructions. Typically, machine wash cold on a delicate cycle and air dry.
- **Cleaning Harness:** Wipe the harness straps with a damp cloth. Do not machine wash or submerge harness straps in water, as this may weaken them.

- **Cleaning Plastic/Metal Parts:** Wipe plastic and metal parts with a soft, damp cloth and mild soap. Do not use abrasive cleaners or solvents.
- **Inspection:** Periodically inspect the car seat for any signs of damage, wear, or missing parts. Do not use if damaged.

7. TROUBLESHOOTING

If you encounter issues with your Baby Trend Ally 35 Infant Car Seat, refer to the following common solutions.

- **Car Seat Not Secure:** Ensure the LATCH connectors or vehicle seat belt are tightened fully. Check the bubble level indicators for correct recline. Re-read Section 4.1 for detailed installation steps.
- **Harness Too Loose/Tight:** Adjust the harness using the adjustment strap and release button as described in Section 4.3. Ensure the chest clip is at armpit level.
- **Car Seat Difficult to Remove from Base:** Ensure the car seat release mechanism is fully engaged. Sometimes a slight jiggle while pressing the release button can help. Do not force removal.
- **Missing Parts:** Contact Baby Trend customer support immediately if any parts are missing from your package.

If problems persist, please contact Baby Trend customer support for assistance.

8. SPECIFICATIONS

Feature	Specification
Model	Ally 35
Minimum Weight Recommendation	4 pounds
Maximum Weight Recommendation	35 pounds
Maximum Height Recommended	25 inches
Installation Type	LATCH or Vehicle Seat Belt
Harness Type	5-Point
Number of Height Positions (Base)	4
Material Type	Foam (EPS energy-absorbing)
Dimensions (L x W x H)	27 x 18.5 x 25 inches
UPC	193802192629



INFANT CAR SEAT DIMENSIONS

27"
LENGTH

18.5"
WIDTH

25"
HEIGHT



MIN WEIGHT: 4 POUNDS



MAX WEIGHT: 35 POUNDS

Image: Detailed dimensions and weight limits for the Ally 35 Infant Car Seat.

9. WARRANTY AND SUPPORT

For warranty information, product registration, or customer support, please visit the official Baby Trend website or contact their customer service department. Keep your proof of purchase for any warranty claims.

Baby Trend Customer Service: Refer to the contact information provided on the product packaging or the official Baby Trend website.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question