

Infanti 232GYHN002TSGBK

INFANTI LOCK-IT Lifestyle Travel System User Manual

Model: 232GYHN002TSGBK

INTRODUCTION

Welcome to the INFANTI LOCK-IT Lifestyle Travel System. This innovative system is designed to provide convenience, safety, and style for parents and their babies, from newborn up to 15 kg. Featuring an ultra-compact fold and a luggage-style transport handle, it is an ideal solution for active parents and frequent travelers. The lightweight aluminum frame and leatherette finishes ensure durability and ease of use, adding a touch of sophistication to your journeys. This manual provides essential information for the safe and proper use, assembly, and maintenance of your travel system.

SAFETY INFORMATION

Always prioritize your child's safety. Read and understand all instructions before using the product. Failure to follow these instructions could result in serious injury or death.

- Never leave your child unattended in the stroller or car seat.
- Always use the 5-point harness system to secure your child. Ensure it is properly adjusted and snug.
- Do not overload the stroller or storage basket. Refer to specifications for weight limits.
- Ensure the stroller is fully locked and stable before placing your child in it.
- Engage the brakes when the stroller is stationary.
- Keep hands and fingers clear of moving parts when folding or unfolding the stroller.
- The infant car seat is designed for children from newborn up to 13 kg. The stroller is suitable for children up to 15 kg.
- Do not use accessories or replacement parts other than those approved by Infanti.
- Avoid placing hot liquids or heavy objects on the stroller handle.

COMPONENTS LIST

Before assembly, ensure all components are present:

- Stroller Frame with Seat and Canopy

- Infant Car Seat / Auto Seat
- Front Wheels (2)
- Rear Wheels (2)
- Accessory Basket (pre-attached)
- Safety Bar (removable)



Figure 1: Complete Travel System - Stroller and Infant Car Seat.

SETUP AND ASSEMBLY

1. Unfolding the Stroller

1. Place the folded stroller on a flat surface.
2. Release the folding latch, usually located on the side of the frame.
3. Lift the handle upwards until the stroller frame clicks into its fully open and locked position. Ensure all locking mechanisms are engaged.

2. Attaching the Wheels

- **Front Wheels:** Insert the front wheel assemblies into the designated slots on the front legs of the stroller until they click securely into place.
- **Rear Wheels:** Slide the rear wheel assemblies onto the rear axle until they lock.
- Pull on each wheel to ensure it is firmly attached.

3. Attaching the Safety Bar

Align the safety bar with the attachment points on both sides of the stroller seat and push until it clicks into place. It is removable for easier child placement.

LOCK-IT^{TS}

Lifestyle
by
infanti[®]

CARRIOLA



Arnés de
5 puntos



Plegado ultra
compacto



Toldo
completo



PORTA BEBÉ/AUTOASIENTO

Con base grupo M0+
Desde recién nacido hasta 13 kg



CARRIOLA

Comodidad y versatilidad
Plegado ultra compacto

Figure 2: Key features of the LOCK-IT Travel System, including the 5-point harness and ultra-compact fold.

OPERATING INSTRUCTIONS

1. Using the 5-Point Harness

Always secure your child with the 5-point harness.

1. Place your child in the seat.
2. Bring the shoulder straps over the child's shoulders and the waist straps around their hips.
3. Connect the two buckle prongs into the central buckle until they click.
4. Adjust the straps to ensure a snug fit, leaving no more than one finger's width between the strap and your child's collarbone.

LOCK-IT^{TS}

Lifestyle
by
infanti[®]

CARRIOLA



Recién nacido
hasta 15 kg

Toldo completo
con visera

Arnés de 5 puntos
de sujeción

Canastilla
para accesorios

Descansapiernas
ajustable



Figure 3: Stroller features including the 5-point harness and adjustable leg rest.

2. Reclining the Seat

The stroller seat offers multiple recline positions for your child's comfort. Locate the recline mechanism (usually a strap or lever) behind the seat and adjust to the desired angle.

3. Folding the Stroller (Ultra-Compact One-Hand Fold)

The LOCK-IT Travel System features an ultra-compact one-hand fold for easy storage and transport.

1. Ensure the canopy is fully retracted and the seat is in an upright position.
2. Locate the folding mechanism on the handle or frame (refer to product specific instructions if needed).
3. Activate the mechanism and push the handle forward and down until the stroller folds compactly.
4. Secure the folding latch to keep the stroller in its folded position.
5. Extend the luggage-style transport handle for easy pulling.

LOCK·IT^{TS}

Lifestyle
by
infanti[®]

ULTRA-COMPACTO



Estructura ligera de aluminio
durabilidad y facilidad de manejo



Con agaradera de transporte
para llevarla como maleta

Figure 4: Ultra-compact fold and luggage-style transport handle.

4. Using the Infant Car Seat / Auto Seat

The included infant car seat is suitable for newborns up to 13 kg and can be used as a car seat or attached to the stroller frame.

- **Attaching to Stroller:** Align the car seat with the stroller's attachment points (usually where the safety bar connects) and press down firmly until it clicks into place. Ensure it is securely fastened by gently pulling upwards.
- **Removing from Stroller:** Locate the release levers (typically on the sides or back of the car seat) and lift the car seat off the stroller frame.
- **In Vehicle:** Always refer to the separate car seat manual for detailed installation instructions in a vehicle. Ensure the car seat is installed correctly using the vehicle's seat belt system.

LOCK·IT^{TS}

Lifestyle
by
infanti[®]

PORTABEBÉ



Recién nacido
hasta 13 kg



Portabebé ajustable
a la carriola

Figure 5: Infant car seat attached to the stroller.

MAINTENANCE AND CARE

- **Cleaning Fabric:** Use a mild soap and cold water solution to spot clean fabric parts. Do not use bleach. Air dry completely.
- **Cleaning Frame:** Wipe the aluminum frame with a soft, damp cloth. Dry thoroughly to prevent rust.
- **Wheels:** Regularly check wheels for debris and clean as needed. Lubricate moving parts with a silicone-based lubricant if they become stiff.
- **Storage:** Store the travel system in a dry place, away from direct sunlight and extreme temperatures.
- **Inspections:** Periodically check all fasteners, rivets, and stitching to ensure they are secure and undamaged.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Stroller difficult to fold/unfold.	Folding mechanism obstructed or not fully engaged.	Ensure canopy is retracted and seat is upright. Check for any obstructions. Apply light lubricant to moving parts if necessary.
Wheels squeak or do not turn smoothly.	Debris in wheel mechanism or lack of lubrication.	Clean wheels and axles. Apply a silicone-based lubricant to the wheel bearings.
Harness straps are too tight or too loose.	Incorrect adjustment.	Refer to "Using the 5-Point Harness" section to properly adjust straps for a snug fit.
Car seat does not attach securely to stroller.	Misalignment or obstruction.	Ensure car seat is correctly aligned with attachment points. Check for any debris in the locking mechanism. Push down firmly until it clicks.

SPECIFICATIONS

Feature	Detail
Model Number	232GYHN002TSGBK
Target Gender	Unisex
Material Type	Aluminum (Frame)
Stroller Weight Capacity	Up to 15 kg
Infant Car Seat Weight Capacity	Newborn up to 13 kg
Assembled Dimensions (L x W x H)	100 cm x 55 cm x 32 cm (approx. 39.4 x 21.7 x 12.6 inches)
Folded Dimensions (L x W x H)	44 cm x 43 cm x 28 cm (approx. 17.3 x 16.9 x 11 inches)
Product Weight	10.1 kg (approx. 22.3 lbs)
Wheel Type	Swivel
Batteries Required	No

LOCK·IT^{TS}

Lifestyle
by
infanti®

MEDIDAS



Carriola plegada

28x43x44 cm



Carriola armada

105.5x43x82 cm

Figure 6: Stroller dimensions in folded and assembled states.

WARRANTY AND SUPPORT

For warranty information, product support, or to purchase replacement parts, please contact Infanti customer service. Keep your proof of purchase for warranty claims.

Contact Information: Please refer to the Infanti official website or the packaging for the most current contact details.

