K&F CONCEPT K&F Concept 58mm UV/CPL/ND Lens Filter Kit

K&F Concept 58mm UV/CPL/ND Lens Filter Kit Instruction Manual

Model: K&F Concept 58mm UV/CPL/ND Lens Filter Kit

1. Introduction

This instruction manual provides essential information for the proper use and care of your K&F Concept 58mm UV/CPL/ND Lens Filter Kit. This kit is designed to enhance your photography by offering three distinct filters: a UV filter for protection and ultraviolet light reduction, a CPL (Circular Polarizer) filter for managing reflections and enhancing colors, and an ND4 (Neutral Density) filter for controlling exposure in bright conditions. The kit also includes a dedicated filter pouch and a microfiber cleaning cloth for convenience and maintenance.
The filters are crafted from high-quality optical glass with 18 layers of nanometer coatings, designed to minimize reflections and preserve image quality. They are universally compatible with any camera lens featuring a 58mm filter thread.



Image 1.1: Overview of the K&F Concept 58mm UV/CPL/ND Lens Filter Kit, showing the UV, CPL, and ND4 filters, along with the filter pouch and cleaning cloths.

2. Setup

2.1 Verifying Lens Compatibility

Before attaching any filter, ensure your camera lens has a 58mm filter thread. This size is typically indicated by a "Ø" (diameter) symbol on your lens barrel or lens cap.

2.2 Attaching a Filter

1. Gently remove the lens cap from your camera lens.
2. Select the desired filter (UV, CPL, or ND4).
3. Align the filter's threads with the threads on your lens.
4. Carefully rotate the filter clockwise until it is securely fastened. Avoid overtightening to prevent damage to both the filter and your lens. The CNC frame design enhances friction for easier installation and removal.



Image 2.1: The K&F Concept filters and their protective pouch, illustrating the components ready for use.

3. Operating the Filters

3.1 UV Filter (MCUV)

The UV filter serves two primary functions:

- **Lens Protection:** It acts as a protective barrier against dust, scratches, and minor impacts, safeguarding your valuable lens element.
- **UV Ray Reduction:** It helps to reduce the amount of ultraviolet light reaching the camera sensor, which can sometimes cause a slight haze or blue cast in outdoor photographs, particularly at high altitudes or over long distances.



Image 3.1: A visual representation of the MCUV filter's function, showing a clear filter and its protective benefits against UV rays.

3.2 CPL Filter (Circular Polarizer)

The CPL filter is used to manage reflections and enhance colors:

- **Glare Reduction:** It significantly reduces glare from non-metallic surfaces such as water, glass, and foliage. To achieve the desired effect, rotate the outer ring of the CPL filter while looking through your camera's viewfinder or live view. The effect will vary depending on the angle of rotation and the light source.
- **Color Enhancement:** By reducing reflections, the CPL filter can deepen blue skies, make clouds more prominent, and increase the saturation of colors, especially in landscapes.



Image 3.2: An example of a CPL filter's effect, showing a vibrant landscape with reduced glare on water and enhanced sky colors.

3.3 ND4 Filter (Neutral Density)

The ND4 filter is a neutral density filter that reduces the amount of light entering your lens by 2 stops. This allows for:

- **Slower Shutter Speeds:** Useful in bright conditions to achieve longer exposure times, creating motion blur effects for water, clouds, or moving subjects.
- **Wider Apertures:** Enables the use of wider apertures in bright light to achieve a shallower depth of field, isolating your subject with a blurred background.



Image 3.3: A demonstration of the ND4 filter's effect, showing a scene with a silky smooth water effect due to extended exposure.



Image 3.4: Side-by-side comparison photos demonstrating the visual impact of using UV, CPL, and ND filters compared to no filter.

4. Maintenance

4.1 Cleaning the Filters

The included microfiber cleaning cloth is designed to be static-free and highly effective for removing dust, fingerprints, and smudges from your filters and camera lenses. For stubborn marks, a specialized lens cleaning solution can be used sparingly with the cloth.



Image 4.1: A vacuum-packaged cleaning cloth being used to clean a camera lens, highlighting the importance of a clean surface.

4.2 Storage

The custom filter pouch is designed to hold up to three filters, simplifying transport and organization. It features separate compartments to prevent collision and friction between filters, ensuring their longevity. The pouch is made from waterproof material, offering additional protection.




Image 4.2: The compact, folding design of the filter pouch, showcasing its waterproof material and internal separate compartments for secure storage.

4.3 General Care

- Always handle filters by their edges to avoid leaving fingerprints on the glass surface.
- Store filters in their protective pouch when not in use.
- Avoid exposing filters to extreme temperatures or harsh chemicals.

5. Troubleshooting

5.1 Filter Not Fitting

If a filter does not screw onto your lens, re-verify your camera's lens thread size. The K&F Concept kit is specifically for 58mm lenses. Attempting to force a filter onto an incorrect thread size can damage both the filter and the lens.

5.2 Dust Between Filter and Lens

Ensure both the filter and the front element of your lens are thoroughly cleaned before attaching the filter. Even small dust particles can become trapped and visible in your images. Use the provided microfiber cloth for this purpose.

5.3 Vignetting (Dark Corners)

In some cases, particularly with wide-angle lenses, you might observe slight vignetting (darkening of the corners) when using filters. This is a common optical phenomenon. Minor vignetting can often be corrected during post-processing using photo editing software.

6. Specifications

Feature	Specification
Product Dimensions	2.28 x 2.28 x 0.04 inches
Item Weight	4.6 ounces
Brand	K&F CONCEPT
Material	Optical Glass
Photo Filter Thread Size	58 Millimeters
Coating Description	Multi Coating (18 layers)
Photo Filter Effect Type	UV, Polarizer, Neutral Density
Water Resistance Level	Not Water Resistant (Pouch is waterproof)
Photo Filter Factor (ND4)	4x (2 stops)

7. Warranty and Support

For warranty information, technical support, or any inquiries regarding your K&F Concept 58mm UV/CPL/ND Lens Filter Kit, please refer to the official K&F Concept website or contact their customer service directly. Contact details are typically available on the product packaging or the manufacturer's website.

© 2025 K&F CONCEPT. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question