

Bayrol AS7

Bayrol Technique Automatic Salt AS7

Automatic Water Treatment System

INTRODUCTION

This manual provides essential information for the installation, operation, and maintenance of your Bayrol Technique Automatic Salt AS7 system. The Automatic Salt AS7 is designed for comprehensive and automatic water treatment in swimming pools, continuously measuring and controlling pH levels and disinfectant levels (via redox potential). Please read this manual thoroughly before installation and operation to ensure safe and efficient use of the device.

SAFETY INFORMATION

Always observe the following safety precautions to prevent personal injury or damage to the equipment:

- Ensure the power supply is disconnected before performing any installation, maintenance, or troubleshooting.
- Installation and electrical connections must be performed by qualified personnel in accordance with local regulations.
- Keep the device away from direct sunlight, extreme temperatures, and corrosive chemicals.
- Do not operate the system if any part is damaged or if there are signs of leakage.
- Use only genuine Bayrol replacement parts and accessories.
- Keep children and unauthorized persons away from the device during operation.

PRODUCT OVERVIEW

The Bayrol Technique Automatic Salt AS7 system integrates advanced technology for automated pool water management. Key components include the main control unit with a 4.3-inch touchscreen, the electrolysis cell, and various sensors for pH and redox measurement.



Figure 1: Front view of the Bayrol Technique Automatic Salt AS7 main control unit. This unit houses the intuitive 4.3-inch touchscreen display for system control and monitoring.



Figure 2: The Automatic Salt AS7 main unit shown alongside its electrolysis cell. The cell is responsible for converting salt into chlorine for disinfection.



Figure 3: Complete system components including the main unit, electrolysis cell, and flow switch. The flow switch ensures the system operates only when water is flowing.

The system features a Low Salt Technology, operating effectively with salt concentrations as low as 1.5 g/l. Its Smart & Easy connector system simplifies installation with an all-in-one component support and color-coded connectors.

SETUP AND INSTALLATION

The Bayrol Technique Automatic Salt AS7 is designed for easy installation. Follow these steps for a successful setup:

1. **Mounting the Main Unit:** Select a dry, well-ventilated location near your pool's filtration system, away from direct sunlight and heat sources. Securely mount the main control unit to a wall using appropriate fasteners.
2. **Installing the Smart & Easy Connector:** The all-in-one component support simplifies the connection of sensors and the electrolysis cell. Install this support into your pool's circulation pipework according to the provided plumbing diagram. Ensure proper sealing to prevent leaks.
3. **Connecting the Electrolysis Cell:** Connect the electrolysis cell to the cell support using the screw fittings. Ensure the cell is oriented correctly as indicated in the installation guide.
4. **Connecting Sensors:** Connect the pH and redox sensors to their respective color-coded ports on the main unit. Calibrate sensors as per the initial setup wizard.
5. **Electrical Connection:** Connect the system to a dedicated power supply, ensuring it is protected by a residual current device (RCD). Refer to the electrical wiring diagram for correct connections.

6. **Initial Commissioning:** Power on the device. The integrated commissioning assistant will guide you through the initial setup, including language selection, time/date settings, and sensor calibration.

For detailed plumbing and electrical diagrams, please refer to the separate installation guide included with your product packaging.

OPERATING INSTRUCTIONS

The Automatic Salt AS7 features an intuitive 4.3-inch touchscreen display and an easy-to-navigate graphical user interface (GUI).

- **Main Screen:** Displays current pH and redox values, system status, and active modes.
- **Menu Navigation:** Tap the screen to access the main menu. Use swipe gestures or arrow icons to navigate through options such as settings, calibration, history, and manual control.
- **Setting Target Values:** Adjust desired pH and disinfectant (redox) levels through the 'Settings' menu. The system will automatically work to maintain these values.
- **Calibration:** Regular calibration of pH and redox sensors is crucial for accurate readings. Access the 'Calibration' menu and follow the on-screen prompts using appropriate calibration solutions.
- **Manual Control:** In specific situations, you can manually override automatic operation to activate or deactivate dosing pumps or the electrolysis cell. Use this feature with caution.
- **Alarms and Notifications:** The system will display on-screen alerts for low salt levels, sensor errors, or other operational issues. Address these promptly.

For a comprehensive guide on all menu functions and advanced settings, consult the detailed operating manual accessible via the device's interface or the provided documentation.

MAINTENANCE

Regular maintenance ensures the longevity and optimal performance of your Bayrol Technique Automatic Salt AS7 system.

- **Sensor Cleaning:** Periodically inspect and clean the pH and redox sensors. Deposits can affect accuracy. Use a soft brush and a mild cleaning solution recommended by Bayrol.
- **Electrolysis Cell Inspection:** Check the electrolysis cell for scale buildup. If necessary, clean the cell using a diluted acid solution specifically designed for cell cleaning, following the manufacturer's instructions.
- **Salt Level Monitoring:** Although the system monitors salt levels, it is advisable to periodically check the pool's salt concentration manually to ensure it remains within the recommended range (1.5 g/l minimum).
- **Software Updates:** Check the Bayrol website for any available software updates for your device. Updates can improve performance and add new features.
- **Winterization:** During winter months or extended periods of inactivity, follow the winterization procedures outlined in the full manual to protect the system from freezing and damage.

TROUBLESHOOTING

This section provides solutions to common issues you might encounter with your Automatic Salt AS7 system.

Problem	Possible Cause	Solution
---------	----------------	----------

Problem	Possible Cause	Solution
pH reading is inaccurate or stable	Sensor dirty or needs calibration; sensor faulty.	Clean and recalibrate the pH sensor. If problem persists, replace sensor.
Disinfectant (Redox) level too low	Low salt level; dirty electrolysis cell; faulty redox sensor; insufficient run time.	Check and adjust salt level. Clean electrolysis cell. Calibrate/replace redox sensor. Increase system run time.
System not producing chlorine	Low salt level; dirty/damaged electrolysis cell; no water flow detected.	Add salt to the pool. Clean or replace the electrolysis cell. Check pool pump and flow switch.
"No Flow" error message	Pool pump off; clogged filter; faulty flow switch.	Ensure pool pump is running. Backwash/clean filter. Inspect or replace flow switch.

If you encounter issues not listed here or if the suggested solutions do not resolve the problem, please contact Bayrol customer support.

SPECIFICATIONS



- **Model:** Automatic Salt AS7
- **Brand:** Bayrol Technique
- **Water Treatment:** Automatic pH and Disinfectant (Redox) control
- **Salt Technology:** Low Salt (operates from 1.5 g/l salt)
- **Display:** 4.3-inch Touchscreen
- **Connectivity:** Smart & Easy connector system
- **Origin:** Designed and manufactured by Bayrol TECHNIK, Germany
- **Application:** Swimming Pool Water Treatment

WARRANTY AND SUPPORT


Your Bayrol Technique Automatic Salt AS7 system comes with a manufacturer's warranty covering defects in materials and workmanship. Please refer to the warranty card included with your product for specific terms and conditions, including warranty period and coverage details.

For technical support, spare parts, or service inquiries, please contact your authorized Bayrol dealer or visit the official Bayrol website. When contacting support, please have your product model number (AS7) and serial number ready.

Related Documents


	BAYROL Salt RelaxNXT Pool Chlorinator User Manual Comprehensive user manual for the BAYROL Salt RelaxNXT, covering installation, operation, water chemistry, maintenance, technical specifications, and safety instructions for maintaining a salt water swimming pool.
	BAYROL Hiverdays 2025 Promotion: Rules and Participation Official rules for the BAYROL Hiverdays 2025 deferred refund promotion for pool products. Valid in metropolitan France from September 1 to December 31, 2025. Learn how to participate and claim your refund.
	BAYROL Analyt 2 / Analyt 3 Instruction Manual: Swimming Pool Water Treatment Comprehensive guide to BAYROL Analyt 2 and Analyt 3 systems for swimming pool water measurement, control, and dosing. Covers installation, operation, pH, chlorine, redox, safety features, and troubleshooting.
	BAYROL Pool Winterization Guide: Expert Tips for Carefree Start Comprehensive guide from BAYROL on how to properly winterize your swimming pool. Follow expert advice for active and dynamic winterization, including phase-by-phase instructions and product recommendations for a smooth start to the next season.

Documents - Bayrol – AS7



[pdf]

BAYROL Technik Explosionszeichnung Schwimmbadbau24 info@bayrol.de · bayrol Nummer Art Nr
Bezeichnung 1 191050 AUTOMATIC SALT CONTROLLER AS5 AS7 2 191052 PUMPENROTOR M 3
191053 SCHLAUCHSET Automatic 191000 191100 schwimmbadbau24 mediafiles |||
Explosionszeichnung Bezeichnungen Teile Nummer 1 2 3 4 5 6 7 8 9 10 11 12 13 14
15 16 17 18 19 20 ... 50025 150025 150016 191038 191037 184843 186060 186089
Bezeichnung AUTOMATIC SALT CONTROLLER AS5 / **AS7** PUMPENROTOR M
SCHLAUCHSET AUTOM. M PUMPENDECKEL AUTOM. M PUMPENABDECKUNG
AUTOMATIC SALT ZE...
lang:de score:27 filesize: 238.37 K page_count: 2 document date: 2021-02-09



[pdf]


BAYROL Technik Explosionszeichnung Bayrol Nummer Art Nr Bezeichnung 1 191060 AUTOMATIC SALT CONTROLLER AS5 AS7 2 191052 PUMPENROTOR M 3 191053 SCHLAUCHSET AUTOM

Automatic bayrol de sites files product file 2025 04 30 apr — |||

Explosionszeichnung Bezeichnungen Teile Nummer 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 ... 50025 150025 150016 191038 191037 184843 186060 186089

Bezeichnung AUTOMATIC SALT CONTROLLER AS5 / **AS7** PUMPENROTOR M SCHLAUCHSET AUTOM. M PUMPENDECKEL AUTOM. M PUMPENABDECKUNG AUTOMATIC SALT ZE...

lang:de score:26 filesize: 261.46 K page_count: 2 document date: 2022-06-01




[pdf]

BAYROL Technik Vue Éclatée Bayrol No Art Désignation 1 191050 AUTOMATIC SALT CONTROLLER AS5 AS7 2 191052 ROTOR DE POMPE AUTOM M 3 191053 TUYAU Automatic Salt 191000 191100

bayrol sites files product file 2022 06 |||

Vue clate Dsignation Pices No. Art.-No. Dsignation 1 191050 AUTOMATIC SALT CONTROLLER AS5 / **AS7** 2 191052 ROTOR DE POMPE AUTOM. M 3 191053 TUYAU DE POMPE AUTOM. M 4 191054 COUVERCLE DE POMPE AUTOM. M 5 191055 CAPOT POMPE AUTOMATIC SALT 6 191034 CELLULE 7-PLAQUES 7 19103...

lang:es score:26 filesize: 238.34 K page_count: 2 document date: 2021-02-09



[pdf]

AutomaticSalt pH Francois Fasquel BAYROL TECHNIK Page 1 pooldirekt Nov 4 2020 · All in one


Komponentenhalter Sensor Rx Temperatursensor Paddel Flow Switch Impfventil für Minus

I776gxFBxF0mM at media af 3c 6b |||

BAYROL 04.11.2020 BAYROL TECHNIK Page 1. AutomaticSalt Image simulated, not final BAYROL ... maticSalt Komponenten Die Produktionszelle - 2 Zellentypen -

AutomaticSalt AS5: - AutomaticSalt **AS7**: 5 Platten 7 Platten 13,5 g/h 2 g/l 17 g/h 2 g/l 16 g/h 3,5 g/l 23 g/h 3,5 g/l - Sep...


lang:de score:23 filesize: 1.3 M page_count: 14 document date: 2020-11-19



[\[pdf\]](#)

BAYROL Technik Vue Éclatée Descours Cabaud Page 2 France SAS Chemin des Hirondelles · BP52
69572 Dardilly Cedex Tél 04 72 53 23 60 bayrol fr No Art Désignation 1 Automatic Salt 191500 191700
medias descours cabaud d180001 docus 182 Bayrol 2024 06 30 — 191060 AUTOMATIC SALT
CONTROLLER AS5 AS7 191052 ROTOR DE POMPE AUTOM M 3 191053 TUYAU Piscine SPA TA
Ecotherm sites files product file 2022 Télécharger les pièces détachéesVue BayrolVue 1BAYROL
PooltechVue 12024 MPiscine EcothermAutomatic 191700v1Automatic 191700Automatic 191700medias
191700pooltech info 08 PIECES DETACHEESbayrol 191700bayrol ||| ||| Vue clate Dsignation Pices No.
Art.-No. Dsignation 1 191060 AUTOMATIC SALT CONTROLLER AS5 / AS7 2 191052 ROTOR DE
POMPE AUTOM. M 3 191053 TUYAU DE POMPE AUTOM. M 4 191054 COUVERCLE DE POMPE
AUTOM. M 5 191055 CAPOT POMPE AUTOMATIC SALT 6 191
Vue clate Dsignation Pices No. Art.-No. Dsignation 1 191060 AUTOMATIC SALT
CONTROLLER AS5 / **AS7** 2 191052 ROTOR DE POMPE AUTOM. M 3 191053
TUYAU DE POMPE AUTOM. M 4 191054 COUVERCLE DE POMPE AUTOM. M 5
191055 CAPOT POMPE AUTOMATIC SALT 6 191034 CELLULE 7-PLAQUES 7
19103...

lang:es score:22 filesize: 238.37 K page_count: 2 document date: 2022-06-01



[\[pdf\]](#)

BAYROL Technik Explosionszeichnung Salzelektrolyse Automatic Salt AS5 WIFI Wasserpflege POOL
pooldirekt der Traum vom eigenen Schwimmbad SALT at media 5f 82 ec AS 5 bis 70m³ Pool AS7 für zu
140 m³ Pools 191500 191700 pooltotal Anleitung NEU DE de 238 KB Bayrol WiFi 1 poolpowershop 6b 93
14 1676454186 poolmeister24 2023 02 KBBayrol 191700Salzelektrolyse SchwimmbadBAYROL
SalzelektrolyseBAYROL PoolsSalzelektrolyse SchwimmbadMeranus Poolroboter POWER 4 kompakter
leistungsstarker Schwimmba POOLBAUERExplosionszeichnung 1Automatic
ExplosionszeichnungExplosionszeichnung SALTExplosionszeichnung 191700Explosionszeichnung
SALTAutomatic ExplosionszeichnungAutomatic SALTpoolpowershop 1pooldirekt
Explosionszeichnungpooltotal SALTpooltotal 191700pooltotal SALTpooldirekt
Explosionszeichnungpooldirekt 191700poolmeister24 Explosionszeichnungpoolmeister24 SALTbayrol
sites bayrol files product file 2022 06 191700cdn shopify s 0742 4904 4232 v 1718054570 |||
Explosionszeichnung Bezeichnungen Teile Nummer 1 2 3 4 5 6 7 8 9 10 11 12 13 14
15 16 17 18 19 20 ... 50025 150025 150016 191038 191037 184843 186060 186089
Bezeichnung AUTOMATIC SALT CONTROLLER AS5 / **AS7** PUMPENROTOR M
SCHLAUCHSET AUTOM. M PUMPENDECKEL AUTOM. M PUMPENABDECKUNG
AUTOMATIC SALT ZE...

lang:de score:22 filesize: 238.4 K page count: 2 document date: 2022-06-01



[pdf] Tech Sheet Datasheet Warranty

Datasheet Bayrol Automatic Salt Blue Cube Direct BlueCube bluecubedirect co uk 2023 11 |||

Technical Datasheet Automatic SALT is a very high quality salt electrolysis treatment device: effic ... or, inline analysis and dosing chamber References: 191500 Automatic SALT AS5 191700 Automatic SALT **AS7** *Controller and cell guaranteed for 3 years.

Other components, see BAYROL warranty policy. MA...

lang:en score:21 filesize: 176.75 K page_count: 2 document date: 2022-09-12



[pdf] Tech Sheet Datasheet Warranty

11 21 34 59 068 Technical sheet A4 indd Bayrol Automatic Salt Tech Sheet allswimltd |||

Technical Datasheet Automatic SALT is a very high quality salt electrolysis treatment device: effic ... or, inline analysis and dosing chamber References: 191500 Automatic SALT AS5 191700 Automatic SALT **AS7** *Controller and cell guaranteed for 3 years.

Other components, see BAYROL warranty policy. MA...

lang:en score:21 filesize: 1.13 M page_count: 2 document date: 2023-11-22



[pdf] Tech Sheet Datasheet Warranty

Automatic Salt Leaflet Bayrol — Lighthouse Pools 59068 Technical sheet EN lowres lighthousepools co uk s |||

Technical Datasheet Automatic SALT is a very high quality salt electrolysis treatment device: effic ... or, inline analysis and dosing chamber References: 191500 Automatic SALT AS5 191700 Automatic SALT **AS7** *Controller and cell guaranteed for 3 years.

Other components, see BAYROL warranty policy. MA...

lang:en score:21 filesize: 176.16 K page_count: 2 document date: 2022-09-12



[pdf]

Automatic Salt es un sistema de tratamiento por electrólisis salina. Ámbito aplicación: clorador salino completo que ofrece una calidad de agua impecable para piscinas. Salada. ficha técnica Automatic Salt Bayrol 2035. naturclara files products ficha 2035. srsltid AfmBOoq61fkqFyo93Rt3GLXV SIBXiVtdkQsT15gic jUemgaVakVWm 2035. ficha jUemgaVakVWmnaturclara AfmBOoqwhwHXVXsxJ CQ7QXQ0gldQmFcX0SLuZKugHGwzGgKuO9GCD9Q salina Automatic salada Automatic AS7 salina muy alta Tel 93 7130 743 · bayrol@bayrol.es ficha AfmBOOr Kjt7yv7 ZB2tW57bEFAx6Jul88zexomIVctxp0fMKe xjYtnaturclara ||| ||| Automatic Salt es un sistema de tratamiento por electrólisis salina de muy alta calidad: eficiente, intuitivo, duradero. mbito de aplicacin Automatic Salt es un clorador salino completo que ofrece una calidad de agua impecable para piscinas ||| Automatic Salt es un sistema de tratamiento por electrólisis salina de muy alta calidad: eficiente, intuitivo, duradero. mbito de aplicacin Automatic Salt es un clorador salino completo que ofrece una calidad de agua impecable para piscinas Automatic Salt es un sistema de tratamiento por electrólisis salina de muy alta calidad: eficiente, intuitivo, duradero. i ... r de caudal tipo paleta y detector de Referencias 191002 191102 Automatic Salt AS5 Automatic Salt **AS7** gas Entrada de contacto para cubierta Entrada de contacto para sensor del nivel bajo de la ga... lang:es score:21 filesize: 950.08 K page_count: 2 document date: 2024-08-26

[pdf] Tech Sheet Datasheet Warranty

11 21 34 59 068 Technical sheet A4 indd Automatic SALT is a very high quality salt electrolysis treatment device. Designed and manufactured in Germany fulfils all BAYROL Technik criteria 191500 AS5 191700 AS7 Bayrol Salt Tech Sheet allswimltd Bayrol Sheet srsltid AfmBOoqAQbhuX qM8walPpQqdKzWVrpWnWxXknVo0Sf5WUQYozT4HT28 device Automatic AS7 Designed OPERATION In addition to producing chlorine from the in Bayrol Sheet Bayrol qM8walPpQqdKzWVrpWnWxXknVo0Sf5WUQYozT4HT28 allswimltd AfmBOoqryow1j 4fGrZ C8 yAkVK5tTEla4zvC5l 4Jl8FicQ4c1Ono ||| ||| Technical Datasheet Automatic SALT is a very high quality salt electrolysis treatment device: efficient, intuitive, durable. FIELD OF APPLICATION Automatic SALT is a complete salt electrolysis system, for an outstanding water quality in all Automatic SALT is a very high quality salt electrolysis treatment device: efficient, intuitive, durable. References: 191500 Automatic SALT AS5 191700 Automatic SALT **AS7** *Controller and cell guaranteed for 3 years. Other components, see BAYROL warranty policy. MA... lang:en score:21 filesize: 1.13 M page_count: 2 document date: 2023-11-22



[pdf] User Manual

Technisches Datenblatt BAYROL Automatic SALT AS 5 bis 70m³ Pool Salzelektrolyse Salt pool total Anleitung ||| Technisches Datenblatt *3 Jahre Garantie auf Gert und Zelle. Pumpenschluche, Impfventile und Drucks ... r, Inline Analyse- und Dosierkammer Artikelnummer: 191000 Automatic SALT AS5 191100 Automatic SALT **AS7** MAXIMALES BECKENVOLUMEN Automatic SALT AS 5 Salzgehalt 2 g/l 3,5 g/l Temperatur 28 C 7... lang:de score:21 filesize: 182.16 K page_count: 2 document date: 2020-11-10



[pdf] User Manual

Automatic SALT ist das vollautomatische Salzelektrolyse System Effizient intuitiv langlebig Ulotka DE
Elektrolizer Generator Chloru Bayrol Salt wszyszkodobasenow pl p file

3bc5c645a1ec90f9229132b39a195798 |||

Technisches Datenblatt Automatic SALT ist das vollautomatische Salzelektrolyse-System: Effizient, in ... r, Inline Analyse- und Dosierkammer
Artikelnummer: 191000 Automatic SALT AS5 191100 Automatic SALT **AS7** *3 Jahre
Gewährleistung auf Gert und Zelle. Siehe BAYROL-Gewährleistungbestimmungen.
MAXIMALES ...

lang:de score:20 filesize: 189.41 K page_count: 2 document date: 2022-01-18



[pdf] Tech Sheet

Automatic SALT es un sistema de34063 0B0101 Technical sheet ES A4 Printbayrol sites bayrol files
product file 2021 02 34063 Print |||

Ficha técnica Automatic SALT es un sistema de tratamiento por electrolisis salina de
muy alta calidad ... marca de análisis y dosificación en línea Referencias: 191002
Automatic SALT AS5 191102 Automatic SALT **AS7** *Caja y cula garantizados 3 años.
Otros componentes, véase la política de garantía de BAYROL. VO...

lang:es score:20 filesize: 1.29 M page_count: 2 document date: 2021-01-27



[pdf] User Manual Flyer

Flyer Automatic SaltBAYROL Salt AS7 inkl pH und Rx Messung mit Wifi ModulFlyer SALT 2022cdn
shopify s files 1 0873 9045 4102 2022 v 1746018741 |||

Automatic SALT ist das vollautomatische Salzelektrolyse-System: Effizient, intuitiv,
langlebig. NEU ... anursure-Gehalt zwischen 30 50 mg/l. Artikelnummer: 191500
AutomaticSALT AS5 191700 AutomaticSALT **AS7** TECHNISCHE DATEN
LIEFERUMFANG AutomaticSALT Controller Elektrolysezelle, 5 oder 7 Platten S...

lang:de score:20 filesize: 428.25 K page_count: 2 document date: 2022-08-05



[pdf] User Manual

Meranus Poolroboter POWER 4 kompakter leistungsstarker Schwimmba POOLBAUERproduktdatenblatt

bayrol Automatic Saltcdn shopify s files 1 0742 4904 4232 produktdatenblatt Salt v 1718054492 |||

Technisches Datenblatt *3 Jahre Garantie auf Gert und Zelle. Pumpenschluche, Impfventile und Drucks ... r, Inline Analyse- und Dosierkammer Artikelnummer: 191000 Automatic SALT AS5 191100 Automatic SALT **AS7** MAXIMALES BECKENVOLUMEN Automatic SALT AS 5 Salzgehalt 2 g/l 3,5 g/l Temperatur 28 C 7...

lang:de score:20 filesize: 182.16 K page_count: 2 document date: 2020-11-10



[pdf]

Automatic SALT ist das vollautomatische Salzelektrolyse 30 apr 2025 — sorgt für einen konstanten pH Wert und Desinfektionsmittelgehalt Die Elektrolysezelle erzeugt dabei kontinuierlich benötigte Chlor

Technisches Datenblatt bayrol de sites files product file 04 |||

Technisches Datenblatt Automatic SALT ist das vollautomatische SalzelektrolyseSystem: Effizient, in ... r, Inline Analyse- und Dosierkammer Artikelnummer: 191500 Automatic SALT AS5 191700 Automatic SALT **AS7** *3 Jahre Gewährleistung auf Gert und Zelle. Siehe BAYROL-Gewährleistungbestimmungen. MAXIMALES ...

lang:de score:20 filesize: 177.91 K page_count: 2 document date: 2022-09-12



[pdf] Tech Sheet

11 21 34 59 068 Technical sheet A4 indd Ficha técnica Automatic SALT Ficha del producto 30 apr 2025 —

Además de producir cloro gracias a la sal disuelta en el agua AutomaticSALT mide potencial redox y pH para garantizar un nivel constante deElectrolisis Bayrol AS5 Automatiza desinfección con precisión profesional Hidro Reus Recursos externosFicha SALTbayrol es sites bayrol files product file 04 SALT ||| Ficha tcnica *Caja y clula garantizados 3 aos. Otros componentes, vase la poltica de garanta de BAY ... mara de analisis y dosificacin en Inea Referencias: 191500 Automatic SALT AS5 191700 Automatic SALT **AS7** VOLUMEN MXIMO DEL VASO Automatic SALT AS 5 Automatic SALT AS 7 Nivel de sal 2 g/l 3,5 g/l...

lang:es score:20 filesize: 1.14 M page_count: 2 document date: 2022-09-08



[pdf] Safety Datasheet

Automatic Salt es un sistema de tratamiento por electrólisis salina Ámbito aplicación clorador salino completo que ofrece una calidad agua impecable para piscinas salada ficha tecnica automatic salt bayrol 2035 naturclara files products srsllid AfmBOoqaFOksDs 0r RgPUp7qxZXh5Vf ZXXkfhmmEMxWQ7 kVmZ0W6C |||

Automatic Salt es un sistema de tratamiento por electrlisis salina de muy alta calidad: eficiente, i ... r de caudal tipo paleta y detector de Referencias 191002 191102 Automatic Salt AS5 Automatic Salt **AS7** gas Entrada de contacto para cubierta Entrada de contacto para sensor del nivel bajo de la ga... lang:es score:19 filesize: 950.08 K page_count: 2 document date: 2024-08-26



[pdf] Specifications Tech Sheet Datasheet Warranty

Specifications 2025 ENG Bayrol salt generator 191700Bayrol pool incl WIFI modul op til 90 m3Specifications 191700eikeviks no 05 191700 191700Specifications m3Bayrol m3 SolbadetSpecifications 191700solbadet dk 03 ||| ||| Technical Datasheet Automatic SALT is a very high quality salt electrolysis treatment device: efficient, intuitive, durable. FIELD OF APPLICATION Automatic SALT is a complete salt electrolysis system, for an outstanding water quality in all Technical Datasheet Automatic SALT is a very high quality salt electrolysis treatment device: effic ... or, inline analysis and dosing chamber References: 191500 Automatic SALT AS5 191700 Automatic SALT **AS7** *Controller and cell guaranteed for 3 years. Other components, see BAYROL warranty policy. MA... lang:en score:19 filesize: 176.16 K page_count: 2 document date: 2022-09-12



[pdf] Tech Sheet

Automatic SALT es un sistema de tratamiento por30 apr 2025 — Además producir cloro gracias a la sal disuelta en el agua AutomaticSALT mide potencial redox y pH para garantizar nivel constante de34068 Technical sheet ES lowres34068 lowresbayrol sites bayrol files product file 04 34068 lowres ||| Ficha tcnica *Caja y clula garantizados 3 aos. Otros componentes, vase la poltica de garanta de BAY ... mara de anlis y dosificacin en Inea Referencias: 191500 Automatic SALT AS5 191700 Automatic SALT **AS7** VOLUMEN MXIMO DEL VASO Automatic SALT AS 5 Automatic SALT AS 7 Nivel de sal 2 g/l 3,5 g/l... lang:es score:19 filesize: 176.53 K page_count: 2 document date: 2022-06-11



[\[pdf\]](#)

Datenblatt Salzelektrolyse Automatic Salt AS5 WIFI Wasserpflege POOL pooldirekt der Traum vom eigenen Schwimmbad SALT at media 47 f1 95 |||

Technisches Datenblatt Automatic SALT ist das vollautomatische SalzelektrolyseSystem: Effizient, in ... r, Inline Analyse- und Dosierkammer
 Artikelnummer: 191500 Automatic SALT AS5 191700 Automatic SALT **AS7** *3 Jahre
 Gewährleistung auf Gert und Zelle. Siehe BAYROL-Gewährleistungbestimmungen.
 MAXIMALES ...

lang:de **score:16** filesize: 203.12 K page_count: 2 document date: 2022-06-09



[\[pdf\]](#) User Manual

Automatic SALT ist das vollautomatische Salzelektrolyse System Effizient intuitiv langlebig 111063 Salt
 Technisches Datenblatt pooldirekt at media b6 21 50 |||
 Technisches Datenblatt Automatic SALT ist das vollautomatische SalzelektrolyseSystem: Effizient, in ... r, Inline Analyse- und Dosierkammer
 Artikelnummer: 191000 Automatic SALT AS5 191100 Automatic SALT **AS7** *3 Jahre
 Gewährleistung auf Gert und Zelle. Siehe BAYROL-Gewährleistungbestimmungen.
 MAXIMALES ...

lang:de **score:16** filesize: 193.09 K page_count: 2 document date: 2021-01-28



[\[pdf\]](#)

Automatic SALT est un système de traitement par électrolyse 30 set 2022 — En plus produire du chlore à partir sel contenu dans l'eau mesure le potentiel redox et pH afin garantir taux désinfectant 438386 Fiche
 Salt cd6f irrijardin fr media akeneo connector files 4 3 |||

Fiche Technique Automatic SALT est un système de traitement par électrolyse de sel de très haute qualité ... chambre d'analyse et de dosage en ligne Rfrences : 191500
 Automatic SALT AS5 191700 Automatic SALT **AS7** *Boîtier et cellule garantis 3 ans.
 Autres composants, se reporter la politique de garantie BA...

lang:fr **score:15** filesize: 176.7 K page_count: 2 document date: 2022-09-08



[pdf]

Compra Robot Limpiafondos de batería Wybot E TRON i20 NG Piscinas y Productos Ficha tecnica

Automatic Salt WiFi cdn shopify s files 1 0875 1307 1943 |||

Ficha tecnica *Caja y clula garantizados 3 aos. Otros componentes, vase la poltica de garanta de BAY ... mara de anlisis y dosificacin en Inea Referencias: 191500

Automatic SALT AS5 191700 Automatic SALT **AS7** VOLUMEN MXIMO DEL VASO

Automatic SALT AS 5 Automatic SALT AS 7 Nivel de sal 2 g/l 3,5 g/l...

lang:es **score:15** filesize: 176.93 K page_count: 2 document date: 2022-09-08



[pdf]

wolfgangroidner Mess Regel und Dosiertechnik 12 118537 BAYROL Analyt 3 für Hotelbäder Version 5

Mit seinem klaren eleganten Design fügt sich der Pool Relax nahtlos in das Bild hochwertiger Pools ein

OP PL2025 kap12 fluidra at ssa katalog |||

Mess-, Regel- und Dosiertechnik 12 BAYROL MESS- UND REGELTECHNIK

PoolManager fr pH-Wert und Chlor ... Becken bis 80m3 Entdecken Sie Automatic SALT im Video Gruppe C exkl. MWSt. 11866 Automatic SALT **AS7** Chlorproduktion bis zu 23g/h Fr Becken bis 140m3 11891 118601 118640 Sauglanze mit Niveaunkontr...

lang:de **score:15** filesize: 14.91 M page_count: 34 document date: 2025-02-09



[pdf] Guide Catalog

catalogue Irrijardin 2023 03 01 — LE GUIDE IIRIJARDIN S A facile à installer et évite l'installation d'un


local technique Lay Z Spa Aruba 2 3 places irrijardin fr media common data |||

plongez vaucsoeenuvriedse 23 PISCINE Abris ,QWHUIDFHWDFWLOHHWLQWXLWLYHDYHFXQ DFKDJHGHODWHPSUDWXUH

voir c 3GARANTIE ANS onditions sur la AS5 **AS7** 438386 Pour piscines jusqu 80 m

2725 438491 Pour piscines jusqu 140 m 2995 NOUVEAU PoolRela...

lang:fr **score:12** filesize: 50.27 M page_count: 220 document date: 2023-02-27



[pdf] User Manual

wolfgangroidner DrydenAquaSPACE SwimmingPoolA I CloudExpert Kap12 ssa at data s |||

Mess-, Regel- und Dosiertechnik 12 Dryden Aqua SPACE - Swimming Pool A.I. Cloud

Expert SPACE ist m ... Becken bis 80m3 Entdecken Sie Automatic SALT im Video

Gruppe C exkl. MWSt. 11866 Automatic SALT **AS7** Chlorproduktion bis zu 23g/h Fr

Becken bis 140m3 11891 118601 118640 118660 Sauglanze mit Nive...

lang:de score:11 filesize: 14.27 M page_count: 34 document date: 2024-02-07



[pdf]

Jetzt blättern Poolpowershop das Magazin 2021 poolpowershop de media d3 d6 a5 1675246902 |||

224 Seiten Informationen, Tipps und Tricks und die interessantesten Produkte

Ausgabe: 1 2021 DAS M ... , befindet sich in diesem Set. Ein praktisches Komplett-

Paket zum SparPreis. Bayrol Automatic Salt **AS7** PPS: 24664 2.699,00

Vollautomatische Salzelektrolyse-Anlage mit integrierter pH-Dosierung. E...

lang:de score:10 filesize: 75.01 M page_count: 224 document date: 2021-03-12



[pdf]

Jetzt blättern Poolpowershop das Magazin PPS MAG 2022 HQ poolpowershop de media 05 49 00

1675244308 |||

Ausgabe 01/ 2022: 244 Seiten Informationen, Tipps und Tricks DAS MAGAZIN Das

Fachmagazin fr Schwimm ... polstern und damit einem deutlich schlechteren

Wrmebergang im Absorber fhren. Bayrol Automatic Salt **AS7** / AS5 Vollautomatische

SalzelektrolyseAnlage mit integrierter pH-Dosierung. Fr Pools bis 140 m /...

lang:de score:9 filesize: 88.83 M page_count: 244 document date: 2022-03-24