

[Manuals.plus](#) /

› [Faber](#) /

› Faber Hood Zenith FL SC AC BK 60 Chimney User Manual

Faber Hood Zenith FL SC AC BK 60

Faber Hood Zenith FL SC AC BK 60 Chimney User Manual

Model: Hood Zenith FL SC AC BK 60

1. PRODUCT OVERVIEW

The Faber Hood Zenith FL SC AC BK 60 is a 60 cm wall-mounted angular kitchen chimney designed for efficient smoke and odor extraction. It features filterless technology, auto-clean function, and touch & gesture controls for ease of use.



Image: Front view of the Faber Hood Zenith FL SC AC BK 60 Chimney, showcasing its sleek black finish and angular design.

2. SETUP AND INSTALLATION

2.1 Dimensions

Ensure adequate space for installation. The chimney dimensions are 37 cm (Depth) x 60 cm (Width) x 98 cm (Height).




Image: Diagram illustrating the dimensions of the Faber Hood Zenith FL SC AC BK 60 Chimney, showing 37cm depth, 60cm width, and 98cm height.

2.2 Mounting

This is a wall-mounted chimney. Professional installation is recommended to ensure proper and secure mounting. The chimney should be installed directly above the cooking range, maintaining the recommended distance as per local safety standards and manufacturer guidelines.

2.3 Electrical Connection

The chimney operates on a single-phase power supply with a requirement of 180 Volts. Ensure the electrical outlet is properly grounded and meets the specified voltage requirements.

3. OPERATING INSTRUCTIONS

3.1 Control Panel

The chimney features a touch and gesture control panel. The panel allows you to power on/off, adjust suction speed, and control the LED lighting.




Image: Close-up view of the touch and gesture control panel on the Faber Hood Zenith FL SC AC BK 60 Chimney, showing icons for power, speed settings (1, 2, 3), light, and auto-clean.

3.2 Suction Speeds

The chimney offers 3 speed settings to adjust the suction power according to your cooking needs. Higher speeds are suitable for heavy frying or grilling, while lower speeds are for lighter cooking.

3.3 LED Lighting

The chimney is equipped with 2 x 1.5 watts LED lamps to illuminate your cooking area. These can be turned on or off independently using the control panel.

3.4 Auto Clean Function

The heat auto-clean function helps in maintaining the chimney's internal components by melting and collecting oil and grease

particles. Refer to the control panel for initiating the auto-clean cycle.



Image: Visual representation of key features including Motion Sensor, Auto Clean, Filterless Technology, and Suction Power of the Faber Hood Zenith FL SC AC BK 60 Chimney.

4. MAINTENANCE

4.1 Filterless Technology

This chimney utilizes filterless technology, which means it does not have traditional filters that require frequent cleaning or replacement. Instead, it uses an airflow angle to separate grease and oil, directing them into a collection tray.

4.2 Grease Collection Tray

Regularly check and empty the grease collection tray. The frequency depends on your cooking habits. To clean, carefully remove the tray, dispose of the collected grease, and wash the tray with mild detergent and water. Ensure it is completely dry before reinserting.

4.3 Exterior Cleaning

Clean the exterior surfaces of the chimney with a soft cloth and a mild, non-abrasive cleaning solution. Avoid using harsh chemicals or abrasive materials that could damage the finish. Ensure the chimney is turned off and unplugged before cleaning.

5. TROUBLESHOOTING

If you encounter any issues with your Faber chimney, refer to the following common troubleshooting steps:

- **Chimney not turning on:** Check if the power cord is securely plugged into a functional outlet. Verify the circuit breaker has not tripped.
- **Low suction power:** Ensure the grease collection tray is not full. Check for any obstructions in the ducting system.
- **Unusual noise:** Confirm that all components are securely fastened. If the noise persists, contact customer support.
- **Lights not working:** Check if the LED light function is activated on the control panel. If not, the LED lamps may require replacement by a qualified technician.

For issues not resolved by these steps, please contact Faber customer support.

6. SPECIFICATIONS

Brand	Faber
Model Number	Hood Zenith FL SC AC BK 60
Product Dimensions (D x W x H)	37D x 60W x 98H Centimeters
Colour	Black
Finish Type	Black Finish
Air Flow Capacity	1350 Cubic Meters Per Hour
Noise Level	58 Decibels
Mounting Type	Wall Mount
Controls Type	Touch & Gesture
Voltage	180 Volts
Number Of Speeds	3
Light Source	LED (2 x 1.5 Watts)
Filter Type	Filterless
Material Type	Glass
Special Features	Auto Clean, Touch Control, Gesture Control

7. WARRANTY AND SUPPORT

7.1 Warranty Information

The Faber Hood Zenith FL SC AC BK 60 Chimney comes with a **1-year warranty on the product** and a **5-year warranty on the motor** from the date of purchase. Please retain your purchase receipt for warranty claims.

7.2 Customer Support

For any service requests, technical assistance, or warranty claims, please contact Faber customer support. You can find their contact information on the official Faber website or your product documentation.

Manufacturer: Faber, Franke Faber India Pvt Ltd

For more information, visit the official [Faber India website](#).