Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

Quictent 1106G-1

Quictent 10x20 ft Heavy Duty Carport Canopy (Model 1106G-1) Instruction Manual

Model: 1106G-1 | Brand: Quictent

Introduction

This manual provides essential instructions for the safe and efficient assembly, operation, and maintenance of your Quictent 10x20 ft Heavy Duty Carport Canopy. Please read all instructions carefully before beginning assembly and retain this manual for future reference.



Image: The Quictent 10x20 ft Heavy Duty Carport Canopy with a green cover and galvanized steel frame.

Important Safety Information

WARNING:

- Always secure the shelter with the provided pegs and elastic ropes to prevent it from tipping over in windy conditions.
- Do not use this carport in winds exceeding 35 mph (56 km/h).
- Ensure the installation area is level and clear of obstructions.
- Regularly check all connections and anchoring points for security.
- Remove heavy snow accumulation from the canopy to prevent structural damage.

Assembly Instructions

Assembly of the Quictent carport is designed to be straightforward. While one person can complete the installation within an hour, it is recommended that two people work together for faster and easier assembly.

1. **Unpack and Identify Components:** Carefully unpack all components and verify against the parts list (not provided in this digital manual, refer to your physical manual). Ensure all poles, connectors, and the canopy cover are present.
2. **Assemble the Top Frame:** Connect the galvanized steel tubes according to the diagram to form the roof structure. Ensure all connections are secure.



Image: Step-by-step assembly diagram. Step 1: Assemble the top frame. Step 2: Cover the frame with the tarp. Step 3: Assemble the 6 pillar steel pipes.

3. **Cover the Frame with Tarpaulin:** Drape the extra-thick polyethylene fabric cover over the assembled top frame. Secure it using the provided bungee cords through the grommets.
4. **Assemble Pillar Pipes:** Attach the vertical pillar steel pipes to the top frame, ensuring they are firmly connected to the metal corner joints.
5. **Secure the Structure:** Once the frame is fully assembled and covered, use the spiral pegs and ropes to anchor the carport securely to the ground. This is crucial for stability, especially in varying weather conditions.

Operation and Intended Use

The Quictent Heavy Duty Carport Canopy is designed for vehicle and equipment protection. Its robust construction provides shelter for various outdoor needs.

- **Vehicle Protection:** Ideal for sheltering cars, trucks, and boats from sun, rain, and light snow.
- **Equipment Storage:** Provides covered storage for garden tools, lawnmowers, and other outdoor equipment.
- **Outdoor Shelter:** Can be used as a temporary shelter for outdoor gatherings or events.



Image: A blue pickup truck parked underneath the Quictent carport, demonstrating its use for vehicle protection.

The canopy's reinforced structure and extra-thick polyethylene fabric are designed to withstand various elements, offering waterproof and anti-UV protection.



Image: The carport canopy demonstrating protection against rain, berry drippings, and bird droppings, highlighting its weather-resistant features.

Care and Maintenance

Proper maintenance will extend the lifespan of your Quictent carport.

- **Frame Inspection:** Regularly inspect the galvanized steel framework and metal corner joints for any signs of rust, bending, or damage. The upgraded galvanized tubes are rust-resistant and designed for durability.



Image: Close-up view of galvanized steel pipes, emphasizing their anti-corrosion, aging resistance, and non-deformation characteristics for firm support.

- **Canopy Fabric Care:** The extra-thick polyethylene fabric is tear-proof, waterproof, and anti-UV. Clean the canopy periodically with mild soap and water. Avoid harsh chemicals that could damage the material.




Image: Detail of the carport's reinforced structure, showing extra top poles that enhance durability and strength by 25%.

- **Anchoring:** Periodically check the security of all pegs, ropes, and anchoring points. Re-tighten or re-secure as necessary, especially after strong winds.
- **Snow Removal:** In areas with snowfall, promptly remove any accumulated snow from the canopy to prevent excessive weight from damaging the structure.

Troubleshooting

- **Carport Instability:** If the carport feels unstable, ensure all frame connections are fully engaged and tightened. Verify that all ground anchors (pegs and ropes) are securely fastened and properly tensioned. Consider additional anchoring in very windy conditions.
- **Water Accumulation on Canopy:** Ensure the canopy is taut and properly stretched over the frame to prevent water pooling. Adjust bungee cords if necessary.
- **Difficulty with Assembly:** Refer to the assembly diagrams and ensure all parts are correctly identified and oriented. Two-person assembly is highly recommended.
- **Damage from Weather:** This carport is designed for heavy-duty use but has limits. Do not use in winds exceeding 35 mph. Remove snow promptly. Damage due to extreme weather conditions beyond specified limits may not be

covered under warranty.

Product Specifications



Image: Size information diagram illustrating the carport's dimensions: 20 feet length, 10 feet width, 6.5 feet side height, and 9.2 feet peak height.

Feature	Detail
Brand	Quictent
Model Number	1106G-1
Material	Alloy Steel, Metal (Frame); Extra-thick Polyethylene (Cover)
Color	Green
Product Dimensions (L x W x H)	240"L x 120"W x 110"H (20 ft L x 10 ft W x 9.2 ft H)

Ultraviolet Light Protection	Yes
Water Resistance Level	Waterproof
Floor Area	200 Square Feet
Item Weight	71.7 pounds
Assembly Required	Yes

Warranty Information

Quictent provides the following warranty for this product:

- **Lifetime Warranty Replacement:** For connectors, pegs, ropes, elastic ropes, and similar accessories.
- **1 Year Warranty:** For covers and poles.

Please retain your proof of purchase for warranty claims.

Customer Support

For any questions, assistance with assembly, or warranty claims, please contact Quictent customer support. Refer to your product packaging or the seller's information for direct contact details.
You can typically find support information through the seller's page on the platform where the product was purchased.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B08MVRSWC1

More documents and user manuals: **https://manuals.plus/**