

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

Manuals.plus /

› [JURMERRY](#) /

› JURMERRY Twin Over Twin Bunk Bed Frame with Ladder, Model 035 - Instruction Manual

JURMERRY 035

JURMERRY Twin Over Twin Bunk Bed Frame with Ladder

MODEL 035 - INSTRUCTION MANUAL

Important Safety Information

Please read this manual thoroughly before assembly and use. Retain for future reference.

- Do not allow children under 6 years old on the upper bunk.
- Exercise caution when assembling and handling the bed frame to prevent injury.
- Be aware of and avoid sharp edges during assembly and use.
- Ensure all connections are securely tightened before use.
- The maximum weight capacity for this bunk bed is 550 lbs (249 kg).

Product Overview

The JURMERRY Twin Over Twin Bunk Bed Frame, Model 035, is a heavy-duty metal bed frame designed for space-saving solutions. It features a sturdy ladder and steel slat support for mattresses.



Image: Assembled JURMERRY Twin Over Twin Bunk Bed Frame in white, showcasing its design and integrated ladder.

Package Contents

Before beginning assembly, verify that all components are present and undamaged.

- Bunk Bed Frame Components (Headboards, Footboards, Side Rails, Ladder, Slats)
- Hardware Pack (Bolts, Washers, Nuts, Allen Wrench)
- User Manual

No additional tools are required for assembly; an Allen wrench is provided.

Setup and Assembly

Assembly typically takes approximately one hour with two people. Follow the included instruction manual carefully.

1. **Unpack Components:** Lay out all parts on a clean, soft surface to prevent scratches. Identify each component

using the parts list in the separate manual.

2. **Initial Connections:** Begin by connecting the main frame sections. Insert bolts loosely at first. This allows for easier alignment of all parts.
3. **Assemble Bed Bases:** Attach the steel slats to both the upper and lower bed frames. Ensure the plastic buckles lock securely into place for strong mattress support.
4. **Attach Ladder:** Secure the ladder to the designated side of the bunk bed.
5. **Final Tightening:** Once all components are assembled and aligned, systematically tighten all bolts using the provided Allen wrench. Ensure all connections are firm but do not overtighten.
6. **Placement:** Position the assembled bunk bed in its desired location, ensuring it is stable and level.




Image: Dimensional diagram of the bunk bed frame, illustrating key measurements for setup and placement.

Operating Instructions

The JURMERRY Bunk Bed Frame is designed for safe and comfortable use.

- **Mattress Placement:** This bunk bed is compatible with twin-sized mattresses. The steel slat support system eliminates the need for a box spring and is suitable for innerspring, latex, or memory foam mattresses.
- **Ladder Use:** Always use the integrated ladder for accessing the upper bunk. Ensure a firm grip and stable footing when climbing or descending.
- **Weight Limit:** Do not exceed the maximum weight capacity of 550 lbs (249 kg) for the entire bunk bed.
- **Upper Bunk Safety:** The upper bunk features a 12.20-inch high guardrail for safety. Children under 6 years old must not use the upper bunk.

Maintenance and Care

Regular maintenance ensures the longevity and safety of your bunk bed.

- **Cleaning:** Wipe the metal frame with a dry cloth to remove dust and dirt. Avoid abrasive cleaners or harsh chemicals that may damage the finish.
- **Hardware Check:** Periodically inspect all bolts and connections to ensure they remain tight. Retighten as necessary to maintain stability and prevent wobbling or noise.
- **Slat Inspection:** Check the steel slats for any signs of damage or bending. Ensure they are securely fastened to the frame.

Troubleshooting

If you encounter any issues with your bunk bed, refer to the following common solutions:

- **Wobbling or Instability:**

Ensure all bolts and connections are fully tightened. Loose hardware is a common cause of instability. Re-check all assembly points.
- **Squeaking or Noise:**

Tighten all bolts. If noise persists, disassemble and reassemble the affected section, ensuring all parts are correctly aligned and tightened evenly. Applying a small amount of lubricant to metal-on-metal contact points (if applicable and safe for the finish) might also help.
- **Bent or Damaged Slats/Rails:**

Inspect the steel slats and frame rails for any signs of bending or damage. If significant damage is present, discontinue use and contact customer support for replacement parts or further assistance. Do not attempt to repair severely damaged structural components.

Specifications

Model Number	035
Type	Twin Over Twin Bunk Bed Frame
Material	Heavy Duty Steel
Color	White
Product Dimensions (L x W x H)	78.74" x 41.73" x 63" (199.9 cm x 105.9 cm x 160 cm)

Upper Bunk Guardrail Height	12.20" (31 cm)
Item Weight	83 lbs (37.6 kg)
Maximum Weight Capacity	550 lbs (249 kg)
Compatible Mattress Size	Twin
Assembly Required	Yes

Warranty Information

This JURMERRY bunk bed frame comes with a 1-year worry-free warranty from the date of purchase. This warranty covers manufacturing defects and material flaws under normal use. Please retain your proof of purchase for warranty claims.

Customer Support

For any questions, concerns, or assistance with assembly, parts, or warranty claims, please contact JURMERRY customer support. Refer to the contact information provided with your purchase documentation or visit the official JURMERRY website for support details.