Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

HOGARLABS PDO9A-16

HOGARLABS 16L Intelligent Dehumidifier (Model PDO9A-16) Instruction Manual

Your guide to efficient humidity control and improved air quality.

1. Important Safety Information

Please read this manual thoroughly before operating your HOGARLABS dehumidifier. Keep these instructions for future reference. Failure to follow these instructions may result in electric shock, fire, or serious injury.

- Ensure the unit is placed on a stable, level surface to prevent tipping.
- Do not operate the unit with a damaged cord or plug.
- Keep the unit away from water and other liquids.
- Do not block air inlets or outlets.
- Unplug the unit before cleaning or performing any maintenance.
- This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety.

2. Product Overview

The HOGARLABS 16L Intelligent Dehumidifier is designed to efficiently remove excess moisture from your home, improving air quality and comfort. It features a compact design with universal wheels and a handle for easy mobility. The unit is suitable for areas up to 2,500 sq. ft. and can extract up to 35 pints of moisture per day.

Key Features:

- **Intelligent Humidity Control:** Maintains desired humidity levels (30%-80%).
- **24-Hour Timer:** Program on/off times for convenience.
- **Continuous Drainage Option:** Includes a drain hose for uninterrupted operation.
- **Laundry Drying Mode:** Assists in drying clothes faster.
- **Ultra-Quiet Operation:** Operates at less than 40dB.
- **Automatic Defrost:** Prevents ice build-up on coils.
- **Full Water Indicator & Auto-Shutoff:** Unit stops when the tank is full.
- **Child Lock Function:** Prevents unintended changes to settings.

- **Washable Air Filter:** Easy to clean and reuse.



Figure 2.1: Front view of the HOGARLABS 16L Intelligent Dehumidifier, showcasing its compact design and digital display.

This image displays the overall appearance of the HOGARLABS 16L Intelligent Dehumidifier, a white, rectangular unit with a black control panel and digital display on the front. The top features a black grille for air circulation. The unit is designed for modern home environments.




Figure 2.2: Close-up of the control panel with various function icons.

The image shows a detailed view of the dehumidifier's control panel, which is integrated into the top front of the unit. It features a digital display showing the current humidity level and touch-sensitive buttons for Timer, Humidity, Mode, Lighting, Speed, and Power functions.

3. Setup

Unpacking and Placement:

- Carefully remove the dehumidifier from its packaging.
- Place the unit upright on a firm, level surface in the desired location. Ensure there is at least 8 inches (20 cm) of space around the unit for proper air circulation.
- The unit is equipped with 4 universal wheels for easy movement. Use the embedded handle on top for convenient relocation.

Power Connection:

- Plug the power cord into a grounded electrical outlet.

Drainage Options:

Your dehumidifier offers two drainage methods:

1. **Manual Drainage (Water Tank):** The unit collects water in its 0.58-gallon (2.2-liter) water tank. When the tank is full, the dehumidifier will automatically stop operating and illuminate a "Full Water" indicator to alert you to empty it.
2. **Continuous Drainage (Drain Hose):** For extended operation without manual emptying, connect the provided drain hose to the continuous drainage outlet on the back of the unit. Ensure the hose is sloped downwards to allow gravity to drain the water into a suitable drain or container.



Figure 3.1: Rear view of the dehumidifier showing the water tank, continuous drainage port, and universal wheels.

This image highlights the rear features of the dehumidifier, including the easily removable water tank, the port for continuous drainage with a hose connected, and the universal wheels at the base for effortless movement. A convenient handle is also visible for portability.

4. Operating Instructions

Control Panel Functions:

The intuitive touch screen control panel allows you to manage all settings:

- **Power Button:** Turns the unit ON or OFF.
- **Humidity Setting:** Adjust the desired humidity level (30%-80%). The unit will automatically maintain this level.
- **Mode Button:** Select operating modes such as Laundry Drying Mode or continuous dehumidification.
- **Fan Speed:** Choose between "Slow" and "Fast" fan speeds.
- **Timer Button:** Set a 24-hour timer for automatic power on or off.
- **Lighting Button:** Controls the display light.
- **Child Lock:** Press and hold the appropriate button (refer to manual for specific icon) to activate/deactivate.

Recommended Humidity Levels:

For optimal comfort and to prevent mold growth, a relative humidity level between 40% and 60% is generally recommended. Adjust the setting based on your personal preference and environmental conditions.



Figure 4.1: Illustration of the dehumidifier's quiet operation in a living room setting, with a noise level comparison chart.

This image demonstrates the quiet operation of the dehumidifier, showing it in a living room environment. A graphic overlay compares its noise level (around 40dB) to common sounds like talking softly, whispering, and a noisy street, emphasizing its suitability for use in living spaces without disturbance.

5. Maintenance

Emptying the Water Tank:

- When the water tank is full, the unit will beep and the "Full Water" indicator will light up.
- Carefully pull out the water tank from the front of the unit.

- Empty the collected water.
- Slide the empty tank back into the unit until it clicks into place. The dehumidifier will resume operation automatically.

Cleaning the Air Filter:

The washable air filter helps maintain the unit's efficiency and air quality. It is recommended to clean the filter every two weeks or more frequently depending on usage and air quality.

- Unplug the dehumidifier from the power outlet.
- Remove the air filter (refer to the diagram in the full manual for exact location).
- Wash the filter with warm, soapy water. Rinse thoroughly.
- Allow the filter to air dry completely before reinserting it into the unit.
- Do not operate the dehumidifier without the filter in place.



Figure 5.1: Exploded view showing internal components and the washable air filter.

This image provides an internal view of the dehumidifier, highlighting its components and the easily accessible, washable air filter. It emphasizes the unit's design for easy maintenance and long-term performance.

6. Troubleshooting

If your dehumidifier is not operating as expected, please consult the following table before contacting customer support:

Problem	Possible Cause	Solution
Unit does not turn on.	No power, power cord unplugged, water tank full or incorrectly installed.	Check power connection. Empty and re-install water tank correctly.
No dehumidification.	Humidity setting too high, room temperature too low, air filter clogged.	Lower humidity setting. Ensure room temperature is above 41°F (5°C). Clean air filter.

Problem	Possible Cause	Solution
Unit is noisy.	Unit not on a level surface, air filter clogged.	Place unit on a flat, stable surface. Clean air filter.
Water leakage.	Water tank not installed correctly, continuous drain hose improperly connected or blocked.	Re-install water tank. Check drain hose connection and ensure it's not blocked.

7. Specifications

Feature	Specification
Brand	HOGARLABS
Model Number	PDO9A-16
Dehumidification Capacity	35 Pints per Day (at 90°F, 90% RH)
Coverage Area	Up to 2,500 Sq. Ft.
Water Tank Capacity	0.58 Gallons (2.2 Liters)
Product Dimensions (D x W x H)	10.03"D x 10.03"W x 17.9"H
Item Weight	26.5 Pounds
Material	Acrylonitrile Butadiene Styrene (ABS)
Wattage	196 watts
Operation Mode	Continuous
Special Features	Adjustable Humidity Control, Automatic Defrost, Automatic Moisture Removal, Bucket Storage, Continuous Draining, 24hr Timer, Child Lock

8. Warranty and Support

HOGARLABS Dehumidifier (Model PDO9A-16) comes with a 30-day money-back guarantee, a 12-month warranty, a 1-year warranty extension upon registration, and lifetime technical support.
For any questions or assistance, please contact HOGARLABS customer service. We are committed to providing 24-hour service.
Please retain your proof of purchase for warranty claims.

© 2024 HOGARLABS. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B08P1WY175

More documents and user manuals: **https://manuals.plus/**