

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

› [Riobel](#) /

› [Riobel TMMSQ39L Momenti Floor Mounted Tub Filler with Hand Shower User Manual](#)

## Riobel TMMSQ39L

# Riobel TMMSQ39L Momenti Floor Mounted Tub Filler with Hand Shower User Manual

MODEL: TMMSQ39L

## Introduction

This manual provides comprehensive instructions for the installation, operation, and maintenance of your Riobel TMMSQ39L Momenti Floor Mounted Tub Filler with Built-in Diverter and Hand Shower. Please read this manual thoroughly before installation and retain it for future reference. Proper installation and care will ensure optimal performance and longevity of your product.

## Safety Information

- Always turn off the main water supply before beginning any installation or maintenance.
- Ensure all local plumbing and building codes are followed.
- If you are unsure about any part of the installation process, consult a qualified professional plumber.
- Wear appropriate personal protective equipment (PPE) during installation, such as safety glasses and gloves.
- Do not use abrasive cleaners or harsh chemicals on the product finish, as this may cause damage and void the warranty.

## Package Contents

Verify that all components are present before beginning installation:

- Tub Filler Body (Brushed Gold)
- Hand Shower with Hose
- Diverter Mechanism (Integrated)
- Handle
- Shower Arm

- Valve Assembly
- Mounting Hardware
- Installation Guide (this document)

## Installation

---

The Riobel TMMSQ39L is designed for single-hole floor-mounted installation. Ensure your floor structure can support the weight of the tub filler and the water it will contain.

1. **Prepare the Installation Area:** Identify the precise location for the tub filler. Ensure adequate space around the bathtub for access and maintenance.
2. **Rough-in Plumbing:** Install the necessary hot and cold water supply lines and the floor mounting plate according to the provided rough-in instructions (not detailed here, refer to separate rough-in guide if applicable). Ensure the lines are properly secured and tested for leaks.
3. **Mount the Tub Filler:** Secure the tub filler body to the floor mounting plate using the provided hardware. Ensure the unit is level and stable.
4. **Connect Water Lines:** Connect the hot and cold water supply lines to the corresponding inlets on the tub filler valve assembly. Use appropriate sealants and tighten connections securely to prevent leaks.
5. **Install Handle and Hand Shower:** Attach the handle to the valve stem. Connect the hand shower hose to the designated outlet and secure the hand shower in its holder.
6. **Test for Leaks:** Slowly turn on the main water supply and check all connections for leaks. Operate the tub filler and hand shower to ensure proper function and water flow.



This image displays the Riobel Momenti floor-mounted tub filler, model TMMSQ39L, installed next to a freestanding bathtub. The brushed gold finish of the faucet and hand shower is visible, complementing the contemporary bathroom design.

## Operation

---

- **Turning On/Off:** Rotate the handle to turn the water on or off.
- **Temperature Control:** Adjust the handle left or right to control the water temperature. Left for hotter,

right for colder.

- **Flow Control:** The further the handle is rotated away from the off position, the greater the water flow.
- **Diverter Function:** The built-in diverter allows you to switch water flow between the tub spout and the hand shower. Typically, a small knob or lever on the faucet body controls this function. Pull or push the diverter to select the desired water outlet.
- **Hand Shower Use:** Remove the hand shower from its holder and press the diverter to activate it. Return it to the holder when finished.

## Maintenance

- **Cleaning the Finish:** To maintain the Brushed Gold finish, clean regularly with a soft, damp cloth and mild soap. Rinse thoroughly and dry with a soft cloth to prevent water spots.
- **Avoid Harsh Cleaners:** Do not use abrasive cleaners, scouring pads, ammonia-based cleaners, or any products containing bleach, acids, or alcohol, as these can damage the finish.
- **Aerator Maintenance:** Periodically unscrew the aerator from the tub spout and hand shower head to clean any mineral deposits or debris. Rinse under running water and reattach.
- **Leak Checks:** Regularly inspect all connections for any signs of leaks. Tighten connections as needed, but do not overtighten.

## Troubleshooting

Problem	Possible Cause	Solution
Low Water Flow	<ul style="list-style-type: none"><li>◦ Partially closed shut-off valves</li><li>◦ Clogged aerator</li><li>◦ Debris in water lines</li></ul>	<ul style="list-style-type: none"><li>◦ Ensure shut-off valves are fully open.</li><li>◦ Clean the aerator on the spout and hand shower.</li><li>◦ Flush water lines (consult a plumber if necessary).</li></ul>
Leaking from Spout/Handle	<ul style="list-style-type: none"><li>◦ Loose connections</li><li>◦ Worn O-rings or seals</li><li>◦ Faulty cartridge</li></ul>	<ul style="list-style-type: none"><li>◦ Check and tighten all connections.</li><li>◦ Replace O-rings or seals (contact customer support for parts).</li><li>◦ Replace the cartridge (contact customer support for parts).</li></ul>
Diverter Not Working	<ul style="list-style-type: none"><li>◦ Debris in diverter mechanism</li><li>◦ Worn diverter seal</li></ul>	<ul style="list-style-type: none"><li>◦ Flush the system.</li><li>◦ Inspect and clean the diverter.</li><li>◦ Replace diverter components (contact customer support).</li></ul>

## Specifications

- **Brand:** Riobel
- **Model:** TMMSQ39L
- **Finish:** Brushed Gold
- **Material:** Metal (Handle Material: Brass)

- **Mounting Type:** Floor Mount (Single Hole)
- **Flow Rate:** 6 Gallons Per Minute
- **Included Components:** Handle, Shower Arm, Valve, Hand Shower
- **Installation Method:** Floor
- **UPC:** 883186462370

## Warranty and Support

---

**Warranty:** This Riobel product is covered by a **LIMITED LIFETIME WARRANTY**. Please refer to the official Riobel warranty documentation for full terms and conditions. The warranty typically covers manufacturing defects under normal use and service.

**Customer Support:** For technical assistance, replacement parts, or warranty claims, please contact Riobel customer service. Visit the official Riobel website for current contact information and support resources.

*Note: Proof of purchase may be required for warranty claims.*