

[Manuals.plus](#) /

› [Ibergrif](#) /

› Ibergrif Bidet Faucet Instruction Manual

Ibergrif M22021

Ibergrif Bidet Faucet Instruction Manual

Model: M22021 | Brand: Ibergrif

1. INTRODUCTION

Thank you for choosing the Ibergrif Single-Lever Bidet Faucet. This manual provides detailed instructions for the proper installation, operation, and maintenance of your new bidet shower system. Please read this manual thoroughly before installation and keep it for future reference to ensure safe and efficient use of the product.



Image 1.1: Ibergerif Single-Lever Bidet Faucet with Shower Head. This image displays the complete bidet faucet assembly, showcasing its chrome finish and modern square design, along with the flexible hose and bidet sprayer.

2. PRODUCT OVERVIEW

2.1 Components

The Ibergerif Bidet Faucet system includes the following components:

- 1 x Single-lever bidet faucet
- 1 x Flexible shower hose (1.64 meters)
- 1 x Bidet sprayer head
- Installation kits (including wall mounts and necessary fittings)



Image 2.1: All components included in the Ibergrif Bidet Faucet package. This image shows the main faucet body, flexible hose, bidet sprayer, wall mounting plates, and small installation accessories laid out.

2.2 Key Features

- **Brilliant Chrome Finish:** Provides resistance to scratches and tarnishing, ensuring long-lasting shine.
- **Hot and Cold Water Mixer:** Allows precise control over water temperature for optimal comfort.
- **Versatile Use:** Suitable for general water flow and daily personal hygiene, including elderly care, diaper cleaning, feminine hygiene, and pet washing.
- **Easy Limescale Removal:** Designed for quick and simple limescale removal with just a touch.
- **Durable Construction:** Made from high-quality brass material for longevity.
- **Ceramic Cartridge:** Features a superior ceramic cartridge tested for up to 500,000 uses, ensuring smooth and reliable operation.



Elderly adult



Diaper cleaning



Feminine hygiene



Pet wash

Image 2.2: Various applications of the Ibergrif Bidet Faucet. This image illustrates the versatility of the bidet sprayer for different users and purposes, including elderly adults, diaper cleaning, feminine hygiene, and pet washing.

3. SETUP AND INSTALLATION

The Ibergrif Bidet Faucet is designed for wall mounting. Professional installation is recommended. Ensure water supply is turned off before beginning installation.

3.1 Pre-Installation Checklist

- Verify all components are present (refer to Section 2.1).
- Ensure you have the necessary tools (e.g., wrench, drill, level, measuring tape).
- Confirm water supply lines (hot and cold) are accessible at the installation point.

3.2 Installation Steps

1. **Turn off Water Supply:** Locate the main water shut-off valve for your bathroom and turn it off.
2. **Prepare Wall:** Mark the desired mounting location on the wall. Ensure it is level and at a convenient

height for use. The standard distance between hot and cold water inlets is 150mm (± 10 mm).

3. **Install Wall Mounts:** Secure the provided wall mounting plates to the wall using appropriate screws and anchors.
4. **Connect Faucet Body:** Attach the main faucet body to the hot and cold water supply lines. Ensure a tight, leak-free connection. The faucet is designed to connect to G1/2" threads.
5. **Attach Hoses:** Connect the flexible shower hose to the designated outlet on the faucet body and the bidet sprayer head.
6. **Secure Sprayer Holder:** Install the bidet sprayer holder on the wall at a convenient location.
7. **Test for Leaks:** Slowly turn on the main water supply and check all connections for any leaks.



Image 3.1: Detailed dimensions of the Ibergrif Bidet Faucet. This image provides key measurements such as overall height, width, and the standard 150mm inlet spacing, crucial for proper installation.



Image 3.2: Diagram illustrating hot and cold water connections to the Ibergrif Bidet Faucet. This image shows the red and blue arrows indicating the hot and cold water inlets, ensuring correct plumbing connections.

4. OPERATION

The Ibergrif Bidet Faucet is designed for intuitive use, providing both temperature control and on-demand water flow.

4.1 Water Temperature and Flow Control

- The single lever on the faucet body controls both water flow and temperature.
- Move the lever up to increase water flow and down to decrease it.
- Rotate the lever to the left for hot water and to the right for cold water. Adjust the position to achieve your desired water temperature.

4.2 Using the Bidet Sprayer

- Once the desired water temperature and flow are set at the main faucet, pick up the bidet sprayer from

its holder.

- Point the sprayer towards the area to be cleaned.
- Press the lever on the bidet sprayer head to activate the water spray. Release the lever to stop the spray.
- Always ensure the main faucet lever is in the OFF position when the bidet sprayer is not in use to prevent accidental spraying or pressure build-up.





Image 4.1: Diagram illustrating the proper use of the Ibergrif Bidet Faucet. This image shows a user operating the bidet sprayer while seated, demonstrating the angle and position for effective cleaning.

5. MAINTENANCE

Regular cleaning and maintenance will ensure the longevity and optimal performance of your Ibergrif Bidet Faucet.

5.1 Cleaning the Chrome Finish

- Clean the chrome finish regularly with a soft cloth and mild soap or a non-abrasive cleaner specifically designed for chrome.
- Avoid using abrasive cleaners, scouring pads, or harsh chemicals (e.g., ammonia, bleach) as these can damage the finish.
- Rinse thoroughly with clean water and dry with a soft cloth to prevent water spots.

5.2 Limescale Removal

The bidet sprayer is designed for easy limescale removal. Simply rub the silicone nozzles on the sprayer head with your fingers to dislodge any mineral buildup.

5.3 Cartridge Maintenance

The ceramic cartridge is highly durable. If you experience persistent dripping or difficulty controlling water flow/temperature, it may indicate a need for cartridge inspection or replacement. Consult a professional plumber for this service.

6. TROUBLESHOOTING

This section addresses common issues you might encounter with your bidet faucet.

Problem	Possible Cause	Solution
Water leaks from faucet or connections	Loose connections; worn O-rings/washers; faulty cartridge.	Tighten connections; replace O-rings/washers; if persistent, consider cartridge replacement (consult professional).
Low water pressure from sprayer	Clogged sprayer nozzles; low main water pressure; kinked hose.	Clean sprayer nozzles (limescale removal); check main water supply; straighten hose.
Difficulty adjusting water temperature	Faulty cartridge; issues with hot/cold water supply.	Inspect cartridge; check hot/cold water supply lines for blockages or shut-off.
Water drips from faucet when sprayer lever is not pressed	Internal faucet mechanism issue; worn cartridge.	Ensure the main faucet lever is fully closed. If dripping persists, the internal mechanism or cartridge may need professional inspection or replacement.

7. SPECIFICATIONS

Feature	Specification
Model Number	M22021
Product Dimensions	27 x 15 x 8 cm

Feature	Specification
Product Weight	1.64 kg
Color	Silver (Plata)
Style	Chrome
Finish	Chrome
Material	Brass
Shape	Square
Installation Method	Wall Mount
Number of Products	1
Flow Rate	1.5 Gallons per minute
Hose Length	1.64 Meters
Number of Holes	1
Handle Position	Center
Number of Handles	1
Handle Material	Metal
Special Features	Lightweight
Components Included	1 x bidet faucet, 1 x installation kits

8. WARRANTY AND SUPPORT

For warranty information or technical support, please refer to the product packaging or contact Ibergriif customer service directly. Keep your proof of purchase for any warranty claims.