

Tornado 98780

Tornado Industries Windshear Storm 98780 Portable Blower Fan User Manual

MODEL: 98780

Please read this manual carefully before operating your new blower fan.

1. Product Overview

The Tornado Industries Windshear Storm 98780 is a compact and portable blower fan designed for efficient air movement and drying applications. Utilizing advanced air technology, this unit provides high airflow volume suitable for various environments.

Intended Use: This blower fan is designed for drying carpets, rugs, hard floors, paint, draperies, and upholstery, as well as for general air circulation in residential and commercial settings.



Figure 1: Tornado Industries Windshear Storm 98780 Portable Blower Fan. This image shows the compact, black blower fan with its air intake grille on top and the rectangular air outlet at the front. A control panel is visible on the side.

2. Safety Instructions

WARNING: To reduce the risk of fire, electric shock, or injury, always follow these basic safety precautions.

- Read all instructions before using this appliance.
- Do not operate any fan with a damaged cord or plug. Discard fan or return to an authorized service facility for examination and/or repair.
- Do not run cord under carpeting. Do not cover cord with throw rugs, runners, or similar coverings. Arrange cord away from traffic area and where it will not be tripped over.
- Always unplug the fan before moving, cleaning, or performing maintenance.

- Do not use outdoors or on wet surfaces. This appliance is designed for indoor/outdoor usage, but avoid direct exposure to rain or standing water.
- Do not allow children to play with or around the fan.
- Keep fingers and other objects away from the fan blades and openings.
- Ensure the power source matches the voltage requirements of the fan (120V).
- Do not use this fan with any solid-state speed control device.

3. Setup

1. **Unpacking:** Carefully remove the blower fan from its packaging. Inspect for any damage that may have occurred during shipping.
2. **Placement:** Position the blower fan on a stable, level surface in the area where air circulation or drying is required. Ensure the air intake and outlet are not obstructed.
3. **Power Connection:** Uncoil the power cord completely. Plug the cord into a standard 120V AC electrical outlet. Ensure the outlet is properly grounded.

4. Operating Instructions

The Windshear Storm 98780 features multiple speed settings for versatile operation.

1. **Power On:** Locate the control panel on the side of the unit. Turn the power switch to the "ON" position.
2. **Adjusting Speed:** This unit offers 3 power levels. Use the speed control switch or remote control to select the desired airflow intensity (Low, Medium, High).
3. **Directional Airflow:** Position the blower fan to direct airflow towards the area requiring drying or circulation. The unit can be angled for optimal performance.
4. **Power Off:** When finished, turn the power switch to the "OFF" position and unplug the unit from the electrical outlet.

Remote Control: The unit includes a remote control for convenient operation. Ensure batteries are installed correctly in the remote control.

5. Maintenance

Regular maintenance ensures optimal performance and extends the lifespan of your blower fan.

- **Cleaning:**
 - Always unplug the unit before cleaning.
 - Use a soft, damp cloth to wipe down the exterior surfaces of the fan.
 - Use a vacuum cleaner with a brush attachment or compressed air to remove dust and debris from the air intake and outlet grilles.
 - Do not use abrasive cleaners or solvents.
- **Storage:**
 - Store the blower fan in a cool, dry place when not in use.
 - Coil the power cord neatly and secure it to prevent damage.

6. Troubleshooting

Problem	Possible Cause	Solution
Fan does not turn on.	Not plugged in. Power outlet not working. Power switch is off.	Ensure the power cord is securely plugged into a 120V outlet. Test the outlet with another appliance. Turn the power switch to the "ON" position.
Reduced airflow.	Air intake/outlet obstructed. Fan blades are dirty.	Clear any obstructions from the intake and outlet grilles. Unplug the unit and clean the fan blades and grilles as per maintenance instructions. Ensure the fan is set to a higher speed if needed.
Unusual noise during operation.	Loose components. Debris inside the unit.	Unplug the unit and inspect for any loose parts. Carefully check for and remove any foreign objects or debris. If the noise persists, discontinue use and contact customer support.

If you encounter problems not listed here, or if solutions do not resolve the issue, please contact Tornado Industries customer support.

7. Specifications

Brand	Tornado
Model Name	Windshear Storm
Item Model Number	98780
Electric Fan Design	Blower
Power Source	AC/DC
Voltage	120 Volts
Wattage	28.8 watts
Air Flow Capacity	3200 Cubic Feet Per Minute
Speed	360 RPM
Number of Power Levels	3
Control Method	Remote
Special Feature	Portable
Indoor/Outdoor Usage	Outdoor

Product Dimensions	18 x 18 x 11 inches
Included Components	Cord
Manufacturer	Tornado Industries
UPC	885248281721




8. Warranty and Support




For warranty information, please refer to the documentation included with your purchase or contact Tornado Industries directly. Keep your proof of purchase for warranty claims.

For technical support or service inquiries, please visit the official Tornado Industries website or contact their customer service department.

© 2023 Tornado Industries. All rights reserved.

Related Documents - 98780

 <p>TORNADO BD 17/6 Automatic Scrubber Model: BD 17/6</p>	<p>Tornado BD 17/6 Automatic Scrubber Parts Manual</p> <p>Official parts manual for the Tornado BD 17/6 Automatic Scrubber, detailing components and part numbers for maintenance and repair. Includes warranty information.</p>
 <p>TORNADO CK LW 13/1 ROAM Battery Upright Vacuum Model: 97300</p>	<p>Tornado CK LW 13/1 ROAM Battery Upright Vacuum Parts Manual & Warranty</p> <p>Official parts manual and limited warranty information for the Tornado CK LW 13/1 ROAM Battery Upright Vacuum (Model 97300). Includes detailed parts breakdown for handle, nozzle, and agitator assemblies.</p>
 <p>INSTRUCTION MANUAL TORNADO 24" METAL PORTABLE TILT BLOWER DRUM FAN Model: HI-FAN-DRUM24-1 P</p>	<p>Tornado 24-Inch Metal Portable Tilt Blower Drum Fan HI-FAN-DRUM24-1 P Instruction Manual</p> <p>Official instruction manual for the Tornado 24-Inch Metal Portable Tilt Blower Drum Fan (Model: HI-FAN-DRUM24-1 P). Includes safety warnings, usage instructions, assembly guide, care and maintenance, and warranty information from Hexago LLC.</p>

	<p>Tornado Sport Foosball Table Assembly Instructions</p> <p>Comprehensive assembly instructions for the Tornado Sport Foosball Table, including a detailed parts list, required tools, and step-by-step guidance for setup and maintenance.</p>
	<p>Tornado Blaster-G242 Air Cooler Instruction Manual - Operation, Maintenance, and Safety</p> <p>Comprehensive instruction manual for the Tornado Blaster-G242 Air Cooler. Learn about product features, panel controls, installation, usage of ice crystal boxes, cleaning, maintenance, safety precautions, and responsible disposal.</p>
	<p>Tornado PL1606X Bluetooth Speaker Lamp User Manual</p> <p>Comprehensive user manual for the Tornado PL1606X Bluetooth Speaker Lamp. Learn how to set up, connect via Bluetooth or AUX, control music, and troubleshoot common issues. Features RGB LED lighting and a 1-hour auto-off timer.</p>

Documents - Tornado – 98780



[pdf] User Manual Specifications Catalog

98778 and 98780 Wndshear Storm Operation Manual tornadovac docs |||

Operations Maintenance Manual For Commercial Use Only TORNADO INDUSTRIES, LLC 3101 WICHITA COURT FORT WORTH, TX 76140 800 -822-8867 FAX 817 -551-6507 WWW.TORNADOVAC.COM WINDSHEARTM STORM and WINDSHEARTM STORM DELUXE MODEL NO: 98778/98780 Form No. L8778AB 03/13 Tornado Industries, LLC. All righ...

lang:en score:36 filesize: 3.12 M page_count: 17 document date: 2017-06-16



[\[pdf\]](#) User Manual Specifications Catalog

Provided by ManualsAndMore Download User Manual Tornado WINDSHEAR STORM Operation

Maintenance manualsandmore |||

Operations Maintenance Manual For Commercial Use Only TORNADO INDUSTRIES, LLC 333 CHARLES COURT W ... - To Order Parts Call 608-268-8080 WINDSHEARTM STORM and WINDSHEARTM STORM DELUXE MODEL NO: 98778/**98780** Form No. L8778AB 03/13 Tornado Industries, LLC. All rights reserved 1 <https://harrissupplyin...>

lang:en **score:32** filesize: 2.92 M page_count: 17 document date: 2019-07-24



[\[pdf\]](#) User Manual Specifications Catalog

Operation ManualTornado Windshear Storm Deluxe Compact Blower Dryer 98780 JaniSource LLC98780 98778 manualcdn shopify s files 1 0607 6606 0597 manual v 1714768786 |||

Operations Maintenance Manual For Commercial Use Only TORNADO INDUSTRIES, LLC 3101 WICHITA COURT FORT WORTH, TX 76140 800 -822-8867 FAX 817 -551-6507 WWW.TORNAOVAC.COM WINDSHEARTM STORM and WINDSHEARTM STORM DELUXE MODEL NO: 98778/**98780** Form No. L8778AB 03/13 Tornado Industries, LLC. All righ...

lang:en **score:31** filesize: 3.12 M page_count: 17 document date: 2017-06-16



[\[pdf\]](#) User Manual Warranty

Parts ManualTornado Windshear Storm Deluxe Compact Blower Dryer 98780 JaniSource LLC98780

parts manualcdn shopify s files 1 0607 6606 0597 manual v 1714768786 |||

Parts Manual For Commercial Use Only TORNADO INDUSTRIES, LLC 3101 WICHITA COURT FORT WORTH, TX 76140 PHONE 800-VACUUMS FAX 817-551-0719 WWW.TORNAOVAC.COM WINDSHEARTM STORM DELUXE MODEL NO: **98780** Form No. L8778ACP 02/18 Tornado Industries, LLC. All rights reserved 1 Long -Term Buyer Protection L...

lang:en **score:29** filesize: 1.5 M page_count: 4 document date: 2018-02-26




[\[pdf\]](#) User Manual Warranty

L8778ACP Manual tornadovac docs |||

Parts Manual For Commercial Use Only TORNADO INDUSTRIES, LLC 3101 WICHITA COURT FORT WORTH, TX 76140 PHONE 800-VACUUMS FAX 817-551-0719 WWW.TORNADOVAC.COM WINDSHEARTM STORM DELUXE MODEL NO: **98780** Form No. L8778ACP 02/18 Tornado Industries, LLC. All rights reserved 1 Long -Term Buyer Protection L...

lang:en score:26 filesize: 1.5 M page_count: 4 document date: 2018-02-26



[\[pdf\]](#) Specifications Guide Borchure

National Account Product Guide 10002 2475158 Brochure content interlinebrands product document ||| Tacony Commercial Floor Care National Account Product Guide Tacony Commercial Floor Care Division: ... arpet cleanings, and congested areas where larger extractors just won t fit. 22 Windshear StormTM **98780** Features Deluxe model features a kickstand and the ability to daisy chain five units togethe...

lang:en score:24 filesize: 3.12 M page_count: 40 document date: 2014-02-16



[\[pdf\]](#)

Id 897 Name Main Assembly PageCount 3 PageStart Type Windshear Storm Deluxe 98780 Tornado Parts Manuals shop monsterjanitorial content Carpet Care |||

...

lang:en score:20 filesize: 198.73 K page_count: 5 document date: 2025-03-10



The Windshear™ Storm

Compact size, low amp draw and lightweight with new "Driven Air" technology for fast drying



Powerful Airflow

When time is money, you get more drying productivity and profit with the new Windshear™ Storm blower dryer. The "Driven Air" technology, this compact unit is changing the blower dryer market as we know it today. The Windshear Storm is dramatically lighter and smaller, offering high airflow volume with energy of 1000 horsepower (HP) and 1000 CFM. It's compact and light, making it easy to move and store. It's also a great choice for drying and maximum drying rates of only 20. This unit comes with a 10-year warranty and a 3-year parts warranty.

Conserve Space and Energy

Available in compact or deluxe models, the upgraded version allows you to dry things in less time and use about half the energy of other drying units while making storage concerns in companies smaller. The compact, foldable design allows and maximum drying rates of only 20. This unit comes with a 10-year warranty and a 3-year parts warranty.

Lightweight, Slim Design

The Windshear Storm is made of durable poly materials for years of continuous use. Weighing up to 10% less than traditional blowers of just 17.5 pounds, the compact design allows increased power in a lighter, slimmer profile and offers easier transport and storage.

Applications

The Windshear Storm is perfect for drying:


- Carpets
- Rugs
- Hard floors
- Cement or concrete
- Tiles
- Drapery
- Linens
- And more

[pdf] Borchure


BrochureTornado Windshear Storm Deluxe Compact Blower Dryer 98780 JaniSource LLCWindshear TDS 98778 ae2b2364 9989 47e8 9680 2981ff678407cdn shopify s files 1 0607 6606 0597 2981ff678407 v 1704285878 BrochureBrochureTornado LLCTornado Standard Model 2981ff678407Windshear 98780cdn 1704285878cdn 1704275235 |||

The Windshear™ Storm Compact size, low amp draw and lightweight with new Driven Air technology fo ... KICKSTAND No DAISY CHAIN CAPABLE No STACKABLE Yes POWER CORD 20 ft. / 6 m WINDSHEAR STORM **98780** 22 in x 16.5 in x 11.5 in 56 cm x 42 cm x 29 cm 18 lbs. / 8.2 kg 2.8 max 120V 3,400 FPM 0 / 30...

lang:en score:18 filesize: 1.42 M page_count: 2 document date: 2018-05-11



National Account Product Guide



Tacony Commercial Floor Care

National Account Product Guide

Tacony

Tornado CFR Powr-Flite

[pdf] Specifications Guide Accessories Borchure

National Account Product Guide 2 Tacony Commercial Floor Care Division Anticipating the cleaning accessories you need quick ly without waiting or equipment down time Responsible Cleaning on how can start your own sustainable program 2475158 Brochure content interlinebrands product document 10002 Tacony Commercial Floor Care National Account Product Guide Tacony Commercial Floor Care Division: ... arpet cleanings, and congested areas where larger extractors just won t fit. 22 Windshear Storm™ **98780** Features Deluxe model features a kickstand and the ability to daisy chain five units togethe...

lang:en score:18 filesize: 3.11 M page_count: 40 document date: 2014-02-16

Tornado Commercial Limited Warranty

Tornado warrants that, from the date of purchase until the expiration of the warranty period set forth for your product, the product shall be free from defects in material and workmanship when it is used under normal conditions and maintained according to the requirements outlined in the Owner's Manual, subject to the conditions and exclusions set forth below.

Who may use this limited warranty?

Tornado extends this limited warranty set forth below only to the consumer who originally purchased the product. This limited warranty does not extend to any subsequent owner or other transferee of the product.

What is covered by this limited warranty?

1. The original product, as described above, and/or non-repairable parts deemed defective, in Tornado's sole discretion, will be replaced or repaired for the duration of the warranty period.
2. In the event a replacement product is issued, the warranty coverage continues from the date of purchase of the original product. Tornado reserves the right to replace the original product with one of equal or greater value.
3. Return freight and maintenance costs (ground freight only) are prepaid by Tornado for warranty claims that meet the applicable requirements.
4. Tornado product warranties vary per model. Please see duration warranty for details of the time frame of your purchase.
5. To find an authorized Tornado service center, contact us at info@tornado.com.
6. Warranty for corded products starts from date of sale to the consumer or 8 months from the time distributor purchased from Tornado, whichever comes first. Warranty for battery units starts at 6 months after distributor purchase.

What is not covered by this limited warranty?

1. Parts of the product that require regular maintenance and/or replacement to ensure the proper functioning of your product are not covered by this limited warranty. This includes but is not limited to bags, belts, filters, brush rolls, hoses, pads, nozzles. Replacement parts are available for purchase from your local authorized Tornado distributor.
2. Any product that has been tampered with or not used in accordance with the owner's manual.
3. Damage caused by misuse (e.g., vacuuming on water or other fluids), abuse, neglect, handling, failure to perform required maintenance (e.g., not cleaning the equipment, replacing filters or not using the proper pads or chemicals), or damage due to misusing it to clean.
4. Consequential and incidental damages.
5. Defects caused by electrical or other third-party factors or damages caused by the process of shipping, storing, or repairing your Tornado product or any of its parts when the repair is performed by a repair person not authorized by Tornado.
6. Products purchased, used, or operated outside the USA and Canada.
7. Products that are second-hand, or products outside of the warranty period.

[pdf] Owner's Manual Warranty

Sherry Leitl Tornado® Standard Medium Scrub Brush Set For Vortex 13 Multi Surface Scrubber W Pack of 2 Tornado Warranty static globalindustrial products 5059 powrflite ||| Tornado Commercial Limited Warranty Tornado warrants that, from the date of purchase until the expir ... 8832 Pro 500 Perfect Heat, 500 P.S.I., 13-Gallon DRYERS 98778 Windshear™ Storm Standard Dryer **98780** Windshear™ Storm Deluxe Dryer 98774 Windshear™ 3200 Dryer 98786 Windshear™ 3200 Safety...

lang:en score:17 filesize: 244.16 K page_count: 8 document date: 2023-03-14

Tornado Commercial Limited Warranty

Tornado warrants that, from the date of purchase until the expiration of the warranty period set forth for your product, the product shall be free from defects in material and workmanship when it is used under normal conditions and maintained according to the requirements outlined in the Owner's Manual, subject to the conditions and exclusions set forth below.

Who may use this limited warranty?

Tornado extends this limited warranty set forth below only to the consumer who originally purchased the product. This limited warranty does not extend to any subsequent owner or other transferee of the product.

What is covered by this limited warranty?

1. The original product, as described above, and/or non-repairable parts deemed defective, in Tornado's sole discretion, will be replaced or repaired for the duration of the warranty period.
2. In the event a replacement product is issued, the warranty coverage continues from the date of purchase of the original product. Tornado reserves the right to replace the original product with one of equal or greater value.
3. Return freight and maintenance costs (ground freight only) are prepaid by Tornado for warranty claims that meet the applicable requirements.
4. Tornado product warranties vary per model. Please see duration warranty for details of the time frame of your purchase.
5. To find an authorized Tornado service center, contact us at info@tornado.com.
6. Warranty for corded products starts from date of sale to the consumer or 8 months from the time distributor purchased from Tornado, whichever comes first. Warranty for battery units starts at 6 months after distributor purchase.

What is not covered by this limited warranty?

1. Parts of the product that require regular maintenance and/or replacement to ensure the proper functioning of your product are not covered by this limited warranty. This includes but is not limited to bags, belts, filters, brush rolls, hoses, pads, nozzles. Replacement parts are available for purchase from your local authorized Tornado distributor.
2. Any product that has been tampered with or not used in accordance with the owner's manual.
3. Damage caused by misuse (e.g., vacuuming on water or other fluids), abuse, neglect, handling, failure to perform required maintenance (e.g., not cleaning the equipment, replacing filters or not using the proper pads or chemicals), or damage due to misusing it to clean.
4. Consequential and incidental damages.
5. Defects caused by electrical or other third-party factors or damages caused by the process of shipping, storing, or repairing your Tornado product or any of its parts when the repair is performed by a repair person not authorized by Tornado.
6. Products purchased, used, or operated outside the USA and Canada.
7. Products that are second-hand, or products outside of the warranty period.

[pdf] Owner's Manual Warranty

Sherry Leitl Tornado Commercial Limited Warranty Duration by Model Description Machine Parts Roto Part Labor** Battery VACUUMS 97130 CK LW 13 1 Single Motor Upright 2 years tornado warranty 2023 webstaurantstore documents ||| Tornado Commercial Limited Warranty Tornado warrants that, from the date of purchase until the expir ... 8832 Pro 500 Perfect Heat, 500 P.S.I., 13-Gallon DRYERS 98778 Windshear™ Storm Standard Dryer **98780** Windshear™ Storm Deluxe Dryer 98774 Windshear™ 3200 Dryer 98786 Windshear™ 3200 Safety...

lang:en score:17 filesize: 245.24 K page_count: 8 document date: 2022-01-14

Tornado Commercial Limited Warranty

Tenneco warrants that, from the date of purchase until the expiration of the warranty period set forth for your product, the product shall be free from defects in material and workmanship when it is used under normal conditions and maintained according to the requirements outlined in the Owner's Manual, subject to the conditions and exclusions set forth below.

Who may use this limited warranty?

Ternado extends the limited warranty set forth below only to the consumer who originally purchased the product. This limited warranty does not extend to any subsequent owner or other transferee of the product.

What is covered by this limited warranty?

1. The original product, as described above, and/or nonwearable parts deemed defective, in Tarnado's sole discretion, will be repaired or replaced for the duration of the warranty period.
2. To receive a replacement product in-kind, the warranty coverage continues from the date of purchase of the original product. Tarnado reserves the right to replace the original product with one of equal or greater value.
3. Return freight and shipment costs (ground freight only) are prepaid by Tarnado for warranty claims that meet the eligibility requirements.
4. Tarnado product warranties vary per model. Please see duration warranty for details of the time frame of your purchase.
5. To find an authorized Tarnado service center, contact us at ctechservice@tarnaco.com.

What is not covered by this limited warranty?

1. Parts of the product that require regular maintenance and/or replacement to ensure the proper functioning of your product are not covered by the limited warranty. This includes but is not limited to bags, belts, filters, brush strips, hose, pads, squeakers. Replacement parts are available for purchase from your local authorized Tarnado distributor.
2. Any product that has been tampered with or not used in accordance with the owner's manual.
3. Damage caused by misuse (e.g., vacuuming up water or other liquid, abuse, negligent operation) or by use of the product in an unauthorized manner (e.g., cleaning carpet, replacing filters or not using the proper pads or chemicals, or damage due to mishandling in transit).
4. Consequential and incidental damages.
5. Defects caused by unauthorized service. These defects include damages caused in the process of repairing, altering, or reassembling Tarnado product or any of its parts when the repair is performed by a repair person not authorized by Tarnado.
6. Products purchased, used, or operated outside the USA and Canada.
7. Products that are second-hand, or products outside of the warranty period.

[\[pdf\]](#) Owner's Manual Warranty

Sherry Leidl Tornado Commercial Limited Warranty Webstaurant Store 91449 CV 30 Single Motor with

Tools 2 years 91430 Deluxe CVD w 4 91438 38 tornado warranty 2023 srsltid AfmBOoqXaIBIDqdVv3K

95SYLyBXrRnInGtHAuvRQ wLhPVNW8hv4Yh1 webstaurantstore documents |||

Tornado Commercial Limited Warranty Tornado warrants that, from the date of purchase until the expir ... 8832 Pro 500 Perfect Heat, 500 P.S.I., 13-Gallon DRYERS 98778 Windshear™ Storm Standard Dryer **98780** Windshear™ Storm Deluxe Dryer 98774 Windshear™ 3200 Dryer 98786 Windshear™ 3200 Safety...

lang:en score:17 filesize: 384.29 K page_count: 8 document date: 2023-03-14



Operations & Maintenance Manual
For Commercial Use Only



Form No. L8778AB 03/13 ©Tornado Industries, LLC. All rights reserved.

Tornado Commercial Limited Warranty

Tornado warrants that, from the date of purchase until the expiration of the warranty period set forth for your product, the product shall be free from defects in material and workmanship when it is used under normal conditions and maintained according to the requirements outlined in the Owner's Manual, subject to the conditions and exclusions set forth below.

Who may use this limited warranty?

Tornado extends the limited warranty set forth below only to the consumer who originally purchased the product. This limited warranty does not extend to any subsequent owner or other transferee of the product.

What is covered by this limited warranty?

1. The original product, as described above, and/or non-wearable parts deemed defective, in Tornado's sole discretion, will be repaired or replaced for the duration of the warranty period.
2. In the event a replacement product is issued, the warranty coverage continues from the date of purchase of the original product. Tornado reserves the right to replace the original product with a new or greater model.
3. Return freight and shipment costs (ground freight only) are prepaid by Tornado for warranty claims that meet the eligibility requirements.
4. Tornado product warranties vary per model. Please see duration warranty for details of the time frame of your purchase.
5. To find an authorized Tornado service center, contact us at techsupport@tornado.com.

What is not covered by this limited warranty?

1. Parts of the product that require regular maintenance and/or replacement to ensure the proper functioning of your product are not covered by this limited warranty. This includes but is not limited to: light bulbs, fuses, filters, belts, pads, wipers, rollers, and other consumable parts available for purchase from your local authorized Tarnada distributor.
2. Any product that has been tampered with or not used in accordance with the owner's manual.
3. Damage caused by misuse (e.g., vacuuming up water or other liquid, acids, negligent handling, failure to perform required maintenance (e.g., not cleaning the equipment, replacing tires or not using the proper grade of oil/chemical), or damage due to mishandling in transit.
4. Consequential and incidental damages.
5. Defects caused by unauthorized service. These defects include damages caused in the process of shipping, altering, or repairing your Tarnada product or any of its parts when the repair is performed by a repair person not authorized by Tarnada.
6. Products purchased, used, or sold outside of the United States and Canada.
7. Products that are second-hand, or products outside of the warranty period.

[\[pdf\]](#) Owner's Manual Warranty

Sherry Leidl Tornado Warranty BR 16 3 Cylindrical Brush Scrubber 99406 — KleanBase Commercial v

1704892386 cdn shopify s files 1 0607 6606 0597 |||

Tornado Commercial Limited Warranty Tornado warrants that, from the date of purchase until the expir ... 8832 Pro 500 Perfect Heat, 500 P.S.I., 13-Gallon DRYERS 98778 Windshear™ Storm Standard Dryer **98780** Windshear™ Storm Deluxe Dryer 98774 Windshear™ 3200 Dryer 98786 Windshear™ 3200 Safety...

lang:en score:16 filesize: 232.45 K page count: 8 document date: 2023-01-31



[pdf]

F8778 Windshear Storm tornadovac docs |||

The Windshear™ Storm Compact size, low amp draw and lightweight with new Driven Air technology fo ... KICKSTAND No DAISY CHAIN CAPABLE No STACKABLE Yes POWER CORD 20 ft. / 6 m WINDSHEAR STORM **98780** 22 in x 16.5 in x 11.5 in 56 cm x 42 cm x 29 cm 18 lbs. / 8.2 kg 2.8 max 120V 3,400 FPM 0 / 30...

lang:en score:13 filesize: 1.42 M page_count: 2 document date: 2018-05-11




[pdf] Catalog

PRODUCT CATALOG Fifteenth Edition CK LW 13 1 LIGHTWEIGHT VACUUM 4 800 VACUUMS TORNADOVAC COM F2500 At only 8 pounds the Tornado® has power to deliver heavyweight commercial cleaning results with an incredible 160 CFM Tackling even toughest tasks will not maximize speed and it help minimize on job injuries due its 97607 catalog hillnmarkes ASSETS DOCUMENTS ITEMS EN |||

PRODUCT CATALOG 1150 Davis Road, Suite J Elginw,wILw6.0t1o2r3nadovac.com 800 788-8867 info lorc ... ft. / 6 m WARRANT Y LABOR PARTS 1 year* 1 year* * See full warranty for details WINDSHEAR STORM **98780** 22 in x 16.5 in x 11.5 in 56 cm x 42 cm x 29 cm 18 lbs. / 8.2 kg 2.8 max 120V 3,400 FPM 0 / 5 ...

lang:en score:10 filesize: 5.14 M page_count: 56 document date: 2014-01-28




[pdf] Catalog

PRODUCT CATALOG Fifteenth Edition Hill Markes Inc CK LW 13 1 LIGHTWEIGHT VACUUM 4 800 VACUUMS TORNADOVAC COM F2500 At only 8 pounds the Tornado® has power to deliver heavyweight commercial cleaning results with an incredible 160 CFM Tackling even toughest tasks will not maximize speed and it help minimize on job injuries due its tork47622490 catalog hillnmarkes ASSETS DOCUMENTS ITEMS EN |||

PRODUCT CATALOG www.tornadovac.com 1.800.VACUUMS Fifteenth Edition A Tacony Company TA B L E O F ... ft. / 6 m WARRANT Y LABOR PARTS 1 year* 1 year* * See full warranty for details WINDSHEAR STORM **98780** 22 in x 16.5 in x 11.5 in 56 cm x 42 cm x 29 cm 18 lbs. / 8.2 kg 2.8 max 120V 3,400 FPM 0 / 5 ...

lang:en score:10 filesize: 5.09 M page_count: 56 document date: 2014-07-10



[\[pdf\]](#) Specifications Declaration of Conformity Catalog

Download Product Catalog 6.8 MB At only pounds the Tornado® CK LW 13 1 has power to deliver heavyweight commercial cleaning results with an incredible 160 CFM Tackling TV prodcat 19thEd 18 17 gwtc net ~hohrman doc PRODUCT CATALOG 800 VACUUMS TORNADOVAC COM 5 ROAM With Roam you have ability clean anywhere anytime a dB rating below 70 is extremely quiet allowing vacuum even noise sensitive facilities such as schools hospitals retail stores and more!

21ST EDITION PRO DU C T C ATALOG www.tornadovac.com 1.800.VACUUMS END-USERS SEE YOUR LOCAL TORNA ... 98778 22 in x 16.5 in x 11.5 in 56 cm x 42 cm x 29 cm 17.75 Lbs. / 8 kg WINDSHEARTM STORM DELUXE **98780** 22 in x 16.5 in x 11.5 in 56 cm x 42 cm x 29 cm 18 Lbs. / 8.2 kg Running AMPS 2.8 max 2.8 m...

lang:en score:10 filesize: 7.52 M page_count: 64 document date: 2019-09-30



[\[pdf\]](#) Declaration of Conformity Catalog

PRODUCT CATALOG Seventeenth Edition CK LW 13 1 LIGHTWEIGHT VACUUM 4 800 VACUUMS TORNADOVAC COM F2500 At only 8 pounds the Tornado® has power to deliver heavyweight commercial cleaning results with an incredible 160 CFM Tackling even toughest tasks will not maximize speed and it help minimize on job injuries due its With goal of helping our dealers customers become more successful productive is committed providing innovative solutions for every TV prodcat 17thEd gwtc net ~hohrman doc

PRODUCT CATALOG www.tornadovac.com 1.800.VACUUMS Seventeenth Edition A Tacony Company Ta b l e o ... ft. / 6 m WARRANT Y LABOR PARTS 1 year* 1 year* * See full warranty for details WINDSHEAR STORM **98780** 22 in x 16.5 in x 11.5 in 56 cm x 42 cm x 29 cm 18 lbs. / 8.2 kg 2.8 max 120V 3,400 FPM 0 / 5 ...

lang:en score:10 filesize: 5.26 M page_count: 60 document date: 2016-01-11