

Weehom Twin

Weehom Twin Metal Platform Bed Frame with Headboard and Footboard Instruction Manual

Model: Twin

1. INTRODUCTION

This manual provides detailed instructions for the assembly, operation, and maintenance of your Weehom Twin Metal Platform Bed Frame. Please read all instructions carefully before beginning assembly and retain this manual for future reference. This bed frame is designed for a twin-size mattress and features a headboard, footboard, and under-bed storage space.

2. SAFETY INFORMATION

WARNING:

- Always follow the assembly instructions carefully to prevent instability or collapse.
- Do not exceed the maximum weight recommendation of 450 pounds.
- Be aware that the squeak-resistant feature may not indicate wear or instability. Regularly check all connections.
- Keep small parts away from children during assembly to prevent choking hazards.

3. PACKAGE CONTENTS

Before assembly, verify that all parts and hardware are present. Refer to the list below and the diagram for identification.




Figure 1: Hardware and Parts List. Ensure all components are present before starting assembly.

Hardware List

Item	Description	Quantity
A	M8x65mm Bolt	4
B	M8 Nut	4
C	M6x50mm Bolt	14
D	M6x20mm Bolt	8
E	M6 Washer	10
F	M6 Nut	8
G	M6x35mm Bolt	4
H	Allen Wrench	1
I	Spanner	1
J	Phillips Screwdriver	1

4. ASSEMBLY INSTRUCTIONS

Assembly is required. All necessary tools are included. Follow the detailed and clear instructions provided in your package. It is recommended to have two people for assembly.

- Unpack and Identify:** Carefully unpack all components and compare them with the 'Package Contents' list to ensure nothing is missing.
- Assemble Headboard and Footboard:** Attach the decorative scrollwork to the headboard and footboard sections using the appropriate bolts and nuts.
- Connect Side Rails:** Attach the side rails to the assembled headboard and footboard sections. Ensure all connections are secure but do not fully tighten bolts until the frame is fully assembled.
- Install Support Slats:** Place the metal slats across the frame. Ensure they are properly seated and secured to provide adequate mattress support.
- Final Tightening:** Once the entire frame is assembled, go back and securely tighten all bolts and nuts.
- Place Mattress:** Position your twin-size mattress directly onto the assembled platform. A box spring is not required.



Figure 2: Example of a frame connection point during assembly.



Figure 3: Detail of the metal slat connection for mattress support.

Video 1: An overview of Weehom bed frames, demonstrating various styles and features, including the pink twin model.

5. OPERATING INSTRUCTIONS

The Weehom Twin Metal Platform Bed Frame is designed for direct mattress placement without the need for a box spring. Its sturdy metal slat system provides ample support.

- **Mattress Placement:** Place your twin-size mattress directly on the metal slats. The headboard and footboard help keep the mattress securely in place.
- **Under-Bed Storage:** Utilize the 12.7-inch clearance beneath the frame for convenient storage of boxes, bins, or other items.



Figure 4: The bed frame offers ample under-bed storage space.

6. MAINTENANCE

- **Cleaning:** Wipe the metal frame with a soft, damp cloth. Avoid abrasive cleaners or harsh chemicals that could damage the finish.
- **Regular Checks:** Periodically inspect all bolts and connections to ensure they remain tight. Re-tighten if necessary to maintain stability and prevent squeaking.
- **Weight Distribution:** Ensure weight is evenly distributed on the bed frame to prevent undue stress on any single point.

7. TROUBLESHOOTING

- **Squeaking Noises:** If the bed frame begins to squeak, check all bolts and connections and tighten them securely. Ensure the mattress is properly seated on the slats.
- **Instability:** If the frame feels unstable, re-check all assembly steps, ensuring all parts are correctly installed and all fasteners are tightened. Do not use the bed if it feels unstable.
- **Missing Parts:** If you find any parts missing upon unboxing, please contact Weehom customer support immediately for assistance.

8. SPECIFICATIONS

Feature	Detail
Size	Twin
Product Dimensions	77.4"L x 36"W x 34.8"H
Material	Steel
Color	Pink
Weight Capacity	450 lbs
Under-Bed Clearance	12.7 Inches
Assembly Required	Yes
Box Spring Required	No
Special Feature	Squeak Resistant




Figure 5: Detailed dimensions and weight capacity of the bed frame.

9. WARRANTY AND SUPPORT

For any questions, concerns, or to report missing parts, please contact Weehom customer support. While specific warranty details are not provided in this manual, standard manufacturer warranties typically cover defects in materials and workmanship. Please refer to your purchase documentation or contact the seller, Winsmooth, for detailed warranty information.

Seller: Winsmooth

Contact: Refer to your purchase platform for direct seller contact options.