

Lampa 38712

Lampa 38712 USB Power Delivery Car Charger Kit User Manual

INTRODUCTION

This manual provides essential instructions for the safe and efficient use of your Lampa 38712 USB Power Delivery Car Charger Kit. This kit includes a 12/24V car charger with USB Power Delivery technology and a 1-meter USB-C to Lightning cable, designed for fast charging of compatible devices in your vehicle. Please read this manual thoroughly before use and retain it for future reference.

PACKAGE CONTENTS

Verify that all items listed below are present in your package:

- 1x Lampa USB Power Delivery Car Charger (12/24V)
- 1x Lampa USB-C to Lightning Cable (1 meter)
- 1x Instruction Manual (this document)

PRODUCT OVERVIEW

The Lampa 38712 charging kit consists of two primary components: a car charger and a USB-C to Lightning cable. The car charger features both a USB-C port with Power Delivery (PD) for rapid charging and a standard USB-A port for broader compatibility. The included cable is designed for Apple devices with a Lightning connector, supporting fast charging when paired with the PD port.



Figure 1: Lampa 38712 USB Power Delivery Charging Kit components, showing the car charger and the 1-meter USB-C to Lightning cable.



Figure 2: Close-up view of the Lampa 38712 car charger with USB-C Power Delivery and USB-A ports, alongside the USB-C and Lightning connectors of the included cable.

SETUP

Follow these steps to set up your Lampa 38712 charging kit:

1. **Insert the Car Charger:** Firmly insert the Lampa car charger into your vehicle's 12V or 24V auxiliary power outlet (cigarette lighter socket). Ensure it is securely seated.
2. **Connect the Cable:** Plug the USB-C end of the provided 1-meter cable into the USB-C Power Delivery port on the car charger.
3. **Connect Your Device:** Plug the Lightning end of the cable into your compatible Apple device (e.g., iPhone, iPad).

OPERATING INSTRUCTIONS

Once set up, the Lampa 38712 kit is ready for use:

- **Automatic Charging:** Charging will begin automatically once your device is connected to the charger and the vehicle's power outlet is active.
- **Power Delivery (PD) Technology:** The USB-C port utilizes Power Delivery technology to provide optimized and faster charging for compatible devices. For best results, use the included USB-C to Lightning cable with the USB-C PD port.
- **Dual Device Charging:** You can charge two devices simultaneously by using both the USB-C PD port and the standard USB-A port. Note that the USB-A port provides standard charging speeds.
- **Vehicle Compatibility:** The charger is compatible with both 12V and 24V vehicle power systems, making it suitable for a wide range of cars, trucks, and other vehicles.

MAINTENANCE

To ensure the longevity and optimal performance of your charging kit, follow these maintenance guidelines:

- **Cleaning:** Disconnect the charger from the power source before cleaning. Use a soft, dry cloth to wipe the surfaces. Do not use liquid cleaners or abrasive materials.
- **Storage:** Store the charger and cable in a cool, dry place away from direct sunlight and extreme temperatures when not in use.
- **Handling:** Avoid dropping the charger or subjecting it to strong impacts. Do not bend or pull the cable excessively, especially near the connectors.
- **Disassembly:** Do not attempt to disassemble or modify the charger or cable. This will void the warranty and may cause damage or injury.

TROUBLESHOOTING

If you encounter issues with your Lampa 38712 charging kit, refer to the table below for common problems and solutions:

Problem	Possible Cause	Solution
Device is not charging.	Loose connection, vehicle power outlet inactive, faulty cable/device.	Ensure charger is fully inserted into the vehicle's power outlet. Check if the vehicle's ignition is on. Try a different USB port or cable. Test with another device.
Charging is slow.	Device not Power Delivery compatible, using USB-A port for fast charge, cable issue.	Ensure your device supports USB Power Delivery for fast charging. Use the USB-C PD port with the included USB-C to Lightning cable. Verify the cable is not damaged.
Charger feels warm during use.	Normal operation, high power draw.	It is normal for the charger to become warm during operation, especially during fast charging. If it becomes excessively hot or emits smoke/odor, disconnect immediately.

SPECIFICATIONS

Technical details for the Lampa 38712 USB Power Delivery Car Charger Kit:

Feature	Detail
Manufacturer	Lampa
Model Number	38712
Input Voltage	12V / 24V DC
Output Power (USB-C PD)	18 Watts
Cable Type	USB-C to Lightning
Cable Length	1 meter
Included Components	USB Car Charger, USB-C to Lightning Cable
Package Dimensions	21 x 8 x 3.5 cm
Package Weight	100 grams

SAFETY INFORMATION

Please observe the following safety precautions:

- Do not expose the product to water, moisture, or extreme temperatures.
- Keep the product away from fire or heat sources.
- This product is not a toy; keep it out of reach of children.
- Use the product only for its intended purpose.
- Do not operate the product if it appears damaged.
- Ensure proper ventilation around the charger during use.

WARRANTY AND SUPPORT

For warranty information and customer support, please refer to the retailer where you purchased this product or visit the official Lampa website. Please have your model number (38712) and proof of purchase available when seeking support.

