

shernbao SHD-2600P

shernbao Stainless Steel Dog Bathing Station

MODEL: SHD-2600P

Introduction

This manual provides detailed instructions for the proper setup, operation, and maintenance of your shernbao Stainless Steel Dog Bathing Station. Please read this manual thoroughly before initial use to ensure safe and efficient operation and to maximize the lifespan of your product.

Safety Information

- Always ensure the bathtub is properly grounded before use.
- Do not use the bathtub if the power cord is damaged.
- Keep the bathtub and power cord away from water and heated surfaces.
- Always supervise pets during bathing. Do not leave the bathtub unattended while in use.
- In case of a leak, turn off the power and contact a professional for repair.
- Always use the non-slip floor to prevent pets from slipping.

Product Features and Components

The shernbao Stainless Steel Dog Bathing Station is designed for professional and home use, offering robust construction and user-friendly features.



Figure 1: The shernbao Stainless Steel Dog Bathing Station with a Golden Retriever demonstrating its use.

- **50-inch 304 Stainless Steel Design:** Constructed with durable 304 stainless steel, featuring a powerful and top-level linear actuator paired with a stable X-shaped frame.
- **Adjustable Height:** The linear actuator allows height adjustment from 11 inches to 41 inches in seconds, with a lifting capacity of 330 pounds.
- **Multi-functional Components:** Equipped with a high-pressure shower faucet, a soap dispenser, and a complete drainage kit.
- **Adjustable Flooring:** Includes two-piece adjustable and detachable floors suitable for various dog sizes (large, medium, and small).

- **Convenience Features:** The bathtub features faucet holes on both left and right sides for flexible installation. Three fixed rings are located inside the tub, and two leashes are included for secure bathing.
- **Leak-Proof Safety:** Seamless welding prevents side leakage, and all bathtub edges are polished to prevent scratches. The detachable floor is non-slip to ensure pet safety.

Newly Upgraded Design




Figure 2: Detailed diagram illustrating the dimensions and key components such as the water sprayer, thermo static faucet, pet steel rope, shaped ring, stainless steel storage basket, drain suite, foot pedal, and adjustable feet.

Setup and Assembly

While the main unit comes pre-assembled, some components require attachment before first use.

1. **Unpacking:** Carefully remove all components from the packaging. Inspect for any damage during transit.
2. **Positioning:** Place the main bathing station unit on a stable, level surface in your desired location. Ensure adequate space around the unit for operation and maintenance.
3. **Hose and Faucet Installation:** Attach the high-pressure shower faucet and hose to the designated faucet holes. The design allows for installation on either the left or right side based on your preference.
4. **Drainage Kit Setup:** Connect the drainage kit according to the provided diagrams to ensure proper water disposal.
5. **Flooring Placement:** Insert the two-piece adjustable and detachable non-slip floors into the tub. Adjust their

position as needed for the size of the pet.

6. **Leash Attachment:** Secure the two provided leashes to the three fixed rings inside the tub for pet restraint during bathing.
7. **Power Connection:** Connect the power cord to a properly grounded 110-volt outlet.

Operating Instructions

The shernbao bathing station is designed for intuitive operation.

Humanized operation




Figure 3: Overview of humanized operation features including the shampoo basket, handy shower and hanger, and foot pedal controls for lifting.

- **Electric Lifting:** Use the foot pedal controls to adjust the height of the tub. Pressing the pedal will activate the linear actuator to raise or lower the tub to your desired working height (11 to 41 inches).
- **Water Control:** The stainless steel mixing valve allows for precise control of water temperature and output.

Stainless steel mixing valve




Figure 4: Close-up of the stainless steel mixing valve. The left or right switch adjusts cold and hot water temperature, while lifting or pressing the mixing valve switch outward adjusts water output.

- **Shampoo Dispenser:** Utilize the integrated soap dispenser for convenient access to bathing solutions.
- **Pet Entry/Exit:** The hidden sliding door facilitates easy entry and exit for pets of various sizes.

Maintenance

- **Cleaning:** After each use, rinse the tub thoroughly with clean water. Use a mild, non-abrasive cleaner for stainless steel surfaces to prevent water spots and maintain shine.
- **Drainage System:** Regularly check the drainage kit for any blockages and clear them to ensure efficient water flow.
- **Non-Slip Floors:** Remove and clean the detachable non-slip floors periodically to prevent buildup and maintain hygiene.
- **Moving Parts:** Inspect the linear actuator and X-shaped frame for any signs of wear or damage. Lubricate moving parts as recommended by a professional if necessary.

Troubleshooting

If you encounter any issues with your shernbao Stainless Steel Dog Bathing Station, please refer to the following general advice. For complex problems, contact customer support.

- **Power Issues:** Ensure the unit is properly plugged into a grounded outlet. Check the circuit breaker if there is no power.
- **Lifting Mechanism Malfunction:** Verify that the foot pedals are not obstructed. If the issue persists, contact customer service.
- **Water Flow Problems:** Check for kinks in the hose or blockages in the faucet or drainage system.

Specifications

Feature	Detail
Model Number	SHD-2600P
Product Dimensions	15.75 x 10.63 x 11.22 inches; 322 Pounds (Shipping Weight)
Bathtub Dimensions	50" (L) x 28.7" (W) x 60" (H)
Soap Dispenser Dimensions	12" (L) x 5" (W) x 3" (H)
Material	304 Stainless Steel (Tub), Acrylonitrile Butadiene Styrene (Other parts)
Lifting Capacity	330 pounds (150 kg)
Height Adjustment Range	11 inches to 41 inches
Power Source	Corded Electric
Wattage	3730 watts
Voltage	110 volts

Warranty and Support

Your shernbao Stainless Steel Dog Bathing Station comes with a**1-Year Warranty**. For any inquiries, technical assistance, or warranty claims, please contact shernbao customer service. We offer **24-Hour Customer Service** to assist you with any product-related concerns.

For further assistance, please visit the[shernbao Store on Amazon](#).

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question