Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

UGREEN 10422

UGREEN Car Vent Phone Mount (Model 10422) Instruction Manual

Your guide to installation, operation, and care.

1. Introduction

Thank you for choosing the UGREEN Car Vent Phone Mount. This manual provides detailed instructions for the proper installation, operation, and maintenance of your device. Please read this manual thoroughly before use to ensure optimal performance and safety.

2. Setup and Installation

The UGREEN Car Vent Phone Mount is designed for effortless installation on horizontal air vent blades.

2.1 Attaching the Mount to Your Car Vent

1. Identify a suitable horizontal air vent in your vehicle.**Important Note:** This mount is designed exclusively for horizontal air vent blades. Do not attempt to use it on vertical or circular vents, as this may compromise stability and damage the vent or mount.
2. Gently push the clip of the phone mount onto one of the horizontal blades of your car's air vent. The solid metal clip is engineered to firmly grasp the vent blades.
3. Ensure the mount is securely attached and does not wobble. The spring-loaded grip structure provides a secure fit.



Figure 2.1: Effortless installation of the UGREEN Car Vent Phone Mount.



Figure 2.2: The mount features a solid metal clip designed for horizontal air vent blades. Vertical and circular vents are not compatible.

3. Operating Instructions

Once installed, the UGREEN Car Vent Phone Mount allows for secure and convenient phone placement.

3.1 Inserting Your Phone

1. With one hand, gently squeeze the side arms of the mount to expand the grip.
2. Place your smartphone into the mount, ensuring it sits securely between the expanded arms.
3. Release the side arms. The spring-loaded mechanism will automatically adjust to firmly hold your phone.




Figure 3.1: Simply squeeze to insert your phone for quick and easy setup.

3.2 Adjusting the Viewing Angle

The phone holder clip mount supports 360-degree rotation, allowing you to adjust your phone to the preferred viewing angle for navigation or other uses.

- Gently rotate your phone while it is in the mount to switch between portrait and landscape orientations.

- Adjust the angle slightly to minimize glare and optimize visibility.



Figure 3.2: The mount allows for 360-degree flexible rotation for optimal viewing.

3.3 Removing Your Phone

To remove your phone, simply reverse the insertion process: gently squeeze the side arms to release the phone and lift it out.

4. Compatibility

This UGREEN car vent phone mount offers broad compatibility with various smartphone models.

- **Supported Phone Sizes:** Fits mobile phones with screen sizes from 4.7 to 7.12 inches.
- **Width Range:** Accommodates phones with a width between 2.4 inches (61mm) and 3.6 inches (93mm).
- **Case Thickness:** The maximum thickness of the phone with its case should not exceed 0.43 inches (11mm).
- **Compatible Phone Models Include:** iPhone 17, iPhone 17 Pro Max, iPhone 16, iPhone 16 Plus, iPhone 16 Pro, iPhone 16 Pro Max, iPhone 15, iPhone 15 Plus, iPhone 15 Pro, iPhone 15 Pro Max, iPhone 14, iPhone 14 Plus, iPhone 14 Pro, iPhone 14 Pro Max, iPhone 13 Mini, iPhone 13 Pro, iPhone 13 Pro Max, iPhone 12, 11, XS, XR, X, SE, iPhone 8, 7, 6S Plus, 6, Samsung Galaxy S22, S21, S20, S10, Note20, LG G8, G7, V50, V60, Motorola Moto G Power, Google Pixel 6a, and similar devices.




Figure 4.1: The mount supports phones with widths between 2.4-3.6 inches and a maximum thickness of 0.43 inches.




Figure 4.2: The mount is designed to fit a wide range of smartphones, including those with protective cases.

5. Maintenance

To ensure the longevity and optimal performance of your UGREEN Car Vent Phone Mount, follow these simple maintenance guidelines:

- **Cleaning:** Wipe the mount regularly with a soft, dry cloth to remove dust and debris. For stubborn marks, a slightly damp cloth can be used, followed by immediate drying.
- **Silicone Pads:** The mount features silicone pads to protect your phone and car vents from scratches. Ensure these pads are kept clean and free of oily residues to maintain their grip.
- **Avoid Harsh Chemicals:** Do not use abrasive cleaners, solvents, or strong detergents, as these can damage the materials and finish of the mount.

6. Troubleshooting

If you encounter any issues with your UGREEN Car Vent Phone Mount, please refer to the following common solutions:

- **Mount is not stable on the vent:**
  - Ensure the mount is installed on a **horizontal** air vent blade. It is not compatible with vertical or circular vents.
  - Verify that the clip is fully engaged with the vent blade.
- **Phone is not held securely:**
  - Check if your phone's dimensions (including case) are within the specified compatibility range (4.7-7.12 inches screen size, 2.4-3.6 inches width, max 0.43 inches thickness).
  - Ensure the silicone pads on the grip arms are clean and free from any slippery substances.
- **Difficulty removing the mount from the vent:**
  - The mount is designed for a snug fit. When removing, gently pull the mount straight off the vent blade. Avoid twisting or yanking forcefully to prevent damage to your car's vent louvers.
- **Rubber pads slipping or detaching:**
  - Exposure to extreme heat from the car's vent (e.g., hot air from the heater) can potentially affect adhesive components over time. If possible, avoid directing hot air directly at the mount for extended periods.
  - Contact UGREEN customer support if the issue persists.

7. Specifications

Model Number	10422
Product Dimensions	2.73 x 1 x 1.08 inches
Item Weight	1.02 ounces
Mounting Type	Vent
Color	Grey
Special Features	Adjustable & Retractable, Easy to Use, Small and Compact, Grip Well & Sturdy
Compatible Devices	4.7-7.12 inch devices (max thickness 0.43 inch with case)

8. Safety Information

- Always ensure the mount and your phone are securely attached before driving.
- Do not adjust the mount or your phone while driving. Pull over to a safe location if adjustments are necessary.

- Ensure the mount does not obstruct your view of the road, mirrors, or any vehicle controls.
- Avoid placing the mount in a position where it could interfere with airbag deployment.
- This product is designed for horizontal air vents only. Using it on other vent types may lead to instability or damage.

© 2025 UGREEN. All rights reserved.
For support, please visit the official UGREEN website or contact customer service.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B08Q3JJ727

More documents and user manuals: **https://manuals.plus/**