

HENDI 230664

HENDI Digital Bar Blender with Sound Enclosure Instruction Manual

Model: 230664

1. INTRODUCTION

Thank you for choosing the HENDI Digital Bar Blender with Sound Enclosure. This appliance is designed for professional use, offering powerful blending capabilities with reduced noise thanks to its integrated sound-dampening hood. It features a digital touch control panel for precise operation and a durable, BPA-free Tritan jug. Please read this manual carefully before first use to ensure safe and optimal performance.

2. SAFETY INSTRUCTIONS

To prevent injury or damage, always observe basic safety precautions when using electrical appliances.

- **Electrical Safety:** Ensure the power supply matches the voltage specified on the appliance. Always plug the blender into a grounded outlet. Do not immerse the motor base in water or other liquids. Unplug the blender from the power outlet when not in use, before cleaning, or before assembling/disassembling parts.
- **Blade Safety:** The blades are extremely sharp. Handle with extreme care when assembling, disassembling, or cleaning. Never touch the blades with your hands when the blender is plugged in.
- **Operation Safety:**
 - Never operate the blender without the jug securely in place and the lid properly closed.
 - Do not overfill the jug. Refer to the maximum fill line.
 - Do not blend hot liquids that exceed 90°C (194°F) or frozen ingredients below -40°C (-40°F). Allow hot liquids to cool slightly before blending to prevent pressure buildup.
 - Do not operate the blender continuously for extended periods. Allow it to cool down between cycles to prevent overheating. The blender is equipped with overheating and overload protection.
 - Keep hands and utensils out of the jug while blending to prevent injury and damage to the appliance. Use the tamper only when the lid is securely in place.
- **Maintenance:** Only use original HENDI replacement parts. Do not attempt to repair the appliance yourself. Contact qualified service personnel for repairs.
- **Children and Supervision:** This appliance is not intended for use by persons with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety. Children should be

supervised to ensure that they do not play with the appliance.

3. PRODUCT OVERVIEW AND COMPONENTS

The HENDI Digital Bar Blender consists of the following main components:



3.1 Main Unit with Sound Enclosure

This image shows the complete HENDI Digital Bar Blender from the front, featuring its sleek black base, digital touch control panel, and the transparent sound-dampening enclosure. The enclosure helps to significantly reduce operational noise.



3.2 Angled View of Blender

An angled view of the HENDI Digital Bar Blender, highlighting the design of the sound enclosure and the placement of the jug within the base. The digital display shows "20", indicating a time setting.



3.3 Side View of Blender

This image provides a side profile of the HENDI Digital Bar Blender, showing the compact footprint and the power cord extending from the rear. The sound enclosure is closed.



3.4 Blender with Open Sound Enclosure

The sound enclosure is shown in its open position, revealing the blender jug and its placement on the motor base. This allows for easy access to the jug for filling and emptying.



3.5 2.5L BPA-Free Tritan Jug

This is the robust 2.5-liter jug made from BPA-free Tritan material, designed to be break-resistant. It features clear measurement markings on the side and a sturdy handle. The integrated stainless steel blades are visible at the bottom.




3.6 Measuring Cup for Lid

A small, clear measuring cup that fits into the opening of the jug's lid. This allows for adding ingredients during blending without removing the entire lid.



3.7 Jug Lid

The sturdy polypropylene lid for the blender jug, designed to seal securely during operation. It has a removable cap for the measuring cup.



3.8 Measurement Markings on Jug

A close-up view of the clear measurement markings on the side of the Tritan jug, ranging from 1000ml to 2500ml, allowing for precise ingredient measurement.



3.9 Titanium-Coated Stainless Steel Blades

A detailed view of the durable, replaceable stainless steel blades with a titanium coating, designed for efficient blending and crushing, including ice.



3.10 Motor Base Coupling

This image shows the coupling mechanism on the motor base where the blender jug is seated. This ensures a secure connection for power transfer to the blades.



3.11 Exploded View of Jug Components

An illustration showing the main components of the blender jug: the jug itself, the lid, and the removable measuring cup, demonstrating how they fit together.

4. SETUP AND FIRST USE

1. **Unpacking:** Carefully remove all components from the packaging. Retain packaging for future storage or transport.
2. **Initial Cleaning:** Before first use, wash the blender jug, lid, and measuring cup with warm soapy water. Rinse thoroughly and dry all parts completely. Wipe the motor base with a damp cloth. Do not immerse the motor base in water.
3. **Assembly:**
 - Place the blender jug securely onto the motor base. Ensure it is properly seated and stable.
 - Add your ingredients to the jug. Do not exceed the maximum fill line indicated on the jug.
 - Place the lid firmly onto the jug. Insert the measuring cup into the lid's opening.
 - Close the sound enclosure over the jug. Ensure it is fully closed for optimal noise reduction and safety.
4. **Power Connection:** Plug the power cord into a suitable grounded electrical outlet.

5. OPERATING INSTRUCTIONS

The HENDI Digital Bar Blender features a touch-sensitive control panel for easy operation.

5.1 Control Panel Overview

The digital control panel includes:

- **Digital Display:** Shows selected time or speed.
- **Power/Start Button:** Initiates or stops blending.
- **Speed Settings (3 levels):** Allows selection of low, medium, or high blending speeds.
- **Time Settings (3 presets):** Pre-programmed blending times (e.g., 30, 60, 90 seconds).
- **Pulse Function:** Provides short bursts of high-speed blending for chopping or quick mixing.

5.2 Blending Procedure

1. Ensure the blender is properly assembled and plugged in (refer to Section 4).
2. Add desired ingredients to the jug.
3. Close the lid and the sound enclosure.
4. Select your desired blending program:
 - **For Pre-set Time:** Press one of the time setting buttons (e.g., 30s, 60s, 90s). The blender will start automatically and stop when the time elapses.
 - **For Manual Speed Control:** Select one of the three speed settings. Press the Power/Start button to begin blending. Press again to stop.
 - **For Pulse Function:** Press and hold the Pulse button for short bursts. Release to stop. This is ideal for chopping or breaking down larger pieces.
5. During blending, you may use the measuring cup opening to add additional ingredients if needed.
6. Once blending is complete, the blender will stop. Open the sound enclosure and carefully remove the jug.
7. Unplug the blender from the power outlet after use.

6. MAINTENANCE AND CLEANING

Regular cleaning and maintenance will ensure the longevity and optimal performance of your HENDI Blender. Always unplug the appliance before cleaning.

- **Blender Jug, Lid, and Measuring Cup:**
 - For easy cleaning, rinse the jug immediately after use.
 - Fill the jug with warm water and a drop of dish soap. Secure the lid and run the blender on a low setting for 30 seconds. Rinse thoroughly.
 - Alternatively, these parts can be hand-washed with warm soapy water and a non-abrasive sponge.
 - The jug, lid, and measuring cup are generally dishwasher safe, but hand washing is recommended for extended product life.
 - Ensure all parts are completely dry before storing.
- **Motor Base and Sound Enclosure:**
 - Wipe the motor base and the exterior of the sound enclosure with a soft, damp cloth.
 - For stubborn stains, use a mild detergent. Do not use abrasive cleaners or scouring pads, as they can scratch surfaces.
 - Never immerse the motor base in water or any other liquid.
- **Blade Care:** The titanium-coated stainless steel blades are designed for durability. If replacement is ever needed, contact HENDI customer support for genuine parts.
- **Storage:** Store the blender in a clean, dry place, away from direct sunlight and extreme temperatures.

7. TROUBLESHOOTING

If you encounter issues with your HENDI Blender, please refer to the following table before contacting customer support.

Problem	Possible Cause	Solution
Blender does not turn on.	• Not plugged in. • Power outlet not working. • Jug not properly seated on base. • Sound enclosure not fully closed. • Overheat protection activated.	• Ensure power cord is securely plugged into a working outlet. • Check circuit breaker. • Ensure jug is correctly aligned and seated on the motor base. • Close the sound enclosure completely. • Unplug the blender and let it cool down for at least 30 minutes before attempting to use again.

Problem	Possible Cause	Solution
Ingredients are not blending smoothly.	• Too little liquid. • Too many ingredients. • Ingredients are too large.	• Add more liquid. • Reduce the amount of ingredients. • Cut ingredients into smaller pieces before blending. • Use the pulse function to break down larger chunks.
Loud noise or unusual smell during operation.	• Overload. • Foreign object in jug. • Motor issue.	• Stop blending immediately. Reduce ingredients or add liquid. • Unplug and check for any foreign objects in the jug or around the blades. • If the problem persists, discontinue use and contact HENDI customer support.
Leakage from the bottom of the jug.	• Lid not properly sealed. • Jug not seated correctly. • Damage to jug or blade assembly.	• Ensure the lid is firmly pressed onto the jug. • Re-seat the jug on the motor base, ensuring it clicks into place. • Inspect the jug and blade assembly for cracks or damage. If damaged, replace the jug.

8. SPECIFICATIONS

Feature	Detail
Brand	HENDI
Model Number	230664
Color	Black
Product Dimensions	25.2 x 25.8 x 54.7 cm (9.9 x 10.1 x 21.5 inches)
Weight	9.01 kg (19.86 lbs)
Capacity	2.5 Liters
Power/Wattage	1680 Watts
Voltage	230 Volts
Material	Stainless Steel, ABS, Tritan (jug), Polypropylene (lid)
Automatic Shut-off	Yes (Overheat/Overload protection)
Number of Speeds	3

Feature	Detail
Special Features	Digital touch control panel, Sound-dampening enclosure, BPA-free jug, Titanium-coated stainless steel blades
Recommended Uses	Ice Crush, Juices, Blending, Mixing, Combining
Temperature Range	-40°C to 90°C (-40°F to 194°F)


9. WARRANTY AND SUPPORT


HENDI products are manufactured to high-quality standards. For information regarding warranty terms and conditions, please refer to the warranty card included with your product or visit the official HENDI website. For technical support, spare parts, or service inquiries, please contact your local HENDI distributor or visit the HENDI website for contact information. When contacting support, please have your product model number (230664) and purchase date ready.

Manufacturer: HENDI


© 2024 HENDI. All rights reserved. Information in this manual is subject to change without notice.

Related Documents

	Hendi Digital Blender with Noise Cover 230695, 230664 User Manual User manual for the Hendi Digital Blender with Noise Cover (models 230695, 230664). This guide provides essential safety regulations, operating instructions, cleaning, and maintenance procedures for commercial use.
	Hendi Immersion Blender 221181 - Powerful and Versatile Kitchen Tool Discover the Hendi 221181 immersion blender, featuring a durable stainless steel 18/8 and ABS body, a detachable 225mm stainless steel shaft, and a powerful 1000W motor. This blender offers variable speed control up to 16,500 RPM with 7 speed settings and a turbo function, making it ideal for processing up to 3 liters. Includes detailed technical specifications and transport information.

 HENDI Tools for Chefs BLENDER WITH NOISE COVER 230602, 230688 Technical specifications and safety information for the Hendi Blender with Noise Cover.	Hendi Blender with Noise Cover User Manual Models 230602, 230688 Comprehensive user manual for the Hendi Blender with Noise Cover (Models 230602, 230688), covering safety, operation, maintenance, and troubleshooting for commercial kitchens.
 HENDI Tools for Chefs Stick blender 400 - with adjustable speed Technical specifications and safety information for the Hendi Stick Blender 400.	Hendi Stick Blender 400 with Adjustable Speed - Professional Kitchen Equipment Detailed specifications and transport information for the Hendi Stick Blender 400, featuring a durable stainless steel shaft and blade, electronic control panel with 9 speeds, and suitability for large volumes.


Documents - HENDI – 230664



[Hendi Digital Blender with Noise Cover 230695, 230664 User Manual](#)

User manual for the Hendi Digital Blender with Noise Cover (models 230695, 230664). This guide provides essential safety regulations, operating instructions, cleaning, and maintenance procedures for commercial use.

lang:en score:28 filesize: 1.77 M page_count: 96 document date: 2020-11-25



[pdf]

Freek Meulenberg Batch # Appliance part# 230664 Date 29-06-2021 Revision Item Description Part# Quantity Remark Picture 1 Transparant cap nss Available as 933787 2 Lid complete Incl item 3 Back cover 946091 230664_Rev1_0_Batch_nr_171244_and_up hendi xcdn nl FD Digital blender with noise (BPA free)

Hendi B.V. Steenoven 21 3911 TX Rhenen The Netherlands Date 29-06-2021 Revision First Bill of Materials BOM Drawing Batch # Appliance part# 171244 and up **230664** Description Digital blender with noise cover BPA free Revision # 1.0 Place the drawing here Page 1 van 4 Hendi B.V. Ste...

lang:en score:26 filesize: 410.64 K page_count: 4 document date: 2021-06-29



[pdf]

ru 8711369943489 productsheet hendi xcdn nl FD ||| 943489 230718/230695/230688/230213/230602/**230664** 2,5 Measurements : , :1 : : 200 : 170 : 360 : 2.5 : 200x170x H 360 EAN : 8711369943489 Intrastat code : 39241000 Gross weight kg : 1.34 : 1.17 Sales units per pallet ...

lang:it score:22 filesize: 56.05 K page_count: 1 document date: 2024-04-23

[illegible]


HENDI
 Tudo Um Chão

Jarro para liquidificador

N2481

Jarro de substituição para os liquidificadores 20718/2106/19/20460/23073/23622. Tem um corpo formado por material resistente à corrosão de 2,5 L, sempre com PBT e uma pequena emalhação. Não resqueça com fôrmas em aço inoxidável com revestimento em teflão.

Especificações	PC (Plástico, não reciclado)
Embalagem de	1
Capacidade (litros)	2,5
Comprimento (cm)	200
Largura (cm)	100
Altura (cm)	160
Volumen (dm ³)	1,5
Massa (kg)	200 (174x45x50)

Especificações de Transporte	20718	2106/19/20460/23073/23622
Alt. máxima	160	204 (x45x50)
Altura máxima (cm)	160	116
Peso líquido (kg)	1,5	1,17
Tam. caixa por p/da	1	10

HENDI S.A.
 Av. Brasil, 1000 - Jd. Santa Helena - São Paulo - SP
 CEP: 04001-900
 Fone: (11) 5082-1000

HENDI PASTA S.A.
 Av. Brasil, 1000 - Jd. Santa Helena - São Paulo - SP
 CEP: 04001-900
 Fone: (11) 5082-1000

HENDI BRASIL S.A.
 Av. Brasil, 1000 - Jd. Santa Helena - São Paulo - SP
 CEP: 04001-900
 Fone: (11) 5082-1000

HENDI S.A.
 Av. Brasil, 1000 - Jd. Santa Helena - São Paulo - SP
 CEP: 04001-900
 Fone: (11) 5082-1000

Prod. HENDI S.A. Brasil S.A.
 Av. Brasil, 1000 - Jd. Santa Helena - São Paulo - SP
 CEP: 04001-900
 Fone: (11) 5082-1000

HENDI S.A.
 Av. Brasil, 1000 - Jd. Santa Helena - São Paulo - SP
 CEP: 04001-900
 Fone: (11) 5082-1000


HENDI
 Tools & Craft

Liquidificador digital com Tampa Antirruído - sem BPA

20064

Esta liquidificadora possui preparação de Salsas, Purées, vegetais, cozeduras, bebidas, suplementos e até sopa de leite. Utilizada em casa, em restaurantes e salubridade com movimentos em Vórtice. É possível a central digital com um sensor Intel para Seleção automática da potência. Inteligência para a segurança e a força do impulso. Tampa Antirruído com polidispersão para segurança, a liquidificadora funciona apenas quando a tampa está completamente fechada. É possível trabalhar com um mesmo tamanho de recipiente, com 2,5 litros, com 1,5 litros, com 1 litro, com 0,5 litros, com 0,25 litros, com 0,125 litros, com 0,0625 litros, com 0,03125 litros, com 0,015625 litros, com 0,0078125 litros, com 0,00390625 litros, com 0,001953125 litros, com 0,0009765625 litros, com 0,00048828125 litros, com 0,000244140625 litros, com 0,0001220703125 litros, com 0,00006103515625 litros, com 0,000030517578125 litros, com 0,0000152587890625 litros, com 0,00000762939453125 litros, com 0,000003814697265625 litros, com 0,0000019073486328125 litros, com 0,00000095367431640625 litros, com 0,000000476837158203125 litros, com 0,0000002384185791015625 litros, com 0,00000011920928955078125 litros, com 0,000000059604644775390625 litros, com 0,0000000298023223876953125 litros, com 0,00000001490116119384765625 litros, com 0,000000007450580596923828125 litros, com 0,0000000037252902984619140625 litros, com 0,00000000186264514923095703125 litros, com 0,000000000931322574615478515625 litros, com 0,0000000004656612873077392578125 litros, com 0,00000000023283064365386962890625 litros, com 0,000000000116415321826934814453125 litros, com 0,0000000000582076609134674072265625 litros, com 0,00000000002910383045673370361328125 litros, com 0,000000000014551915228366851806640625 litros, com 0,0000000000072759576141834259033203125 litros, com 0,00000000000363797880709171295166015625 litros, com 0,000000000001818989403545856475830078125 litros, com 0,0000000000009094947017729282379150390625 litros, com 0,00000000000045474735088646411895751953125 litros, com 0,000000000000227373675443232059478759765625 litros, com 0,0000000000001136868377216160297393798828125 litros, com 0,00000000000005684341886080801486968994140625 litros, com 0,000000000000028421709430404007434844970703125 litros, com 0,0000000000000142108547152020037174224853515625 litros, com 0,00000000000000710542735760100185871124267578125 litros, com 0,000000000000003552713678800500929355621337890625 litros, com 0,000000000000001776356839400250464677810668953125 litros, com 0,0000000000000008881784197001252322388953344765625 litros, com 0,00000000000000044408920985006261611944766723828125 litros, com 0,0000000000000002220446049250313080597238336140625 litros, com 0,00000000000000011102230246251565402986191680703125 litros, com 0,000000000000000055511151231257827014930958403515625 litros, com 0,0000000000000000277555756156289135074654792017578125 litros, com 0,00000000000000001387778780781445675373273960087890625 litros, com 0,000000000000000006938893903907228376866369800439453125 litros, com 0,0000000000000000034694469519536141884331849002197265625 litros, com 0,00000000000000000173472347597680709421659245010986328125 litros, com 0,00000000000000000086736173798840354710829622500494265625 litros, com 0,000000000000000000433680868994201785544148112502471328125 litros, com 0,00000000000000000021684043449710089277207405625012365625 litros, com 0,000000000000000000108420217248550446386037028125061828125 litros, com 0,00000000000000000005421010862427522319301851406250309140625 litros, com 0,00000000000000000002710505431213761159650925703125015453125 litros, com 0,0000000000000000000135525271560688057982546285156250077265625 litros, com 0,000000000000000000006776263578034402899127314257812500386328125 litros, com 0,00000000000000000000338813178901720144956365712890625001931640625 litros, com 0,0000000000000000000016940658945086007247818285644531250009658203125 litros, com 0,000000000000000000000847032947254300362390914282226562500048291015625 litros, com 0,0000000000000000000004235164736271501811954571411132812500024145578125 litros, com 0,00000000000000000000021175823681357509059772857055664062500012072790625 litros, com 0,000000000000000000000105879118406787545298864285277820312500006036453125 litros, com 0,000000000000000000000052939559203393772649432142638910156250000301821640625 litros, com 0,000000000000000000000026469779601696886324716071319455078125000015091058203125 litros, com 0,00000000000000000000001323488980084844316235803565972753906250000075455291015625 litros, com 0,000000000000000000000006617444900424221581179017829863769531250000037727645578125 litros, com 0,0000000000000000000000033087224502121107905895089149318847656250000018861382290625 litros, com 0,000000000000000000000001654361225106055395294754457465942382812500000094306911453125 litros, com 0,00000000000000000000000082718061255302769764737722873297119140625000000471534557265625 litros, com 0,000000000000000000000000413590306276513848823688614369855955781250000002357672786328125

[\[pdf\]](#)

ru 8711369933688 productsheet hendi xcdn nl FD |||

/ BPA free 933688 230718/230695/230688/230213/230602/**230664**. 2,5 , . .

Measurements : ABS ABS , , : 1 : 200 : 170 : 360 : 2.5 : 200x170x H 360 EAN :

8711369933688 Intrastat code : 39241000 Gross weight kg : 1.34 : 1.17 ...

lang:it score:22 filesize: 54.68 K page_count: 1 document date: 2024-05-27

[\[pdf\]](#)

pt 8711369943489 productsheet hendi xcdn nl FD |||

Jarro para liquidificador 943489 Jarro de substituo para os liquidificadores 230718/ 230695/ 230688/ 230213/ 230602/ **230664**. Jarro em policarbonato resistente a quebras de 2,5 L, tampa firme em PBT e tampa pequena em policarbonato. Jarro equipado com lminas em ao inoxidvel com revestimento em titni...

lang:en score:22 filesize: 54.13 K page_count: 1 document date: 2024-04-23

[\[pdf\]](#) User Manual

pt 8711369230664 productsheet hendi xcdn nl FD |||

Liquidificador digital com tampa antirrudo - sem BPA**230664** Esta liquidificadora pode preparar de tudo: frutas, vegetais, cocktails, batidos, sobremesas e at gelo picado.

Lmina em ao inoxidvel substituvel com revestimento em titnio. O painel de controlo digital tem um controlo tttil para trs definies...

lang:es score:22 filesize: 51.27 K page count: 1 document date: 2023-12-24


HENDI
Tools for Chef

Digital blender with noise cover BPA FREE

Blender

The blender can prepare anything: fruits, vegetables, cocktails, smoothies, soups and even crushed ice. An adjustable stainless steel blades with 3-blade rotating. Digital control panel has 6 buttons for: three power settings, three speeds and a pulse function. To make the blender only work when the cover is completely closed. Blends with 1.8 liter measure BPA free Tritan glass, 16 ml scale of polycarbonate and a small 100 ml plastic cup. Digital display can be selected temperatures of: 40 °C to 90 °C. It's motor with variable speed and pulse function makes the blender from BPA FREE up to 1400 RPM without load. Equipped with over heat and over-current protection.

Specifications

Material	ABS (Acrylonitrile - Butadiene - Styrene)
Capacity	1.8 liter (1.800 l)
Weight	2.200 kg
Electricity needed	No
Electric plug	1
Electric power	1.800 W
Length (mm)	252
Width (mm)	148
Height (mm)	248
Power (kW/3000)	0.6
Programmable	No
Maximum units	120/200/400/400

Transport specifications

Color	Black
Weight (kg)	2.200
Net weight (kg)	2.200
Volume (m³)	0.01
Volume (m³)	0.01
Size units per pallet	12
Plastic packaging (kg)	20

Model B. 1
 2020-01-01
 2020-01-01 to 2020-01-01

Model Pre-Model 1.0.0
 2020-01-01
 2020-01-01 to 2020-01-01

Model Pre-Model 1.0.0 - Replacement Stock

Model Pre-Model 1.0.0	1
Model Pre-Model 1.0.0	1
Model Pre-Model 1.0.0	1
Model Pre-Model 1.0.0	1
Model Pre-Model 1.0.0	1

Model Pre-Model 1.0.0 - Replacement Stock

Model Pre-Model 1.0.0	1
Model Pre-Model 1.0.0	1
Model Pre-Model 1.0.0	1
Model Pre-Model 1.0.0	1
Model Pre-Model 1.0.0	1

[illegible][illegible]

[\[pdf\]](#) Specifications

Digital blender with noise cover BPA FREE en 8711369230664 productsheet hendi xcdn nl FD |||

Digital blender with noise cover BPA FREE**230664** This blender can prepare anything: fruits, vegetables, cocktails, smoothies, desserts and even crushed ice.

Replaceable stainless steel blades with titanium coating. Digital control panel has touch control for three power settings, three time settings...

lang:en score:21 filesize: 103.76 K page_count: 1 document date: 2023-01-27

[\[pdf\]](#)

DownloadDigital bar blender with sound enclosure and BPA free jug HENDI Tools for Chefsuk

8711369230664 productsheethendi xcdn nl FD uk productsheet |||

BPA **230664** ABS. PP ... -40C 90C.: 2,5 16000 / 24800 / .. : , , , , . . . 8350 / 24800

$\cdot 3 : 8350 / , 13500 / , 24800 / \cdot 3 : 30, 45, 90 \cdot : 230 : : , , \dots$

lang:nl score:21 filesize: 53.8 K page_count: 1 document date: 2025-05-31

[illegible]

[\[pdf\]](#)

DownloadDigital bar blender with sound enclosure and BPA free jug HENDI Tools for Chefset

8711369230664 productsheethendi xcdn nl FD et productsheet |||

Digitaalne baarisegisti helikambri ja BPA-vaba kannuga**230664** ABS-st valmistatud korpus. Tritaankann kindla PP kaane ja vikese tritaankanega. Asendatavad roostevabast terasest terad titaankattega. Pulsilliti segamifunktsiooni jaoks.

Eemaldatav, purunemiskindel kann talub temperatuuri vahemikus -40...

lang:nl score:20 filesize: 49.08 K page_count: 1 document date: 2025-05-31

[illegible]

[\[pdf\]](#)

DownloadDigital bar blender with sound enclosure and BPA free jug HENDI Tools for Chefscs

8711369230664 productsheethendi xcdn nl FD cs productsheet |||

Digitln mixr s krytem a konvic bez obsahu BPA**230664** Pouzdro je vyrobeno z ABS.

Konvice Tritan s pevným PP vekom a málom tritanovým vekom. Vymnitelné cepele z

nerezov oceli s titanovm povlakem. Pulzn spnac pro funkci mchn. Odnmateln konvice odoln proti rozbit odolv teplotn od -40 C do 90 C. Kapacita konvi...

lang:en score:20 filesize: 49.98 K page_count: 1 document date: 2025-05-31

[illegible]

[\[pdf\]](#)

DownloadDigital bar blender with sound enclosure and BPA free jug HENDI Tools for Chefshu

8711369230664 productsheethendi xcdn nl FD hu productsheet ||

Digitális br turmixgép hangszigetelt burkolattal s BP Amentes kancsval **230664** ABS-ből

ksztlt hz. Tritan kancs ers PP fedlletl s kis tritan fedlletl. Cserlhet rozsdamentes acrl pengk titn bevonattal. Impulzuskapcsol a turmixolsi funkcihoz. A kivehet, trsl kancs - 40 C s 90 C kztti hmrskletnek is ellenll. Kanc...

lang:nl score:20 filesize: 50.41 K page count: 1 document date: 2025-05-31


HENDI
Tools for Chef

Digitálny barový mixér so zvukovým krytom a nádobou bez BPA

Kýbly optický 7,85, 180mm, sklenená a prístupom, um. PP, 400ml, 1000ml, 1500ml, 2000ml, 2500ml, 3000ml, 3500ml, 4000ml, 4500ml, 5000ml, 5500ml, 6000ml, 6500ml, 7000ml, 7500ml, 8000ml, 8500ml, 9000ml, 9500ml, 10000ml, 10500ml, 11000ml, 11500ml, 12000ml, 12500ml, 13000ml, 13500ml, 14000ml, 14500ml, 15000ml, 15500ml, 16000ml, 16500ml, 17000ml, 17500ml, 18000ml, 18500ml, 19000ml, 19500ml, 20000ml, 20500ml, 21000ml, 21500ml, 22000ml, 22500ml, 23000ml, 23500ml, 24000ml, 24500ml, 25000ml, 25500ml, 26000ml, 26500ml, 27000ml, 27500ml, 28000ml, 28500ml, 29000ml, 29500ml, 30000ml, 30500ml, 31000ml, 31500ml, 32000ml, 32500ml, 33000ml, 33500ml, 34000ml, 34500ml, 35000ml, 35500ml, 36000ml, 36500ml, 37000ml, 37500ml, 38000ml, 38500ml, 39000ml, 39500ml, 40000ml, 40500ml, 41000ml, 41500ml, 42000ml, 42500ml, 43000ml, 43500ml, 44000ml, 44500ml, 45000ml, 45500ml, 46000ml, 46500ml, 47000ml, 47500ml, 48000ml, 48500ml, 49000ml, 49500ml, 50000ml, 50500ml, 51000ml, 51500ml, 52000ml, 52500ml, 53000ml, 53500ml, 54000ml, 54500ml, 55000ml, 55500ml, 56000ml, 56500ml, 57000ml, 57500ml, 58000ml, 58500ml, 59000ml, 59500ml, 60000ml, 60500ml, 61000ml, 61500ml, 62000ml, 62500ml, 63000ml, 63500ml, 64000ml, 64500ml, 65000ml, 65500ml, 66000ml, 66500ml, 67000ml, 67500ml, 68000ml, 68500ml, 69000ml, 69500ml, 70000ml, 70500ml, 71000ml, 71500ml, 72000ml, 72500ml, 73000ml, 73500ml, 74000ml, 74500ml, 75000ml, 75500ml, 76000ml, 76500ml, 77000ml, 77500ml, 78000ml, 78500ml, 79000ml, 79500ml, 80000ml, 80500ml, 81000ml, 81500ml, 82000ml, 82500ml, 83000ml, 83500ml, 84000ml, 84500ml, 85000ml, 85500ml, 86000ml, 86500ml, 87000ml, 87500ml, 88000ml, 88500ml, 89000ml, 89500ml, 90000ml, 90500ml, 91000ml, 91500ml, 92000ml, 92500ml, 93000ml, 93500ml, 94000ml, 94500ml, 95000ml, 95500ml, 96000ml, 96500ml, 97000ml, 97500ml, 98000ml, 98500ml, 99000ml, 99500ml, 100000ml, 100500ml, 101000ml, 101500ml, 102000ml, 102500ml, 103000ml, 103500ml, 104000ml, 104500ml, 105000ml, 105500ml, 106000ml, 106500ml, 107000ml, 107500ml, 108000ml, 108500ml, 109000ml, 109500ml, 110000ml, 110500ml, 111000ml, 111500ml, 112000ml, 112500ml, 113000ml, 113500ml, 114000ml, 114500ml, 115000ml, 115500ml, 116000ml, 116500ml, 117000ml, 117500ml, 118000ml, 118500ml, 119000ml, 119500ml, 120000ml, 120500ml, 121000ml, 121500ml, 122000ml, 122500ml, 123000ml, 123500ml, 124000ml, 124500ml, 125000ml, 125500ml, 126000ml, 126500ml, 127000ml, 127500ml, 128000ml, 128500ml, 129000ml, 129500ml, 130000ml, 130500ml, 131000ml, 131500ml, 132000ml, 132500ml, 133000ml, 133500ml, 134000ml, 134500ml, 135000ml, 135500ml, 136000ml, 136500ml, 137000ml, 137500ml, 138000ml, 138500ml, 139000ml, 139500ml, 140000ml, 140500ml, 141000ml, 141500ml, 142000ml, 142500ml, 143000ml, 143500ml, 144000ml, 144500ml, 145000ml, 145500ml, 146000ml, 146500ml, 147000ml, 147500ml, 148000ml, 148500ml, 149000ml, 149500ml, 150000ml, 150500ml, 151000ml, 151500ml, 152000ml, 152500ml, 153000ml, 153500ml, 154000ml, 154500ml, 155000ml, 155500ml, 156000ml, 156500ml, 157000ml, 157500ml, 158000ml, 158500ml, 159000ml, 159500ml, 160000ml, 160500ml, 161000ml, 161500ml, 162000ml, 162500ml, 163000ml, 163500ml, 164000ml, 164500ml, 165000ml, 165500ml, 166000ml, 166500ml, 167000ml, 167500ml, 168000ml, 168500ml, 169000ml, 169500ml, 170000ml, 170500ml, 171000ml, 171500ml, 172000ml, 172500ml, 173000ml, 173500ml, 174000ml, 174500ml, 175000ml, 175500ml, 176000ml, 176500ml, 177000ml, 177500ml, 178000ml, 178500ml, 179000ml, 179500ml, 180000ml, 180500ml, 181000ml, 181500ml, 182000ml, 182500ml, 183000ml, 183500ml, 184000ml, 184500ml, 185000ml, 185500ml, 186000ml, 186500ml, 187000ml, 187500ml, 188000ml, 188500ml, 189000ml, 189500ml, 190000ml, 190500ml, 191000ml, 191500ml, 192000ml, 192500ml, 193000ml, 193500ml, 194000ml, 194500ml, 195000ml, 195500ml, 196000ml, 196500ml, 197000ml, 197500ml, 198000ml, 198500ml, 199000ml, 199500ml, 200000ml, 200500ml, 201000ml, 201500ml, 202000ml, 202500ml, 203000ml, 203500ml, 204000ml, 204500ml, 205000ml, 205500ml, 206000ml, 206500ml, 207000ml, 207500ml, 208000ml, 208500ml, 209000ml, 209500ml, 210000ml, 210500ml, 211000ml, 211500ml, 212000ml, 212500ml, 213000ml, 213500ml, 214000ml, 214500ml, 215000ml, 215500ml, 216000ml, 216500ml, 217000ml, 217500ml, 218000ml, 218500ml, 219000ml, 219500ml, 220000ml, 220500ml, 221000ml, 221500ml, 222000ml, 222500ml, 223000ml, 223500ml, 224000ml, 224500ml, 225000ml, 225500ml, 226000ml, 226500ml, 227000ml, 227500ml, 228000ml, 228500ml, 229000ml,

[illegible]


HENDI
 Tools for Chef

Digitaler Mixer mit schalldämmender Abdeckung BPA-frei

20066

Dieser Mixer mit hoher Leistung ist ideal geeignet zum Mixen von Brot und Semmel, zum Schöpfen von Smoothies, Cocktails und Desserts sowie zum Zerkleinern von Eis. Ausgestattet mit einem leistungsstarken Elektrischen Digitalen Tisch Motorleistung mit 21 Leistungs- und Trennstufen, einem Teleskoparm, Schallstoppkappe, Schutzhülse aus Polycarbonat und Schutzhülse der Motorabdeckung, wenn die Schallstoppkappe komplett geschlossen ist, kann der Schalldruckpegel auf 65 dB(A) gesenkt werden. Dieser Mixer ist ein 5-kg-Mixer und eine kleine BPA-freie Schutzhülse, die die Abdeckung des Motors aus Polycarbonat, ungeschmolzenes -40°C bis 90°C Material mit verstärkter Durchschlagsfestigkeit und Polycarbonat-Designschutz aus Glas mit 4300 U/min. bis zu 20000 U/min. ohne Bürsten, Überhitzung- und Überdrehmoment-

Spezifikationen

Modellname	430 (Digitaler Tisch-Motor-Schüssel, Elektrischer Tisch-Motor-Schüssel)
Spannung / 50	220V
Leistungsleistung	1100W
Verstellgeschwindigkeit	21
Motorleistung	800W
Leistung (1min)	120W
Leistung (3min)	120W
Motorleistung	52W
Leistung (1min)	140W
Leistung (3min)	140W
Programmierte	None
Maße (mm)	250x250x457

Transporteigenschaften

Nettogewicht (kg)	1071 (Nettogewicht)
Grosses Gewicht (kg)	0,5
Nettohöhe (mm)	1,036
Nettobreite (mm)	12
Schubkraft pro Std	140

Modell B.1

Modellname	430 (Digitaler Tisch-Motor-Schüssel, Elektrischer Tisch-Motor-Schüssel)
Spannung / 50	220V
Leistungsleistung	1100W

Modell-Peak Pro 1.1 A

Modellname	430 (Digitaler Tisch-Motor-Schüssel, Elektrischer Tisch-Motor-Schüssel)
Spannung / 50	220V
Leistungsleistung	1100W

Modell-Peak Pro 1.1 A

Modellname	430 (Digitaler Tisch-Motor-Schüssel, Elektrischer Tisch-Motor-Schüssel)
Spannung / 50	220V
Leistungsleistung	1100W

Modell-Peak Pro 1.1 A

Modellname	430 (Digitaler Tisch-Motor-Schüssel, Elektrischer Tisch-Motor-Schüssel)
Spannung / 50	220V
Leistungsleistung	1100W

Modell-Peak Pro 1.1 A

Modellname	430 (Digitaler Tisch-Motor-Schüssel, Elektrischer Tisch-Motor-Schüssel)
Spannung / 50	220V
Leistungsleistung	1100W

Modell-Peak Pro 1.1 A

Modellname	430 (Digitaler Tisch-Motor-Schüssel, Elektrischer Tisch-Motor-Schüssel)
Spannung / 50	220V
Leistungsleistung	1100W

[\[pdf\]](#)

DownloadDigital bar blender with sound enclosure and BPA free jug HENDI Tools for Chefssk

8711369230664 productsheethendi xcdn nl FD sk productsheet |||

Digitálny barov mixr so zvukovm krytom a ndobou bez BPA**230664** Kryt vyroben z ABS. Tritanov ndoba s pevným vekom PP a malm krytom a tritanovm vekom.

Vymeniten cepele z nehrdzavejcej ocele s titnovou vrstvou. Impulzn spnac pre funkciu mixovania. Odnmaten ndoba odoln voci pretrhnutiu odolva teplotn od 4...

lang:en score:20 filesize: 50.61 K page_count: 1 document date: 2025-05-31

[\[pdf\]](#)

DownloadDigital bar blender with sound enclosure and BPA free jug HENDI Tools for Chefsh

8711369230664 productsheethendi xcdn nl FD hr productsheet |||

Digitalni blender za bar s zvucnom izolacijom i vrcem bez BPA-a**230664** Kuiste je izraeno od ABS-a. Tritan vrc s cvrstim PP poklopcem i malim poklopcem od tritana.

Zamjenske ostrice od nehrajueg celika s premazom od titanija. Pulsni prekidač za funkciju mijesanja. Uklonjivi vrc otporan na lom podnosi...

lang:hr score:20 filesize: 49.65 K page_count: 1 document date: 2025-05-31

[\[pdf\]](#)

Herunterladen **Hendi Digitaler Mixer mit schalldämmender Abdeckung BPA frei** de 8711369230664

productsheet gastroshop xxi index dispatch attachments getfile attachment id 2819 |||

Digitaler Mixer mit schalldämmender Abdeckung BPA-frei**230664** Dieser Standmixer mit hoher Leistung ist ideal geeignet zum Zerkleinern von Obst und Gemüse, zum

Zubereiten von Smoothies, Cocktails und Desserts sowie zum Zerstoen von Eis.
Austauschbares titaniumbeschichtetes Edelstahlmesser. Digitales To...

lang:de score:20 filesize: 104.75 K page_count: 1 document date: 2022-06-19

[illegible][illegible][illegible]

[\[pdf\]](#)

Digitaler Mixer mit schalldämmender Abdeckung BPA frei 4 giorni fa — Dieser Standmixer hoher Leistung ist ideal geeignet zum Zerkleinern von Obst und Gemüse Zubereiten Smoothies Cocktails Desserts sowie de 8711369230664 productsheet hendi xcdn nl FD |||

Digitaler Mixer mit schalldmmender Abdeckung BPA-frei**230664** Dieser Standmixer mit hoher Leistung ist ideal geeignet zum Zerkleinern von Obst und Gemse, zum Zubereiten von Smoothies, Cocktails und Desserts sowie zum Zerstoen von Eis. Austauschbares titaniumbeschichtetes Edelstahlmesser. Digitales To...
 lang:de score:19 filesize: 104.75 K page_count: 1 document date: 2022-07-08

[\[pdf\]](#)

Batidora digital con tapa antirruido sin BPA 2022 09 07 — Esta batidora puede preparar cualquier cosa
frutas verduras cócteles batidos postres e incluso hielo picado Cuchillas de es 8711369230664
productsheet hendi xcdn nl FD |||

Batidora digital con tapa antirruido sin BPA**230664** Esta batidora puede preparar cualquier cosa: frutas, verduras, ccteles, batidos, postres e incluso hielo picado. Cuchillas de acero inoxidable reemplazables con revestimiento de titanio. El panel de control digital cuenta con control tctil de tres ...

lang:es score:19 filesize: 103.79 K page_count: 1 document date: 2022-07-08

[\[pdf\]](#)

Asotis barų trintuvu.lt 8711369943489 productsheetendi xcdn nl large lt productsheet |||
 sotis bar trintuvui 943489 Keiciamas indas plaktuvui
 230718/230695/230688/230213/230602/**230664**. 2,5 l talpos smgiams atsparus
 polikarbonato indas su tvirtu PBT polimero dangteliu ir nedideliu polikarbonato
 dangteliu. Inde yra nerdijanciojo plieno titano danga padengti asmenys. Specifikacijos
 Medzia...

lang:nl score:16 filesize: 51.88 K page_count: 1 document date: 2025-09-02



Tools for Chefs

Bar blender jar BPA-free 93688

Housing made of ABS. Tritan jug with firm PP lid and small tritan li ... hies, desserts and even crushed ice. Replacement jar for blender 230718/230695/230688/230213/230602/**230664**. 2,5L breakresistant BPA free Tritan jug, firm lid made of polypropylene and a small BPA free...



Specifications	Material: ABS (Acrylonitrile-butadiene copolymer), BPA-free, Borehole: steel	Transport specifications	Weight: 871 (GROSS) 200 (NET) Dimensions (mm): 134 (H) 117 (W) 99 (D) Sales units per pallet: 99
Product type: Bar			
Package type: Box			
Length (mm): 200			
Width (mm): 110			
Height (mm): 130			
Volume (liters): 2.5			
Material (mm): 1.2			
Material (mm): 1.2			

HENDI S.A.

Producten en diensten:
• 230718/230695/230688/230213/230602/**230664**
• 230718/230695/230688/230213/230602/**230664**
• 230718/230695/230688/230213/230602/**230664**

HENDI P.O. Box 1

Producten en diensten:
• 230718/230695/230688/230213/230602/**230664**
• 230718/230695/230688/230213/230602/**230664**
• 230718/230695/230688/230213/230602/**230664**

HENDI P.O. Box 1

Producten en diensten:
• 230718/230695/230688/230213/230602/**230664**
• 230718/230695/230688/230213/230602/**230664**
• 230718/230695/230688/230213/230602/**230664**

HENDI S.A.

Producten en diensten:
• 230718/230695/230688/230213/230602/**230664**
• 230718/230695/230688/230213/230602/**230664**
• 230718/230695/230688/230213/230602/**230664**

HENDI P.O. Box 1

Producten en diensten:
• 230718/230695/230688/230213/230602/**230664**
• 230718/230695/230688/230213/230602/**230664**
• 230718/230695/230688/230213/230602/**230664**

HENDI P.O. Box 1

Producten en diensten:
• 230718/230695/230688/230213/230602/**230664**
• 230718/230695/230688/230213/230602/**230664**
• 230718/230695/230688/230213/230602/**230664**

[pdf] Specifications

PreuzmiPosuda za mikser bez BPA DT Grupaen 8711369933688 productsheetendi xcdn nl large en productsheet |||

Bar blender jar BPA-free 933688 Housing made of ABS. Tritan jug with firm PP lid and small tritan li ... hies, desserts and even crushed ice. Replacement jar for blender 230718/230695/230688/230213/230602/**230664**. 2,5L breakresistant BPA free Tritan jug, firm lid made of polypropylene and a small BPA free...

lang:en score:16 filesize: 50.49 K page_count: 1 document date: 2025-07-09



Tools for Chefs

Blender Kan BPA-vrij 93688

Behuizing gemaakt van ABS. Tritan-kan met stevig PP-deksel en kleine dop ... ies, desserts en zelfs gemalen ijs. Vervangende kan voor blender 230718/230695/230688/230213/230602/**230664**. 2,5L breukvaste BPA-vrije Tritan-kan, stevig deksel van polypropyleen en een klein BPA-vrij ...



Specifications	Material: ABS (Acrylonitrile-butadiene copolymer), BPA-free, Borehole: steel	Transport specifications	Weight: 871 (GROSS) 200 (NET) Dimensions (mm): 134 (H) 117 (W) 99 (D) Sales units per pallet: 99
Product type: Bar			
Package type: Box			
Length (mm): 200			
Width (mm): 110			
Height (mm): 130			
Volume (liters): 2.5			
Material (mm): 1.2			
Material (mm): 1.2			

HENDI S.A.

Producten en diensten:
• 230718/230695/230688/230213/230602/**230664**
• 230718/230695/230688/230213/230602/**230664**
• 230718/230695/230688/230213/230602/**230664**

HENDI P.O. Box 1

Producten en diensten:
• 230718/230695/230688/230213/230602/**230664**
• 230718/230695/230688/230213/230602/**230664**
• 230718/230695/230688/230213/230602/**230664**

HENDI P.O. Box 1

Producten en diensten:
• 230718/230695/230688/230213/230602/**230664**
• 230718/230695/230688/230213/230602/**230664**
• 230718/230695/230688/230213/230602/**230664**

HENDI S.A.

Producten en diensten:
• 230718/230695/230688/230213/230602/**230664**
• 230718/230695/230688/230213/230602/**230664**
• 230718/230695/230688/230213/230602/**230664**

HENDI P.O. Box 1

Producten en diensten:
• 230718/230695/230688/230213/230602/**230664**
• 230718/230695/230688/230213/230602/**230664**
• 230718/230695/230688/230213/230602/**230664**

HENDI P.O. Box 1

Producten en diensten:
• 230718/230695/230688/230213/230602/**230664**
• 230718/230695/230688/230213/230602/**230664**
• 230718/230695/230688/230213/230602/**230664**

[pdf]

Blender Kan BPA vrij nl 8711369933688 productsheet horeca files product |||

Blender Kan BPA-vrij 933688 Behuizing gemaakt van ABS. Tritan-kan met stevig PP-deksel en kleine dop ... ies, desserts en zelfs gemalen ijs. Vervangende kan voor blender 230718/230695/230688/230213/230602/**230664**. 2,5L breukvaste BPA-vrije Tritan-kan, stevig deksel van polypropyleen en een klein BPA-vrij ...

lang:nl score:16 filesize: 50.65 K page_count: 1 document date: 2025-02-27



Tools for Chefs

Jarra para batidora sin BPA 93688

Cuerpo está hecho de plástico ABS. Jarra de tritán con cubierta de PP firme y pequeña Cuchillas acero inoxidable reemplazables es 8711369933688 productsheet beukhoreca nl files product |||



Especificaciones	Material: ABS (Acrylonitrile-butadiene copolymer), BPA-free, Borehole: steel	Especificaciones de Transporte	Weight: 871 (GROSS) 200 (NET) Dimensions (mm): 134 (H) 117 (W) 99 (D) Sales units per pallet: 99
Product type: Bar			
Package type: Box			
Length (mm): 200			
Width (mm): 110			
Height (mm): 130			
Volume (liters): 2.5			
Material (mm): 1.2			
Material (mm): 1.2			

HENDI S.A.

Producten en diensten:
• 230718/230695/230688/230213/230602/**230664**
• 230718/230695/230688/230213/230602/**230664**
• 230718/230695/230688/230213/230602/**230664**

HENDI P.O. Box 1

Producten en diensten:
• 230718/230695/230688/230213/230602/**230664**
• 230718/230695/230688/230213/230602/**230664**
• 230718/230695/230688/230213/230602/**230664**

HENDI P.O. Box 1

Producten en diensten:
• 230718/230695/230688/230213/230602/**230664**
• 230718/230695/230688/230213/230602/**230664**
• 230718/230695/230688/230213/230602/**230664**

HENDI S.A.

Producten en diensten:
• 230718/230695/230688/230213/230602/**230664**
• 230718/230695/230688/230213/230602/**230664**
• 230718/230695/230688/230213/230602/**230664**

HENDI P.O. Box 1

Producten en diensten:
• 230718/230695/230688/230213/230602/**230664**
• 230718/230695/230688/230213/230602/**230664**
• 230718/230695/230688/230213/230602/**230664**

HENDI P.O. Box 1

Producten en diensten:
• 230718/230695/230688/230213/230602/**230664**
• 230718/230695/230688/230213/230602/**230664**
• 230718/230695/230688/230213/230602/**230664**

[pdf]

Jarra para batidora sin BPA 19 mar 2025 — Cuerpo está hecho de plástico ABS. Jarra de tritán con cubierta de P ... ostres e incluso hielo picado. Jarra de sustitucin para batidora 230718/230695/230688/230213/230602/**230664**. Jarra de copolister Tritan sin BPA de 2,5 litros, tapa segura de PBT y funda de copolister T...

Jarra para batidora sin BPA 933688 Cuerpo est hecho de plstico ABS. Jarra de tritn con cubierta de P ... ostres e incluso hielo picado. Jarra de sustitucin para batidora 230718/230695/230688/230213/230602/**230664**. Jarra de copolister Tritan sin BPA de 2,5 litros, tapa segura de PBT y funda de copolister T...

lang:es score:16 filesize: 50.97 K page_count: 1 document date: 2025-02-27



Digital bar blender with sound enclosure and BPA-free jug

Housing made of ABS. Tritan jug with 5mm PP lid and small Tritan lid cover. Regalizable stainless steel blades with titanium coating. Pulse switch for blending function. Removable, break-resistant jug withstands temperatures from -40°C to 90°C. Jug capacity: 2.5 L. Overheating and overcurrent protection. This blender can do it all: fruit, vegetables, cocktails, smoothies, desserts and even crushed ice.



Specifications

Expenditure needed	No	Not used	£50,000
Materials	ABS (Acrylonitrile-butadiene-styrene), Stainless steel, Sinter (3D printing)	Gross weight (kg), Net weight (kg)	2.19, 0.91
Packed per	1	Sales units per pallet	1
Packaging type	Box	Plastic packaging (grams)	226
Length (mm)	250		
Width (mm)	300		
Height (mm)	500		
Power (Watt) [W]	500		
Programmable	No		
Maximum units	250,000 units		

HENDERSON 1000 Henderson 1000 Henderson 1000 Henderson	HENDERSON 1000 Henderson 1000 Henderson 1000 Henderson	FWS HENDERSON 1000 Henderson 1000 Henderson 1000 Henderson
HENDERSON 1000 Henderson 1000 Henderson 1000 Henderson	HENDERSON 1000 Henderson 1000 Henderson 1000 Henderson	HENDERSON 1000 Henderson 1000 Henderson 1000 Henderson


red dot winner 2024

- | | |
|------------------------------------|--|
| КОШИЛ / КОШТИ / КОШТО | |
| ДЖИМБЕ / КИМБЕ / ПРАДАДИ | |
| КОШИЛ БРОКА / ПОДБИЛ / КАМПИНА | |
| МЕКАРИНА БЕРКА | |
| БАКУКИНЕ ПУСЛУКАНИ | |
| ТЕРНАВА БЕРКА | |
| ПЕЧ / ПАРКАН / ВОДИНИ | |
| ПЕЧА / НАДПОРНИ / ЕКАС | |
| КОРДАНКЕ БЕЛАДАНКА | |
| ПЕРЧЕНАНА / СТЕЛАН / ПОСЛА | |
| НАУТИВАН / ШУВАН / ШИЧЕТ | |
| ШАР | |
| КАВЕНАРИК / ГИТ / ТИЛ / КИГ / ОУЛИ | |
| ПЕРНОЖИНС / СТЕЖИ / ВОНА | |
| ПОСОДНИКОВ / НАСТАВНИК ТА ПЕЧА | |
| НЕПРАЖИНО / СТАЛ | |
| ПРИЛ / ПЕРНАВАН / ДУПАН | |

[\[pdf\]](#) Specifications

PreuzmiMikser s poklopcem za zvučnu izolaciju bez BPA DT Grupaen 8711369230664

productsheethendi xcdn nl large en productsheet |||

Digital bar blender with sound enclosure and BPA-free jug**230664** Housing made of ABS. Tritan jug with firm PP lid and small tritan lid cover. Replaceable stainless steel blades with titanium coating. Pulse switch for blending function. Removable, break resistant jug withstands temperatures from -40C...

lang:en score:16 filesize: 49.11 K page_count: 1 document date: 2025-05-30

[\[pdf\]](#)


Каталог HENDI 2024 ua ► Супниця UNIQ Hendi 860540 зелена купити у Києві Україні ціна

характеристики відгуки System4 274ad4786c3abca69fa097b85867d9a4 system4 |||

www.hendi.com , GN , , , , , , , , , , , , , 2024/25 ... 0 238097 230 1680 220x240x H 535
409,00 Vhl BPA FREE 230718/230695/230688/230213/ 230602/**230664**. 2,5 , . . USD
933688 200x170x H 360 213,00 RI ...

lang:de score:14 filesize: 51.9 M page_count: 770 document date: 2024-11-21

hendi обладнання для ресторанівНезалежно від того яка ваша роль у гастрономічній індустрії чи ви шеф кухар власник ресторану менеджер їдальні кондитер ми готові надихати274ad4786c3abca69fa097b85867d9a4system4 ua 274ad4786c3abca69fa097b85867d9a4 srsltid AfmBOoo4q XxXvE8qb lJjy3TYcDggYLVdNl5VTwib1AoHLbAQp2uQdy ресторанівhendi ресторанівMKF664TS MKF1064TS MKF1664TS відстань між рівнями 80 мм ЕКА Призначений вимірювання та контролю температури всередині Незалежно надихатисystem4 AfmBOor7vOXphdJmbEJDZ6SS2oG8no ot7rW2ju1oD1xZysNeWK47DGvsystem4 lJjy3TYcDggYLVdNl5VTwib1AoHLbAQp2uQdysystem4 AfmBOop3xvbUmb VV2yr1fbO89fllr8PfYGPnfw3rF2XcLaDXVDh5t8d VV2yr1fbO89fllr8PfYGPnfw3rF2XcLaDXVDh5t8dsystem4 AfmBOoqEiWUPMeynGwEK8JU6gj7LOGtCITBDaukx jOBSfFhxVISASjV AfmBOorjtjOob4esss03JAGFTUiaVckZc obObpfp8TkcXj2 fxK8Zvjsystem4 jOBSfFhxVISASjVsystem4 AfmBOoqVplmJtj SOvh7LenvTLRnCDPs6xk OUu4e WZ6gl3U igR0E AfmBOoo7O





[pdf]

Letöltöm Katalógusok HFSE HENDI Webshop Katalogus 2022 DE hfse hu 08 |||

2022/2023 KCHENCHEF GASTRONOM MARTIN KILGA I #CHEFSFORHENDI
TPFE, PFANNEN GASTRONORMBEHLTER K ... Bruchfeste Polykarbonat-Kanne
Edelstahlmesser mit Titaniumbeschichtung Antirutsch-Basis 230695 **230664**
DIGITALER MIXER MIT SCHALLDMMENDER ABDECKUNG Digitales Touch
Bedienfeld mit 3 Leistungs- un...

lang:de score:13 filesize: 66.28 M page_count: 448 document date: 2022-08-03



[pdf]

Letöltöm Katalógusok HFSE HENDI Webshop 2022 katalogus HU hfse hu 09 |||

2022/2023 CHEF VENDGLS CARMINE DE MICHELE I #CHEFSFORHENDI Online
verzi, aktulis rakkal EDNYEK ... 159400 166600 Trsll polikarbont kancs Titn bevonat
rozsdamentes acl ks Csszsmntes alj 230695 **230664** DIGITLIS TURMIXGP
HANGSZIGETELT BRVAL A digitlis vezrl panelen hrom teljestmnyfokozat, hrom...
lang:tl score:12 filesize: 66.99 M page_count: 448 document date: 2022-08-29



[pdf]

katalog HENDI 2024 atom market pl upload wf089 |||

GARNKI I POJEMNIKI GN Tools for Chefs I 2024 DESKI, NOE, PRZYBORY
CUKIERNIA, PIEKARNIA, KAWIARNIA ... 899,00 VhI DZBANEK DO BLENDERA
Wymienny dzbanek do blendera 230718/230695/230688 /230213/230602/**230664**,
wykonany z kopoliestru tritan niezawierajcego BPA Dzbanek o pojemnoci 2,5 l
Wytrzymała pok...


lang:tl score:12 filesize: 140.66 M page_count: 844 document date: 2024-04-03



[pdf]

Gastro Hendi gastro pl media katalogi |||

Tools for Chefs I 2023 Teraz rwnie online z aktualnymi cenami tel. 61 658 70 00
www.hendi.com GGAA ... a 230718 VhI DZBANEK DO BLENDERA Wymienny
dzbanek do blendera 230718/230695/23 0688230213/230602/**230664**, wykonany z
kopoliestru tritan niezawierajcego BPA Dzbanek o pojemnoci 2,5 l Wytrzymała pok...
lang:pl score:11 filesize: 115.74 M page_count: 811 document date: 2023-03-21



[\[pdf\]](#) Catalog

bartoszfasiECKi Pdf katalog cookconcept cz HENDI HENDICatalog files |||

GN Katalog 2020 Muste gastronomii rozumt, abyste mohli zt a muste zt, abyste svm Nase „Tools for ... 4 - Casovac 5 - Pulzn spnac Protihlukov ochrana vrazn snizuje zvuk 5 Video Protiskluzov zkladna **230664** Masivn kovov ozuben kolo 305 593042 593066 SHAKER BOSTON 593004 I SHAKER 3dln kd - I...

lang:hr **score:11** filesize: 44.59 M page_count: 468 document date: 2020-01-27



[\[pdf\]](#)

Letöltöm Katalógusok HFSE HENDI Webshop Katalogus 2020 HU hfse hu 2022 01 |||

EDNYEK S SERPENYK Tools for Chefs Katalogus 2020 Sf Johann Mohr

#chefsforhendi GN EDNYEK GN KON ... - Idzt 5 - Pulzl gomb Hangszigetelt bra jelentsen cskkenti a zajt 5 Lsd a filmet Csszsmntes alj **230664** Tarts fm foglalat 305 593042 593066 BOSTON KOKTL SHAKER kd 593042 593066 - liter sha...

lang:no **score:11** filesize: 68.59 M page_count: 472 document date: 2020-02-05



[\[pdf\]](#) Accessories Catalog

Catalogue 2024 2025 Air pot 365 Aluminium fryer Kitchen Line 218 Deep Profi 2

krzqc7pi56l4vyhgny9kh9lpek1v6iag www plex trade ru upload iblock a89 |||

Catalogue 2024 2025 POTS PANS GN CONTAINERS KNIVES KITCHEN TOOLS ICE CREAM PASTRY FOOD PROCESSING ... r only works when the cover is completely closed. code V W mm 230695 230 1680 252x258x H 547 **230664** BPA free 230 1680 252x258x H 547 184 Very powerfull, can even crush ice Comes complete wit...

lang:en **score:9** filesize: 33.34 M page_count: 556 document date: 2025-03-06