

## ESSEBAGNO 9016353

# Essebagno Quartos 300 Black Thermostatic Shower Column User Manual

Model: 9016353

## 1. PRODUCT OVERVIEW

---

The Essebagno Quartos 300 Black Thermostatic Shower Column combines modern design with practical functionality for your bathroom. It features a 300mm square ultra-flat shower head and a thermostatic mixer for precise temperature control. This manual provides essential information for the safe installation, operation, and maintenance of your shower column.



**Figure 1:** Essebagnò Quartos 300 Black Thermostatic Shower Column. This image displays the complete shower column assembly, including the square overhead shower, handheld shower, and thermostatic mixer.

## 2. PRODUCT FEATURES

---

- Black finish shower column.
- Extendable square tube: 820-1220 mm.
- 150 mm center distance for installation.
- Single adjustment cartridge.
- Flow rate with ½ turn ceramic valve.
- Wall-mounted thermostatic shower mixer with cold body safety feature.
- 150 mm mixer center distance, double outlet.


- Integrated diverter in the open/close handle.
- Anti-scald safety at 38 °C.
- Includes eccentric connectors and end caps.
- Not compatible with instantaneous hot water heaters.
- Square shower head: 30 x 30 cm (stainless steel).
- Anti-limescale nozzles for easy cleaning on both shower head and hand shower.
- ABS hand shower.
- Rectangular 1-jet hand shower.
- 150 cm stainless steel flexible hose.
- 60 cm connection hose.
- Works only with electric water accumulators (cumulus type).

### 3. SETUP AND INSTALLATION

---

Proper installation is crucial for the optimal performance and longevity of your shower column. Please follow these steps carefully.

1. **Purge Water Lines:** Before assembly, thoroughly purge the hot and cold water pipes. This prevents dirt and debris from compromising the proper functioning of the faucet.
2. **Shut Off Water Supply:** Close the main water supply valve to your home.
3. **Remove Old Faucet:** If replacing an existing unit, carefully dismantle the old faucet.
4. **Clean Threads:** Thoroughly clean the threads of the main water supply pipes.
5. **Mount Mixer:** Install the thermostatic mixer, ensuring the 150mm center distance is maintained. Use the provided eccentric connectors and end caps.
6. **Install Column:** Mount the shower column tube securely to the wall. Adjust the extendable tube to your desired height (820-1220 mm).
7. **Connect Hoses:** Connect the 60 cm connection hose to the mixer and the column. Attach the 150 cm flexible hose to the hand shower and the mixer.
8. **Check for Leaks:** Slowly open the main water supply and check all connections for leaks.



**Figure 2:** Technical drawing with dimensions for the Essebagno Quartos 300 Shower Column. This diagram illustrates key measurements such as the shower head size (300x300mm), overall height adjustment (950-1250mm), and hose lengths, crucial for installation planning.

**Important Note:** This shower column is designed to work exclusively with electric water accumulators (cumulus type) and is not compatible with instantaneous hot water heaters.

#### 4. OPERATING INSTRUCTIONS

Your Essebagno thermostatic shower column is designed for ease of use and consistent water temperature.

- **Temperature Control:** Use the thermostatic mixer handle to set your desired water temperature. The anti-scald safety feature is set at 38 °C, requiring a button press to exceed this temperature for safety.
- **Flow Control and Diverter:** The open/close handle also integrates the diverter. Turn the handle to control water flow and rotate it to switch between the overhead shower and the hand shower.
- **Hand Shower:** The rectangular hand shower provides a single jet for focused rinsing.
- **Overhead Shower:** The large 30x30 cm square shower head provides a wide, even spray.

## 5. MAINTENANCE

---

Regular cleaning and maintenance will help preserve the appearance and functionality of your Essebagno shower column.

- **Daily Cleaning:** To maintain your shower column for as long as possible, clean it daily with a damp, non-abrasive cloth or microfiber. Finish by drying it with a microfiber or dry cloth.
- **Avoid Harsh Cleaners:** Never use solvents, metallic sponges, bleach, acids, strong detergents, aggressive chemicals, or solvent-based cleaning solutions on the product.
- **Recommended Cleaners:** For maintenance, we recommend using black soap, dish soap, or shower gel.
- **Anti-Limescale Nozzles:** The shower head and hand shower are equipped with anti-limescale nozzles. Regularly rub these nozzles to dislodge any limescale buildup and maintain optimal spray performance.

## 6. TROUBLESHOOTING

---

If you encounter issues with your Essebagno shower column, consider the following common solutions:

- **No Hot Water / Inconsistent Temperature:**
  - Ensure your water heater (electric accumulator) is functioning correctly.
  - Verify that the shower column is not connected to an instantaneous hot water heater, as it is incompatible.
  - Check if the hot water supply valve is fully open.
  - If the temperature safety button is engaged, release it to allow temperatures above 38 °C.
- **Low Water Flow:**
  - Check if the main water supply is fully open.
  - Inspect the anti-limescale nozzles on the shower head and hand shower for blockages and clean them.
  - Ensure the water lines were properly purged during installation to remove debris.
- **Leaks:**
  - Tighten all connections, but do not overtighten.
  - Inspect seals and O-rings for damage and replace if necessary.

## 7. SPECIFICATIONS

---

Feature	Detail
---------	--------

Feature	Detail
Brand	ESSEBAGNO
Model Number	9016353
Color	Black
Finish Type	Painted
Material	Brass (faucet body), Metal (handle), ABS (hand shower)
Product Dimensions (L x W x H)	3 x 38 x 125 cm (approximate, adjustable height)
Item Weight	7 Kilograms
Number of Handles	1
Mounting Type	Wall Mount
Shower Head Size	30 x 30 cm (Square)
Anti-scald Safety	Yes, at 38 °C
Compatibility	Electric water accumulators (cumulus type) only. Not compatible with instantaneous hot water heaters.
Certifications	ACS (Sanitary Conformity Accreditation)

## 8. WARRANTY AND SUPPORT

Essebagno provides the following warranty for this product:

- **Main Body:** 5-year warranty.
- **Wear Parts:** (handles, cartridges, hoses, etc.) 1-year warranty.

For technical support, warranty claims, or spare parts inquiries, please contact Essebagno customer service. Information regarding spare parts availability is currently not provided.

### Related Documents - 9016353

	<p><a href="#">EssEBagno ESSEGUN THERMO Shower System Installation Guide</a> Detailed installation guide for the EssEBagno ESSEGUN THERMO thermostatic shower system, including component identification and mounting instructions.</p>
	<p><a href="#">EssEBagno Shower Panel Installation Guide - Model H353</a> Comprehensive installation guide for the EssEBagno H353 shower panel. Learn how to mount, connect, and use your new bathroom fixture with clear instructions and component lists.</p>

