

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [VAULTEK](#) /

› [VAULTEK LifePod 2.0 and SlingBag Bundle Instruction Manual](#)

VAULTEK TPS20-BK

VAULTEK LifePod 2.0 and SlingBag Bundle Instruction Manual

Model: TPS20-BK

1. INTRODUCTION AND OVERVIEW

The VAULTEK LifePod 2.0 and SlingBag Bundle provides a secure, portable storage solution designed for rugged environments and travel. The LifePod 2.0 is a waterproof, dustproof, and airtight lock box, while the accompanying SlingBag offers convenient transport and additional security features. This manual provides essential information for setting up, operating, maintaining, and troubleshooting your LifePod 2.0 and SlingBag.



LifePod 2.0 + SlingBag

High Impact T3™ Polymer. Triple enhanced + High Impact proprietary formula
A radical, weather proof, rugged, do it all case.



LifePod 2.0: Max handgun length is 9.25" and interior dimensions are 9.625" L x 7.25" W x 2.125" H

Image: The VAULTEK LifePod 2.0 lock box and its accompanying SlingBag.

Key Features:

- **LifePod 2.0:** Constructed from advanced non-metal polymer for superior strength. Features a built-in lock system, touch-activated keypad, manual key access, and an interior LED light. It is airtight, water-resistant, dustproof, floats in water, and is TSA compliant.
- **SlingBag:** Designed with anti-picking zippers, includes a steel cable and combination lock for tethering. Made from water-resistant fabric and offers multiple storage options.

2. SETUP

2.1 Battery Installation

The LifePod 2.0 requires one 9V alkaline battery (not included) for electronic functions. The battery compartment is located inside the unit. Ensure the battery is inserted with correct polarity. A fresh battery provides approximately one year of normal use.




Image: Diagram showing the 9V battery compartment within the LifePod 2.0.

2.2 Setting Your Master Code

Upon first use, you will need to set a master code for the touch-activated keypad. Refer to the included quick start guide for detailed instructions on programming your personal 4-8 digit code. Remember your code, as it is essential for electronic access.


BACKLIT NUMERIC KEYPAD

Touch activated 4-digit backlit LED keypad. The master code can be 4-8 digits long.



MANUAL KEY ENTRY

Two backup manual keys are supplied to unlock LifePod 2.0.



AUTHORIZED ENTRY

Can be unlocked using the Smart Sense™ LED backlit keypad or backup manual keys.

STEEL SECURITY CABLE

Secure LifePod to a stationary object. Excellent for a vehicle or nightstand.



BUILT-IN LOCK

With a simple touch to engage built-in lock.

Image: A hand interacting with the backlit numeric keypad of the LifePod 2.0.

2.3 Manual Key Entry

Two backup manual keys are provided for emergency access or in case of a dead battery. The keyhole is discreetly located under a rubber cover on the front of the LifePod 2.0. Always keep these keys in a secure location separate from the LifePod.



Premium Entry Methods

Capacitive Numeric Keypad, + Backup Keys.



Smart Sense™ Keypad

Touch activated 4-digit backlit LED keypad. Features lock pad, status indicator, and battery indicator.



Protection from the Elements

Side compression latches seals the interior to create an airtight storage compartment that floats and is water resistant.



Side Compression Latches

Seals the interior to create an airtight storage compartment.



Interior LED Light

See the safe contents in low light situations with the built-in LED light.



Built-In Lock System

Quickly lock and unlock LifePod for added security and peace of mind protection.



9V Battery Power

Powered by a 9V alkaline battery (not included) with a battery life of up to one year under normal use. Can be used without the battery and still function as a weather resistant case.



Lightweight + Superior Strength

Advanced non-metal polymer construction is engineered to be lightweight with superior strength and drop tested to be the ultimate rugged lockbox.



TSA Compliant

All Vaultek safes including LifePod are 100% TSA compliant.

Image: The manual keys and the concealed key access point on the LifePod 2.0.

2.4 Interior Organization

The LifePod 2.0 includes a removable interior tray and foam padding. The tray allows for layering smaller items like spare magazines or EDC gear, while removing it provides space for full-size handguns up to 9.25 inches long. The lid also features organizational pockets and elastic straps.



LifePod 2.0: Max handgun length is 9.25" and interior dimensions are 9.625" L x 7.25" W x 2.125" H

Image: The interior of the LifePod 2.0 with a handgun, magazines, and other small items, demonstrating storage capacity.

3. OPERATING THE LIFEPOD 2.0 AND SLINGBAG

3.1 Opening and Closing the LifePod 2.0

To open, enter your master code on the touch-activated keypad. The latches will disengage, allowing you to lift the lid. To close, simply press the lid down firmly until the side compression latches engage and the unit is sealed. The built-in lock can be engaged by sliding the lock mechanism on the front.



Image: Detail of the built-in lock system on the LifePod 2.0, showing its engagement mechanism.

3.2 Using the SlingBag

The SlingBag is designed to securely carry the LifePod 2.0. Insert the LifePod into the main compartment. Utilize the internal and external pockets for additional items. For enhanced security, use the included steel cable and combination lock to tether the SlingBag to a stationary object, such as in a vehicle or hotel room.

Video: Official VAULTEK video demonstrating the features and use of the LifePod 2.0 and SlingBag Bundle in various travel and outdoor scenarios.

4. MAINTENANCE

4.1 Battery Replacement

Replace the 9V alkaline battery annually or when the low battery indicator illuminates. To replace, open the LifePod, locate the battery compartment, and swap the old battery for a new one. Ensure proper disposal of used batteries.

4.2 Cleaning and Care

Wipe the exterior of the LifePod 2.0 with a damp cloth. Avoid harsh chemicals. Periodically inspect the rubber gasket around the perimeter of the lid for any signs of wear or damage to ensure the waterproof and airtight seal remains effective. Clean the SlingBag with a mild detergent and air dry.

5. TROUBLESHOOTING

5.1 Keypad Not Responding

If the keypad does not respond, the battery may be depleted. Use the backup manual keys to open the LifePod. Alternatively, a hidden micro-USB port is available to power the unit temporarily with an external power source (e.g., power bank) to enter your code and access the battery compartment.

5.2 Difficulty Closing/Sealing

Ensure no items are obstructing the lid or the rubber gasket. Check the gasket for any debris or damage. If the gasket is compromised, contact VAULTEK support for assistance.

6. SPECIFICATIONS

Feature	Detail
Manufacturer	VAULTEK Safe, Inc.
Part Number	TPS20-BK
Item Weight	6.14 pounds
Product Dimensions	12.25 x 8.5 x 2.88 inches
Interior Dimensions	9.625 x 7.25 x 2.125 inches
Material	Polymer
Color	Black
Battery Type	9V Alkaline (not included)
TSA Compliant	Yes

7. WARRANTY AND SUPPORT

For detailed warranty information, please refer to the official VAULTEK website or the warranty card included with your product. For technical support, product inquiries, or to purchase replacement parts, please contact VAULTEK customer service directly.

You can visit the official VAULTEK store on Amazon for more products and information:[VAULTEK Store](#)