LKPower KT1439WM, KT1439

LKPower AC Adapter Instruction Manual

Compatible with KT1439WM KT1439 KIDTRAX Marshall Fire Truck Ride-on

Introduction

This manual provides essential information for the safe and effective use of your LKPower AC Wall Charger Adapter. This adapter is designed to provide power and charge the 6V battery for compatible devices, specifically the KT1439WM and KT1439 KIDTRAX Marshall Fire Truck Ride-on toys. Please read these instructions thoroughly before use and retain them for future reference.

Safety Information

To ensure safe operation and prevent damage, observe the following safety precautions:

- Use the adapter only with devices specified as compatible (KT1439WM, KT1439 KIDTRAX Marshall Fire Truck Ride-on).
- Do not expose the adapter to water, moisture, or extreme temperatures.
- Avoid dropping or subjecting the adapter to strong impacts.
- Do not attempt to open, modify, or repair the adapter. Refer servicing to qualified personnel.
- Ensure the power outlet voltage matches the adapter's input specifications (AC 100-240V).
- Unplug the adapter from the power outlet when not in use or during electrical storms.
- Keep out of reach of children.

Setup

Follow these steps to set up your AC adapter:

1. **Inspect the Adapter:** Before first use, visually inspect the adapter and its cable for any signs of damage. Do not use if damaged.
2. **Connect to Device:** Locate the charging port on your KT1439WM or KT1439 KIDTRAX Marshall Fire Truck Ride-on. Carefully insert the barrel connector of the adapter into the device's charging port. Ensure a snug fit.
3. **Connect to Power Outlet:** Plug the AC adapter into a standard wall power outlet (AC 100-240V).



Image: Front and side view of the LKPower AC adapter, illustrating its compact design and the attached barrel connector cable. The adapter features a two-prong plug for standard wall outlets.




Image: A diagram illustrating the physical dimensions of the LKPower AC adapter. The adapter measures approximately 2.6 inches in length, 1.6 inches in width, and 1.2 inches in height. The cable length is approximately 76 inches.

Operating Instructions

Once connected, the adapter will begin to supply power or charge the battery of your compatible ride-on toy. The charging indicator on your ride-on toy (if available) will typically illuminate to show charging status.

- **Charging Time:** Refer to your ride-on toy's specific manual for recommended charging times. Avoid overcharging.
- **Disconnection:** Once charging is complete or if you need to disconnect, first unplug the adapter from the wall outlet, then carefully remove the barrel connector from the ride-on toy.



Image: The LKPower AC adapter is shown plugged into a power strip on a desk, demonstrating a typical usage scenario. The adapter's compact form factor allows it to fit alongside other plugs.

Maintenance

Proper care will extend the life of your AC adapter:

- **Cleaning:** Disconnect the adapter from all power sources before cleaning. Use a soft, dry cloth to wipe the exterior. Do not use liquid cleaners or solvents.
- **Storage:** When not in use, store the adapter in a cool, dry place, away from direct sunlight and extreme temperatures. Avoid tightly coiling the cable to prevent damage.
- **Cable Care:** Do not bend, twist, or pull the cable excessively. Always grasp the plug when disconnecting from an outlet, not the cable.

Troubleshooting

If you encounter issues with your AC adapter, refer to the following table:

Problem	Possible Cause	Solution
Adapter not supplying power/charging	Not properly plugged in; faulty outlet; damaged adapter/cable; incompatible device.	Ensure all connections are secure. Try a different power outlet. Inspect adapter and cable for damage. Confirm device compatibility.
Adapter gets unusually hot	Overload; poor ventilation; internal fault.	Disconnect immediately. Ensure adapter is not covered. Do not use if overheating persists.
Device not charging fully	Incorrect charging time; battery issue with device.	Refer to your device's manual for correct charging duration. Consult device manufacturer for battery issues.

Specifications

Technical specifications for the LKPower AC Adapter:

Feature	Detail

Feature	Detail
Brand	LKPower
Input Voltage	AC 100-240V, 50/60Hz
Connector Type	Barrel Connector
Compatible Devices	KT1439WM, KT1439 KIDTRAX Marshall Fire Truck Ride-on (6V)
Special Feature	Over Voltage Protection, Over Heat Protection
Cable Length	Approx. 76 inches (193 cm)
Dimensions (Adapter Body)	Approx. 2.6 x 1.6 x 1.2 inches (6.6 x 4.1 x 3.0 cm)

Return Policy

This product is subject to a 30-day return policy for refund or replacement. Please refer to your purchase documentation or retailer for specific terms and conditions regarding returns and exchanges.