

APC BVX2200LI-IN

APC 2200VA Line Interactive UPS BVX2200LI-IN User Manual

Model: BVX2200LI-IN

1. INTRODUCTION

This manual provides essential instructions for the safe and efficient use of your APC 2200VA Line Interactive UPS, model BVX2200LI-IN. Please read this manual thoroughly before installation and operation to ensure proper functionality and to prevent damage to the unit or connected equipment. Keep this manual for future reference.



Figure 1: Front view of the APC 2200VA Line Interactive UPS BVX2200LI-IN. This image displays the front panel of the UPS, featuring the power button, status indicators, and a USB charging port.

2. SAFETY INFORMATION

Observe the following safety precautions to reduce the risk of electric shock, fire, or injury:

- Do not open the UPS enclosure. There are no user-serviceable parts inside.
- Do not operate the UPS in direct sunlight, near heat sources, or in areas with excessive dust, moisture, or corrosive substances.
- Ensure the UPS is connected to a properly grounded AC power outlet.
- Do not connect non-computer related equipment, such as medical devices, life support equipment, microwave ovens, or vacuum cleaners, to the UPS.
- Disconnect the UPS from the power outlet before cleaning. Use a dry cloth for cleaning.

3. SETUP AND INSTALLATION


3.1 Unpacking and Inspection


Carefully unpack the UPS and inspect it for any shipping damage. If any damage is found, notify the carrier and your dealer. The package should contain the UPS unit and this user manual.


3.2 Battery Connection


Before initial use, the internal battery must be connected. Refer to the diagram below for detailed steps:

BVX Start up Settings


1
Pull the Battery Connector from its seating.


2
Rotate the Battery Connector.


3
Push the Battery connector into the slot till it locks in position.


4
Once locked in, the Battery connector is ready-to-use.

Turn On the Easy UPS

1. Plug the Easy UPS power cord directly into a wall outlet.
2. Press the POWER ON/OFF button to turn on the Easy UPS.

The green **Power On LED** confirms that the Easy UPS is on and is ready to provide protection.

The Easy UPS battery charges to capacity during the first 24 hours while connected to utility power. The Easy UPS battery will charge if the Easy UPS is connected to utility power and irrespective of whether the output is turned on or off.

Do not expect the battery to run for its expected capacity during the initial discharge period. The battery will have full capacity after the initial 24-hour charging period.

Turn Off the Easy UPS

Press the POWER ON/OFF button for more than 2 seconds to turn off the Easy UPS. A 2 second delay has been added to mitigate unintentional contact with the POWER ON/OFF button.

Figure 2: BVX Start-up Settings - Battery Connection. This diagram illustrates the four steps to properly connect the internal battery: pull, rotate, push, and lock the yellow battery connector into its seating.

1. Pull the battery connector from its seating.
2. Rotate the battery connector.
3. Push the battery connector into the slot until it locks in position.
4. Once locked, the battery connector is ready-to-use.

3.3 Connecting to Power and Devices

Connect the UPS power cord directly into a wall outlet. Note that this UPS requires a 3-pin 16A adapter or a 16A 3-pin power outlet due to its larger plug size. Connect your computer, monitor, router, and other critical electronic devices to the outlets on the rear of the UPS.



Figure 3: Rear view of the APC 2200VA Line Interactive UPS. This image shows the back panel of the UPS, including multiple power outlets for connecting devices, the input power cord, and the battery connector port.

4. OPERATION

4.1 Turning On the UPS

Press the POWER ON/OFF button on the front panel to turn on the UPS. The green Power ON LED will illuminate, confirming that the UPS is operational and providing protection.

The UPS battery charges to full capacity during the first 24 hours while connected to utility power. The UPS will charge the battery whether it is turned on or off. Do not expect the battery to provide its full rated backup time during this initial charging period.

4.2 Turning Off the UPS

Press and hold the POWER ON/OFF button for more than 2 seconds to turn off the UPS. A 2-second delay is incorporated to prevent accidental power-off.

4.3 Automatic Voltage Regulation (AVR)

The Line Interactive UPS features Automatic Voltage Regulation (AVR). This function automatically corrects minor voltage fluctuations (sags and surges) without switching to battery power, thereby preserving battery life and ensuring a stable power supply to connected devices.

4.4 USB Charging Port

The front panel includes a USB charging port (5V 2A) for convenient charging of mobile devices, even during a power outage when the UPS is operating on battery power.



Figure 4: UPS with USB Charging. This image shows the APC UPS on a desk, with a smartphone connected to its front USB port for charging, demonstrating its utility for mobile devices.

5. MAINTENANCE

5.1 Battery Care

The UPS contains a sealed lead-acid battery with an average expected life of 5 years under normal operating conditions. Factors such as frequent power outages, high temperatures, and deep discharges can reduce battery life. It is recommended to periodically test the UPS by simulating a power outage to

ensure the battery is functioning correctly.

5.2 Cleaning

To clean the exterior of the UPS, disconnect it from the power source and use a soft, dry cloth. Do not use liquid or aerosol cleaners, as they may contain flammable substances or cause electrical shock.

5.3 Environmental Conditions

Operate the UPS in a clean, dry, and well-ventilated area. Avoid placing it near windows or in environments with high humidity, extreme temperatures, or direct sunlight, as these conditions can negatively impact performance and battery longevity.

6. TROUBLESHOOTING

If the UPS is not operating correctly, consult the following table for common issues and solutions:

Problem	Possible Cause	Solution
UPS does not turn on.	Battery not connected or discharged.	Ensure the internal battery connector is fully seated. Plug the UPS into a wall outlet and allow it to charge for at least 24 hours.
Short backup time.	Battery not fully charged or nearing end of life. Overloaded UPS.	Allow the UPS to charge for 24 hours. Reduce the load on the UPS. If the battery is old, consider replacement.
Continuous beeping with no lights.	Indicates a potential battery failure or critical internal fault.	Disconnect all loads and turn off the UPS. Contact APC customer support for assistance.
UPS not providing power to outlets.	Circuit breaker tripped. UPS is off.	Check the circuit breaker on the rear of the UPS and reset if tripped. Ensure the UPS is turned on.

7. SPECIFICATIONS

Feature	Detail
Brand	APC
Model Number	BVX2200LI-IN
Capacity	2200VA
Type	Line Interactive UPS
Input Voltage	2200 Volts (Nominal)
Battery Type	Sealed Lead Acid
Battery Charge Time	6 Hours (to 90% capacity)
Average Battery Life	5 Years
Product Dimensions (LxWxH)	14 x 39 x 19 cm
Item Weight	12.2 kg
Form Factor	Rack
Color	Black

Feature	Detail
Country of Origin	China

Note: While the specifications list "Rack" form factor, the product images and typical usage for this model suggest a tower form factor.

8. WARRANTY AND SUPPORT

This APC UPS is manufactured by Schneider Electric. For detailed warranty information, product registration, and technical support, please visit the official APC by Schneider Electric website or contact their customer service department.

When contacting support, please have your model number (BVX2200LI-IN) and serial number ready. Be aware that customer support availability may vary, and it is advisable to check their operating hours for prompt assistance.


Manufacturer: APC, SCHNEIDER ELECTRIC, 1,2,3,4 BUILDING WORKSHOP, HENGCHANCRONG INDUSTRIAL PARK, SHILONG COMMUNITY SHIYAN 51'RI'IT. BAOAN DISTRICT' SHENZHEN. CHINA 518108

Related Documents - BVX2200LI-IN

	APC Back-UPS BX Series User Manual: Installation, Operation, and Troubleshooting Comprehensive user manual for APC Back-UPS BX Series (500VA to 2200VA) from Schneider Electric, covering safety instructions, product description, operational features, installation, troubleshooting, service, and warranty information.
	APC Easy UPS BVX Series User Manual: Installation, Operation, and Troubleshooting Comprehensive user manual for APC Easy UPS BVX Series (700VA to 2200VA). Covers safety instructions, installation, operational features like AVR and USB charging, specifications, status indicators, troubleshooting, and service information.
	APC Smart-UPS Operation Manual: Installation, Safety, and Troubleshooting Guide Official operation manual for APC Smart-UPS Uninterruptible Power Supply (UPS) units. Covers installation, safety, operation, configuration, and troubleshooting for models like SMT series. Provides essential power protection guidance.

	APC Back-UPS BN600G User Manual User manual for the APC Back-UPS BN600G Uninterruptible Power Supply (UPS), providing safety information, specifications, installation, operation, troubleshooting, and warranty details.
	APC Back-UPS Pro 900 Installation and Operation Guide This guide provides instructions for installing and operating the APC Back-UPS Pro 900, including setup, software installation, connection of equipment, operational features like power saving and display modes, troubleshooting, and specifications.
	APC Back-UPS BR1000G-IN / BR1500G-IN: Installation and Operation Manual Comprehensive guide for installing and operating the APC Back-UPS BR1000G-IN and BR1500G-IN Uninterruptible Power Supply (UPS), covering specifications, connections, features, troubleshooting, and service.


Documents - APC – BVX2200LI-IN



[pdf] User Manual Instructions Label

1 Joanna Kao User Manual Easy UPS Nov 30 2022 — Read the instructions carefully and look at equipment to become familiar with device again LED will be on sensitivity MEDIUM is set apc bxv2200li gr trovaprezzi it manuali ||| Questo manuale d istruzione fornito da trovaprezzi.it. Scopri tutte le offerte per APC BVX2200LI BVX2200LI-GR o cerca il tuo prodotto tra le migliori offerte di Gruppi di Continuit User Manual Easy UPS BVX Series 700VA, 900VA, 1200VA, 1600VA, 2200VA IMPORTANT SAFETY INSTRUCTIONS Read the instructi...

lang:en score:42 filesize: 781 K page_count: 9 document date: 2021-07-07




[\[pdf\]](#) User Manual Guide Declaration of Conformity Label

Cabot BVX manual ID 20210707 Joanna Kao files p enDocType User guide File Name BU UM 990 6292A IN Doc Ref SPD 6292 schneider electric |||

Panduan Pengguna Easy UPS BVX Seri 700VA, 900VA, 1200VA, 1600VA, 2200VA PETUNJUK PENTING KESELAMATAN Baca petunjuk dengan cermat dan lihat peralatan agar Anda memahami perangkat ini sebelum mencoba memasang, mengoperasikan, memperbaiki, atau memeliharanya.

Pesan khusus berikut mungkin ditampilkan di...

lang:id **score:31** filesize: 815.75 K page_count: 9 document date: 2021-07-07




[\[pdf\]](#) User Manual Instructions Guide Declaration of Conformity Label

BU UM 990 6338 EN fm SESA510995 files p enDocType User guide File Name Doc Ref SPD schneider electric |||

User Manual Easy UPS BVX700LI-IN, BVX900LI-IN, BVX1200LI-IN, BVX1600LI-IN and **BVX2200LI-IN** Important Safety Instructions SAVE THESE INSTRUCTIONS - This manual contains important instructions that should be followed during installation and maintenance of the Easy UPS and batteries. Read these instruc...

lang:en **score:29** filesize: 332.77 K page_count: 16 document date: 2020-07-28




[\[pdf\]](#) User Manual Instructions Guide Declaration of Conformity Label

BU UM 990 6338B EN 20Oct22 fm SESA680946 files p enDocType User guide File Name Doc Ref SPD 6338 schneider electric |||

User Manual Easy UPS BVX700LI-IN, BVX900LI-IN, BVX1200LI-IN, BVX1600LI-IN and **BVX2200LI-IN** Important Safety Instructions SAVE THESE INSTRUCTIONS - This manual contains important instructions that should be followed during installation and maintenance of the Easy UPS and batteries. Read these instruc...

lang:en **score:29** filesize: 339.7 K page_count: 16 document date: 2022-10-28




[\[pdf\]](#) User Manual Instructions Label

1 Joanna Kao User Manual Easy UPS apc bx700li trovaprezzi it manuali |||

Questo manuale d'istruzione fornito da trovaprezzi.it. Scopri tutte le offerte per APC BVX700LI
BVX700LI o cerca il tuo prodotto tra le migliori offerte di Gruppi di Continuità User Manual Easy UPS
BVX Series 700VA, 900VA, 1200VA, 1600VA, 2200VA IMPORTANT SAFETY INSTRUCTIONS
Read the instructions c...

lang:en score:29 filesize: 1.12 M page_count: 8 document date: 2020-05-06




[\[pdf\]](#) User Manual Instructions Label

1 Joanna Kao apc bvx2200li trovaprezzi it manuali |||

Questo manuale d'istruzione fornito da trovaprezzi.it. Scopri tutte le offerte per APC BVX2200LI BVX2200LI o cerca il tuo prodotto tra le migliori offerte di Gruppi di Continuità User Manual Easy UPS BVX Series 700VA, 900VA, 1200VA, 1600VA, 2200VA IMPORTANT SAFETY INSTRUCTIONS Read the instructions...

lang:en score:28 filesize: 781 K page_count: 9 document date: 2021-07-07



[pdf] User Manual Instructions Guide Declaration of Conformity Label

1 Joanna Kao files p File Name BU UM 990 6292A EN Doc Ref SPD 6292 enDocType User guide schneider electric ||| User Manual Easy UPS BVX Series 700VA, 900VA, 1200VA, 1600VA, 2200VA IMPORTANT SAFETY INSTRUCTIONS Read the instructions carefully and look at the equipment to become familiar with the device before trying to install, operate, service or maintain it. The following special messages may appear through...

lang:en score:28 filesize: 772.04 K page_count: 9 document date: 2021-07-07



[pdf] User Manual Specifications Documentation

Download APC BVX2200LI GR 230V AVR Schuko Sockets Easy UPS Egyptlaptop APC DB EN Egyptlaptop index dispatch attachments getfile attachment id 818 |||

Technical Specifications APC Easy UPS BVX 2200VA, 230V, AVR, Schuko Sockets BVX2200LI-GF Downloaded on 10/08/2020 EST APC Easy UPS BVX 2200VA, 230V, AVR, Schuko Sockets BVX2200LI-GR Call for More Information 800-800-4272 Includes: User manual Output Output power capacity Max Configurable Pow...

lang:en score:28 filesize: 174.03 K page_count: 3 document date: 2020-10-08




[pdf] User Manual Specifications Datasheet Documentation

Product data sheet KommaGo 2021 12 09 — APC Easy UPS BVX 2200VA 230V AVR Schuko Sockets BVX2200LI GR Overview Lead time Usually in Stock General Provided equipment User manual 75870 Datasheet kommago nl files |||

Product data sheet Specifications APC Easy UPS BVX 2200VA, 230V, AVR, Schuko Sockets BVX2200LI-GR Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications Overview Lead time ...

lang:en score:27 filesize: 133.57 K page_count: 3 document date: 2021-12-09





[pdf] Instructions Declaration of Conformity

109 Jean Pierre CAVALLIN SESA31241 Schneider Electric Declaratie de conformitate UPS cu 6 prize APC BVX2200LI spy

shop ro media custom upload |||

Easy UPS BV Series Easy UPS BX, BVX Series EU Declaration of Conformity Dclaration UE de Conformit Nr /N: 992-9191 Products identification / Identification Produits Type of products :

Uninterruptible Power Supplies Type de produits : Onduleurs UPS Models / Modles : Easy UPS

References Rf...

lang:en score:26 filesize: 230.95 K page_count: 3 document date: 2022-08-23



[pdf] User Manual

Produktbroschüre Datenblatt 0 1 MB Produktdaten APC Easy UPS Line Interaktiv 2 kVA 1200 W Unterbrechungsfreie

Stromversorgungen USV BVX2200LI GR mmo 85894633 1600162761 4266 25631 objects icecat biz |||

Technische Spezifikationen APC Easy UPS BVX 2200VA, 230V, AVR, Schuko Sockets BVX2200LI-GR Heruntergeladen am 09/15/2020 EST APC Easy UPS BVX 2200VA, 230V, AVR, Schuko

Sockets BVX2200LI-GR Rufen Sie fr weitere Informationen 0800 101 0067 Beinhaltet: User manual

Ausgang Ausgangsleistungskapa...

lang:de score:25 filesize: 152.07 K page_count: 2 document date: 2020-09-15



[pdf] User Manual Specifications Documentation

15 09 2020 Depliant leaflet Isy Documentazione APC Easy Ups 2200va 230v Avr Iec Sockets PN BVX2200LI Driver e File

disponibili mmo 85895045 1600162105 9567 14856 objects icecat biz |||

Technical Specifications APC Easy UPS BVX 2200VA, 230V, AVR, IEC Sockets BVX2200LI

Downloaded on 09/15/2020 EST APC Easy UPS BVX 2200VA, 230V, AVR, IEC Sockets

BVX2200LI Call for More Information 0800 2799254 Includes: User manual Output power capacity Max Configurable Power Watts N...

lang:en score:25 filesize: 150.43 K page_count: 2 document date: 2020-09-15

Caractéristiques techniques

APC Easy UPS BVX 2200VA, 230V, AVR, IEC Sockets

Capacité de puissance de sortie 1.2 kVA (1200 VA)

Autonomie configurable max. (min.) 1.2 kVA (1200 VA)

Tension nominale de sortie 230V

Précharge de sortie (après arrêt de la batterie) 5000 Hz +/- 1 Hz (Synchronisation avec la ligne)

Technologie Line interactive

Type de sortie d'onde Sinusoïdale approximative

Temps de transfert 4 ms typique / 10 ms maximum

Échelle

Tension d'entrée nominale 230V

Précharge d'entrée 5000 Hz +/- 1 Hz 5000 Hz

Type de transfert en charge 0 ms (0 ms)

Longueur du câble 1.2 m (40 in)

Page de sortie d'arrêt pour l'installation de la batterie

Nombre de sorties d'alarme 1

Batteries & durée de fonctionnement

Type de batterie Non applicable

Échelle Non applicable

Notes de l'utilisateur : Les caractéristiques techniques sont données à titre indicatif et ne doivent pas être utilisées pour des applications critiques. Les caractéristiques techniques sont sujettes à modification sans préavis.

Page 1 sur 2

[pdf] User Manual Documentation

15 09 2020 Depliant leaflet Isy Documentazione APC Easy Ups 2200va 230v Avr Iec Sockets PN BVX2200LI Driver e File disponibili mmo 85895045 1600162130 0893 15691 objects icecat biz |||

Caractéristiques techniques APC Easy UPS BVX 2200VA, 230V, AVR, IEC Sockets BVX2200LI

Tlcharg le 09/15/2020 EST APC Easy UPS BVX 2200VA, 230V, AVR, IEC Sockets BVX2200LI

Contactez-nous pour plus d'informations 0825 012 999 Inclut: User manual Sortie Capacit de

puissance de sortie Puissance co...

lang:fr score:25 filesize: 151.42 K page_count: 2 document date: 2020-09-15

Technical Specifications

APC Easy UPS BVX 2200VA, 230V, AVR, Schuko Sockets

Capacité de puissance de sortie 1.2 kVA (1200 VA)

Autonomie configurable max. (min.) 1.2 kVA (1200 VA)

Tension nominale de sortie 230V

Précharge de sortie (après arrêt de la batterie) 5000 Hz +/- 1 Hz (Synchronisation avec la ligne)

Technologie Line interactive

Type de sortie d'onde Sinusoïdale approximative

Temps de transfert 4 ms typique / 10 ms maximum

Échelle

Tension d'entrée nominale 230V

Précharge d'entrée 5000 Hz +/- 1 Hz 5000 Hz

Type de transfert en charge 0 ms (0 ms)

Longueur du câble 1.2 m (40 in)

Page de sortie d'arrêt pour l'installation de la batterie

Nombre de sorties d'alarme 1

Batteries & durée de fonctionnement

Type de batterie Non applicable

Échelle Non applicable

Notes de l'utilisateur : Les caractéristiques techniques sont données à titre indicatif et ne doivent pas être utilisées pour des applications critiques. Les caractéristiques techniques sont sujettes à modification sans préavis.

Page 1 sur 2

[pdf] User Manual Specifications Documentation

15 09 2020 Depliant leaflet Isy Documentazione APC Easy Ups 2200va 230v Avr Schuko Sockets PN BVX2200LI GR Driver e File disponibili mmo 85894633 1600162744 3889 9537 objects icecat biz |||

Technical Specifications APC Easy UPS BVX 2200VA, 230V, AVR, Schuko Sockets BVX2200LI-GR

Downloaded on 09/15/2020 EST APC Easy UPS BVX 2200VA, 230V, AVR, Schuko Sockets

BVX2200LI-GR Call for More Information 0800 2799254 Includes: User manual Output Output

power capacity Max Configurable Pow...

lang:en score:25 filesize: 150.69 K page_count: 2 document date: 2020-09-15

APC Easy UPS groupe de continuité (UPS) A ligne interactive 2,2 kVA 1200 W 6 presa Codice prodotto BVX2200LI

Modèle : APC

Notes du produit : Easy UPS

Capacité de puissance de sortie 1.2 kVA (1200 VA)

Autonomie configurable max. (min.) 1.2 kVA (1200 VA)

Tension nominale de sortie 230V

Précharge de sortie (après arrêt de la batterie) 5000 Hz +/- 1 Hz (Synchronisation avec la ligne)

Technologie Line interactive

Type de sortie d'onde Sinusoïdale approximative

Temps de transfert 4 ms typique / 10 ms maximum

Échelle

Tension d'entrée nominale 230V

Précharge d'entrée 5000 Hz +/- 1 Hz 5000 Hz

Type de transfert en charge 0 ms (0 ms)

Longueur du câble 1.2 m (40 in)

Page de sortie d'arrêt pour l'installation de la batterie

Nombre de sorties d'alarme 1

Batteries & durée de fonctionnement

Type de batterie Non applicable

Échelle Non applicable

Notes de l'utilisateur : Les caractéristiques techniques sont données à titre indicatif et ne doivent pas être utilisées pour des applications critiques. Les caractéristiques techniques sont sujettes à modification sans préavis.

Page 1 sur 2

[pdf]

APC Easy UPS groupe di continuità A linea interattiva 2 kVA 1200 W 6 presa Codice prodotto BVX2200LI Nome del bvx2200li leaflet multimedia yeppon it products |||

APC Easy UPS gruppo di continuit UPS A linea interattiva 2,2 kVA 1200 W 6 presa e AC Marchio :

APC Nome del prodotto : Easy UPS Codice prodotto: BVX2200LI APC Easy UPS. Topologia UPS:

A linea interattiva, Potenza in uscita: 2,2 kVA, Potenza in uscita: 1200 W. Tipo di uscita AC:

Accoppiatore C2...

lang:en score:25 filesize: 237.74 K page_count: 2 document date: 2025-01-08

Caractéristiques techniques

APC Easy UPS BVX 2200VA, 230V, AVR, Schuko Sockets

Capacité de puissance de sortie 1.2 kVA (1200 VA)

Autonomie configurable max. (min.) 1.2 kVA (1200 VA)

Tension nominale de sortie 230V

Précharge de sortie (après arrêt de la batterie) 5000 Hz +/- 1 Hz (Synchronisation avec la ligne)

Technologie Line interactive

Type de sortie d'onde Sinusoïdale approximative

Temps de transfert 4 ms typique / 10 ms maximum

Échelle

Tension d'entrée nominale 230V

Précharge d'entrée 5000 Hz +/- 1 Hz 5000 Hz

Type de transfert en charge 0 ms (0 ms)

Longueur du câble 1.2 m (40 in)

Page de sortie d'arrêt pour l'installation de la batterie

Nombre de sorties d'alarme 1

Batteries & durée de fonctionnement

Type de batterie Non applicable

Échelle Non applicable

Notes de l'utilisateur : Les caractéristiques techniques sont données à titre indicatif et ne doivent pas être utilisées pour des applications critiques. Les caractéristiques techniques sont sujettes à modification sans préavis.

Page 1 sur 2

[pdf] User Manual Documentation

15 09 2020 Depliant leaflet Isy Documentazione APC Easy Ups 2200va 230v Avr Schuko Sockets PN BVX2200LI GR Driver e File disponibili mmo 85894633 1600162777 6249 28286 objects icecat biz |||

Caractéristiques techniques APC Easy UPS BVX 2200VA, 230V, AVR, Schuko Sockets BVX2200LI-GR

GR Tlcharg le 09/15/2020 EST APC Easy UPS BVX 2200VA, 230V, AVR, Schuko Sockets

BVX2200LI-GR Contactez-nous pour plus d'informations 0825 012 999 Inclut: User manual Sortie

Capacit de puissance de sortie ...

lang:fr score:25 filesize: 151.85 K page_count: 2 document date: 2020-09-15

[illegible]



Zasilacz awaryjny BX2200LI Easy UPS
2200VA, 230V, AVR, 6IEC

Wskaz: 72389-Producent: APC-Kraj producenta: BVI92396U

Cena: 1,242.30 zł

Opis

Parametry

Typ	Wskaz
Kod producenta	BVI92396U
EAN	72389-844325
Producent	APC

[illegible]



Bedienungsanleitung – Easy UPS

BVX-Serie 700 VA, 900 VA, 1200 VA, 1600 VA, 2200 VA

Wichtige Sicherheitsinformationen

Lesen Sie die Anweisungen sorgfältig durch, um das Risiko von Verletzungen zu vermeiden, die zu ernsthaften oder tödlichen Verletzungen oder Schäden an der Ausrüstung führen könnten. Die Anweisungen sind in der Bedienungsanleitung und in den Warnhinweisen enthalten. Lesen Sie die Anweisungen und die Warnhinweise sorgfältig durch, um das Risiko von Verletzungen zu vermeiden, die zu ernsthaften oder tödlichen Verletzungen oder Schäden an der Ausrüstung führen könnten.



Die Befolgung dieser Symbolik kann Verletzungen, Schäden an der Ausrüstung oder Schäden an der Umwelt vermeiden.



Das Verstoßen gegen die Anweisungen kann zu ernsthaften Verletzungen, Schäden an der Ausrüstung oder Schäden an der Umwelt führen.

⚠ GEFAHR

GEFAHR: Zugelassene gefährliche Situation, die zu ernsthaften Verletzungen oder Schäden an der Ausrüstung führen könnte.

⚠ WARNUNG

WARNUNG: Zugelassene gefährliche Situation, die zu ernsthaften Verletzungen oder Schäden an der Ausrüstung führen könnte.

⚠ ACHTUNG

ACHTUNG: Zugelassene gefährliche Situation, die zu ernsthaften Verletzungen oder Schäden an der Ausrüstung führen könnte.

HINWEIS

HINWEIS: Zugelassene gefährliche Situation, die zu ernsthaften Verletzungen oder Schäden an der Ausrüstung führen könnte.

Richtlinien zur Produkthanndlung

⚠ < 10 kg ⚠ < 10 kg	⚠ < 10 kg ⚠ < 10 kg	⚠ < 10 kg ⚠ < 10 kg	⚠ < 10 kg ⚠ < 10 kg	⚠ < 10 kg ⚠ < 10 kg
---	---	---	---	---

[\[pdf\]](#)

Zasilacz awaryjny BVX2200LI GR Easy UPS 2200VA 230V AVR 4 Shuko Sklep internetowy stylem.pl zasilacz bxv2200li gr
easy ups 2200va 230v avr shuko 70500 upload files product |||

Zasilacz awaryjny BVX2200LI-GR Easy UPS 2200VA,230V, AVR,4 Shuko Indeks: 70500

Producent: APC Kod producenta: BVX2200LI-GR Cena: 1,270.04 zł Opis Zasilacz awaryjny

BVX2200LI-GR Easy UPS 2200VA,230V, AVR,4 Shuko Producent: APC Wlaciwoci Opis

Przedstawiamy APC Easy UPSZapewnij zasilanie i ochron w dom...

lang:pl score:25 filesize: 5.29 M page_count: 2 document date: 2022-08-03

[\[pdf\]](#)

Zasilacz awaryjny BVX2200LI Easy UPS 2200VA 230V AVR 6IEC Sklep internetowy stylem.pl zasilacz bxv2200li easy ups 2200va 230v avr 6iec 71180 upload files product |||

Zasilacz awaryjny BVX2200LI Easy UPS 2200VA, 230V, AVR, 6IEC Indeks: 71180 Producent: APC

Kod producenta: BVX2200LI Cena: 1,242.30 zł Opis Parametry Stan Kod producenta EAN

Producent Nowy HR1889/70 731304404521 APC ...

lang:pl score:24 filesize: 35.19 K page_count: 1 doc

[\[pdf\]](#) User Manual

Datenblatt Download APC Easy UPS BVX Series BVX2200LI GR USV Wechselstrom 220 240 V büroTec rVJveuOrrji 0v5G AyJOKTKT3G07nUstSfJEoipSmFz32cKpuZMBQSp0avrUxUeVpSaeBxTXL1ZwHGtrfOeKxBLUSuHbf1y8Ki5yE6vTq4DtI3C

Gk5AcFT11PT Y0S shop buerotec de media fb 53 94 Y0S5qZI6Heheh9Kudq5Tq

vs8FBef3fWiFJ1Qk4QHM3ob5fOvD5b8yD |||

APC Easy UPS BVX Series BVX2200LIGR - USV - Wechselstrom 220-240 V Gruppe Hersteller

Hersteller Art. Nr. EAN/UPC 1200 Watt - 2200 VA 9 Ah - Ausgangsanschlüsse: 4 Stromversorgung

APC BVX2200LI-GR 0731304404620 Beschreibung APC Easy UPS ist eine vielseitige USV, die

entwickelt wurde, um uneinheitli...

lang:de score:24 filesize: 81.78 K page count: 2 document date: 2021-01-17

[\[pdf\]](#) User Manual

Cabot BVX manual DE 20200507 Joanna Kao APC BVX700LI BVX2200LI GR ANL DEcdn reicht de documents

datenblatt E910 |||

Bedienungsanleitung Easy UPS BVX-Serie 700 VA, 900 VA, 1200 VA, 1600 VA, 2200 VA Wichtige

Sicherheitsinformationen Lesen Sie die Anweisungen sorgfältig durch, und machen Sie sich mit dem

Gert vertraut, bevor Sie versuchen, es zu installieren, zu bedienen, zu reparieren oder zu warten. In

diesem Doku...

lang:de score:24 filesize: 882.52 K page count: 8 document date: 2020-10-08

Kesintisiz Güç Evinizde
APC BVX Serisi

Karınızda APC UPS
Evinize ve ofisinize APC™ by Schneider Electric ile enerji ve koruma sağlayın.

Gündelik hayatınızda kritik rolü olan elektronik cihazlarınız APC güvencesi altında.

Önemli Anlarda Bağlantınızı Koruyun

1 Kesintisiz güç kaynağına niçin ihtiyacım var?

2 Beklenmedik Olaylara Karşı Korunun

3 Güvenilir Ev Bağlantısı

Çalışma Süresi
20" LED monitör + standart PC + Modem konfigürasyonunda:

Model	20" LED monitör	Standart PC	Modem konfigürasyonunda
AVX2200LI-GR	25	10	10
AVX2200LI-GR	40	10	10
AVX2200LI-GR	80	10	10
AVX2200LI-GR	140	10	10
AVX2200LI-GR	175	10	10

Life Is On APC by Schneider Electric

[pdf]

UPS BVX BROSUR WEB Kesintisiz Güç Evinizde Epey Evinize ve ofisinize APC™ by Schneider Electric ile enerji koruma sağlayın Gündelik hayatınızda kritik rolü olan elektronik BVX2200LI GR e83769084c3d32bb6e75fb9b032efb epey ||| Kesintisiz G Evinizde APC BVX Serisi Karınızda APC UPS Evinize ve o sinize APCTM by Schneider Electric ile enerji ve koruma salayın. Gndelik hayatınızda kritik rol olan elektronik cihazlarınız APC gvencesi altında. nemli Anlarda Balantinizi Koruyun Kesintisiz g kaynakına niin ihtiyacım var Ak Gc ... lang:tl **score:24** filesize: 161.5 K page_count: 3 document date: 2020-12-04

Product data sheet
Specifications

APC Easy UPS, 2200VA, Tower, 230V, 6x IEC C19 Outlets, AVR
BVX2200LI

Overview
Lead time: Usually 10 Weeks

Main
Main Input Voltage: 230V AC 1-phase
Main Output Voltage: 230V AC 1-phase
Rated power in VA: 2200 VA
Rated power in W: 1200 W
Input Connection Type: IEC-60320 C19
Output connection type: IEC-60320 C19
Cable length: 1.20 m
Number of outlets: 6
Battery type: Lead acid battery
Provided equipment: User manual

General
Max runtime: 100 min
Number of power module time slots: 0
Number of power module fitted slots: 0
Redundant: No
UPS size: 400

Physical
Colour: Black
Height: 19.0 cm
Width: 19.0 cm
Depth: 19.0 cm
Net weight: 12.2 kg
Mounting support: 175 mm
Mounting preference: No preference

Apr 28, 2023

[pdf] User Manual Specifications Datasheet Documentation

Fisa Tehnica UPS cu 6 prize APC BVX2200LI spy shop ro media custom upload ||| Product data sheet Specifications APC Easy UPS, 2200VA, Tower, 230V, 6x IEC C19 Outlets, AVR BVX2200LI Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications Overview Lead ... lang:en **score:24** filesize: 117.49 K page_count: 3 document date: 2023-04-28

Product datasheet
Specifications

APC Easy UPS, 2200VA, Tower, 230V, 4x CEE 7/3 Schuko outlets, AVR
BVX2200LI-GR

Overview
Lead time: Usually 10 Weeks

Main
Main Input Voltage: 230V AC 1-phase
Main Output Voltage: 230V AC 1-phase
Rated power in VA: 2200 VA
Rated power in W: 1200 W
Input Connection Type: IEC-60320 C19
Output connection type: IEC-60320 C19
Cable length: 1.20 m
Number of outlets: 4
Battery type: Lead acid battery
Provided equipment: User manual


General
Max runtime: 100 min
Number of power module time slots: 0
Number of power module fitted slots: 0
Redundant: No
UPS size: 400

Physical
Colour: Black
Height: 19.0 cm
Width: 19.0 cm
Depth: 19.0 cm
Net weight: 12.2 kg
Mounting support: 175 mm
Mounting preference: No preference

Feb 27, 2023

[pdf] User Manual Specifications Datasheet Documentation

BVX2200LI GR APC Easy UPS 2200VA Tower 230V EG TECH shop itegy eg 2023 02 ||| Product datasheet Specifications APC Easy UPS, 2200VA, Tower, 230V, 4x CEE 7/3 Schuko outlets, AVR BVX2200LI-GR Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications Overv... lang:en **score:23** filesize: 113.85 K page_count: 3 document date: 2023-02-27



8a2aed639b3177b28c2b266ee395ee09c369dustinimages grobjects manualUserManualUserManualAPC 1200
usermanualeasy 22 usermanualmedia ManualDownload grlaptopsdirect BrochureProduct τροφοδοτικό αδιάλειπτης
1725018428cfd64b12ff1227fb08fe9bb6ce1d120ee6bd7d34 GBeasy 1725018428gfx3 f d 6 GBdustinimages uitgang
BVX700LIAPC 172501842289e469b5c0d1a88704e4ef198088bf0227e71921 GBmmo ENlaptopsdirect 1725018422gfx3 9
GBonlinehardware puhvertoiteallikas Liini interaktiivne GBec75342ea960d7bed205815c6427db5206b49608 GBgfx3
manualUserManualUserManualUserManualAPC 480 usermanualbvx900li 09
24971cfd64b12ff1227fb08fe9bb6ce1d120ee6bd7d34 1722892309484laptopsdirect 2serversdirect
manualUserManualUserManualUserManualUserManualAPC 900 ElectricBV8957996 16
manualUserManualUserManualUserManualUserManualUserManualAPC 650 1704848293719laptopsdirect |||
User Manual Easy UPS BVX Series 700VA, 900VA, 1200VA, 1600VA, 2200VA IMPORTANT
SAFETY INSTRUCTIONS Read the instructions carefully and look at the equipment to become
familiar with the device before trying to install, operate, service or maintain it. The following special
messages may appear through...
lang:en score:23 filesize: 1.11 M page_count: document date:

Fiche Produit Documentation	
 	APC Easy UPS, 2200VA, Tower, 230V, 4x CEE 7/3 Schuko outlets, AVR BV122020-GR
Présentation	
Load line	Garantissement disponible en stock
Principales	
Tension d'entrée principale	230 V CA monophasé
Tension de sortie principale	230 V CA monophasé
Puissance nominale en VA	2200 VA
Puissance nominale en VA	2200 VA
Input Conversion Type	Double
Output Conversion Type	4x Schuko
Longueur de câble	1,82 m
Nombre de câbles	1
Type de batterie	Batterie au plomb-acide
Équipement fourni	Manuel d'utilisation
Généralités	
Modèle	2200 VA
Nombre d'emplacements dans le rack	0
Nombre d'emplacements remplis	0
Nombre d'emplacements de modules d'alimentation	0
Redondance	Non
Taille UPS	MS
Physique	
Couleur	Noir
Hauteur	18,00 cm
Largeur	15,00 cm
Profondeur	36,00 cm
Poids du produit	12,2 kg
Support de montage	Neuf
Matériau principal	Plastique

Fiche technique du produit	
 APC Easy UPS BVX - onduleur line-interactive - 2200VA, 230V - Prises Schuko	
Présentation	
Principales	
Batteries & durée de fonctionnement	
Généralités	

[pdf] Datasheet Documentation

Product DataSheet Fiche Technique BVX2200LI GR Onduleur APC GR 2200VA 1 2KW RSA700000011232136docs rs online d19e A700000011232136 |||

Clause de non responsabilit : Cette documentation n est pas destine remplacer ni ne peut servir dterminer l adquation ou la fiabilit de ces produits dans le cadre d une application spcifique Fiche technique du produit Spcifications APC Easy UPS BVX - onduleur line-interactive - 2200VA, 230V Pris...

lang:fr score:23 filesize: 171.91 K page_count: 4 document date: 2024-04-24


Product datasheet	
 APC Easy UPS, 2200VA, Tower, 230V, 4x CEE 7/3 Schuko outlets, AVR	
Overview	
Main	
General	
Physical	

[pdf] User Manual Specifications Datasheet Documentation

Лист със спецификации UPS APC Easy 2200VA Schuko BVX2200LI GR 12740793 »» Цена Plasico IT Superstore easy upsbvx2200li gr plasico bg resources |||

Product datasheet Specifications APC Easy UPS, 2200VA, Tower, 230V, 4x CEE 7/3 Schuko outlets, AVR BVX2200LI-GR Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications Overv...

lang:en score:23 filesize: 118.77 K page_count: 3 document date: 2023-01-17



Overview

Lead time	Usually in stock
-----------	------------------


Main

[illegible]

Oct 26, 2014

[Subscribe](#)

36 | Seite



Overview

Lead Time	Change in Time
-----------	----------------

Main

Max Input Voltage	220 V AC 1 Phase
Max Output Voltage	220 V AC 1 Phase
Rated Power (W)	2000-1000
Rated Power (kVA)	2000-1000
Load Connection Type	Isolate
Output Connection Type	Isolate
Cables Length	1.00-1.00
Number Of Cables	1
Battery Type	Lead-Acid/Battery
Provided Equipment	User manual

Batteries & Runtime

Max Time	
Efficiency	Show Runtime Page
Number Of Battery Filled Slots	0
Number Of Battery Free Slots	0
Battery Runtime Time	NA
Battery Voltage	24V
Battery Capacity	8.0 kWh
Battery Life	3-5 Years
Replacement Battery	
Forecast Runtime	0

General


Max Runtime	240 min
Number Of Power Switches Free	0
Max Runtime	240 min
Number Of Power Switches Free	0

24 Apr 2013

Life & On | APC

On | APC

BVX2200LI
APC Easy UPS BVX - onduleur line-interactive
- 2200VA, 230V - Prises IEC

[illegible]

547/1111

10/10

10. [Go to the next slide](#)

Product DataSheet BVX2200LI GR Data Sheet APC Easy UPS BVX 2200VA 230V AVR IEC Socket Schneider Electric
egdigitaldreams 2024 10 |||

lang:en score:22 filesize: 275.8 K page_count: 5 document date: 2024-10-28

Product DataSheet Datasheet BVX2200LI GRBVX2200LI GR UPS APC 2200VA ingresso 230V ca uscita 1 2kW

Montaggio a pavimento RSA700000011231050docs rs online 4755 A700000011231050 |||

lang:en score:22 filesize: 177.75 K page count: 4 document date: 2024-04-24

BVX2200LI ECAT Documentation Schneider Electric Apc easy ups bxv onduleur line interactive 2200va 230v prises iec
document materielelectrique content fichiers produits Schneider2 ||

lang:fr score:22 filesize: 97.04 K page_count: 3 document date: 2023-09-01

lang:en score:21 filesize: 199.54 K page count: 2 document date: 2023-01-22




[pdf] Declaration of Conformity

RoHS information on commercial references Schneider Electric Project APC Easy UPS BVX 2200VA 230V AVR Schuko
Sockets BVX2200LI GR Portugal export 20230331 142445244c1b3ff7 a7e5 45e0 9f8e 49a2aae3854d schneider electric
files p Doc Ref ROHS DECLARATION FileName PT pt |||

Schneider Electric Industries Date: Friday, March 31, 2023 Object: Schneider Electric RoHS
declaration RoHS: Restriction of Hazardous Substances Dear Customer, Effective July 1st, 2006,
the European Directive 2002/95/EC - Restriction of Hazardous Substances RoHS , its recast
2011/65/EU of Ju...

lang:en score:21 filesize: 201.35 K page_count: 2 document date: 2023-03-31



[pdf] Declaration of Conformity

RoHS information on commercial references Schneider Electric Project Déclaration UE APC Easy UPS BVX 2200VA 230V
AVR Schuko Sockets BVX2200LI GR Belgique export 20221128 00163216205b925a aec5 4dba bee0 487d942fbb82
schneider electric files p Doc Ref ROHS DECLARATION FileName BE fr |||

Schneider Electric Industries Date: Monday, November 28, 2022 Object: Schneider Electric RoHS
declaration RoHS: Restriction of Hazardous Substances Dear Customer, Effective July 1st, 2006,
the European Directive 2002/95/EC - Restriction of Hazardous Substances RoHS , its recast
2011/65/EU of...

lang:en score:21 filesize: 203.5 K page_count: 2 document date: 2022-11-27




[pdf] Declaration of Conformity

RoHS information on commercial references Schneider Electric Project APC Easy UPS BVX 2200VA 230V AVR Schuko
Sockets BVX2200LI GR Israel export 20230102 164148410d4e696c bf29 4093 8f12 e46ef2854c11 schneider electric files
p Doc Ref ROHS DECLARATION FileName IL en GB |||

Schneider Electric Industries Date: Monday, January 2, 2023 Object: Schneider Electric RoHS
declaration RoHS: Restriction of Hazardous Substances Dear Customer, Effective July 1st, 2006,
the European Directive 2002/95/EC - Restriction of Hazardous Substances RoHS , its recast
2011/65/EU of J...

lang:en score:21 filesize: 200.48 K page_count: 2 document date: 2023-01-02



[pdf] Decleration of Conformity

RoHS information on commercial references Schneider Electric Project APC Easy UPS 2200VA Tower 230V 6x IEC C19

Outlets AVR BVX2200LI Canada export 20250726 18210921127fa9fe bf6a 409d b858 66b61c9b7795 schneider electric

files p Doc Ref ROHS DECLARATION FileName CA en |||


Schneider Electric Industries Date: Saturday, July 26, 2025 Object: Schneider Electric RoHS

declaration RoHS: Restriction of Hazardous Substances Dear Customer, Effective July 1st, 2006,

the European Directive 2002/95/EC - Restriction of Hazardous Substances RoHS , its recast

2011/65/EU of June ...

lang:en score:21 filesize: 170.42 K page_count: 2 document date: 2025-07-26



[pdf] Decleration of Conformity

RoHS information on commercial references Schneider Electric Project EU Declaration APC Easy UPS BVX 2200VA 230V

AVR IEC Sockets BVX2200LI Israel export 20230122 11113211f262088f 4fe1 427d b7ce 4db1bd5d8857 schneider electric

files p Doc Ref ROHS DECLARATION FileName IL en GB |||

Schneider Electric Industries Date: Sunday, January 22, 2023 Object: Schneider Electric RoHS

declaration RoHS: Restriction of Hazardous Substances Dear Customer, Effective July 1st, 2006,

the European Directive 2002/95/EC - Restriction of Hazardous Substances RoHS , its recast

2011/65/EU of ...

lang:en score:21 filesize: 198.92 K page_count: 2 document date: 2023-01-22



[pdf] Decleration of Conformity

Informação no RoHS para as referências comerciais Schneider Electric RoHS Project APC Easy UPS BVX 2200VA 230V

AVR IEC Sockets BVX2200LI Portugal export 20230403 0255405569715867 e15d 499f 89a2 72553b88a606 schneider

electric files p Doc Ref ROHS DECLARATION FileName PT pt |||

Schneider Electric Industries Date: Monday, April 3, 2023 Object: Schneider Electric RoHS

declaration RoHS: Restriction of Hazardous Substances Dear Customer, Effective July 1st, 2006,

the European Directive 2002/95/EC - Restriction of Hazardous Substances RoHS , its recast

2011/65/EU of Jun...

lang:en score:21 filesize: 200.47 K page_count: 2 document date: 2023-04-03

Schneider Electric Industries

Schneider

electric

Date: Monday, April 3, 2023

Object: Schneider Electric RoHS Declaration (RoHS: Restriction of Hazardous Substances)

Dear Customer,

Effective July 1st, 2006, the European Directive 2002/95/EC "Restriction of Hazardous Substances" (RoHS), its recast 2011/65/EU of June 8th, 2011, the Delegated Directive (EU) 2015/863 of March 31st 2015, restricts the use in Europe in certain electrical and/or electronic equipment of lead, mercury, cadmium, hexavalent chromium, polychlorinated biphenyls (PCBs), polycyclic aromatic hydrocarbons (PAHs), phthalate (DEHP), butyl benzyl phthalate (BBP), bisphenol A (BPA), and other substances.

Schneider Electric decided to make RoHS compliance of its products one of its priorities, even if they do not fall in RoHS scope, and most of Schneider Electric products are RoHS-compliant. This stance is fully in line with Schneider Electric environmental policy and EN-EC 8500-2014 standard.

The information below provides the current product status according to regulation in force at the date of publication of this present document. Any future changes, either in product design or in the Directive may change the status reported here. In case the product is inside the legal scope of RoHS, please note that this document is not the CE Declaration. To access to the CE Declaration, please refer to the [Schneider Electric Declaration \(RoHS\)](#). In the context of the sustainable development policy of our Company, we continuously look for ways to improve our products and services, which means the impact on environment for human health when used for their intended purpose and in compliance with the environmental protection for Schneider Electric.

In the following declaration, a "RoHS-compliant" wording means that the product is not in EEE or not in the legal scope of the regulation, but is in line with the sustainable regulations and corresponding operations.

Should you need any further information or have specific questions (eg. related to phased out products), our [Customer Care Center](#) will support you. Please Note: You can find more information about Schneider Electric environmental commitment at [Green](#) [Partner](#) website.

Best Regards,

Catherine FENDOR



VP Environment

Global Safety, Environment & Real Estate Senior Vice President

Schneider Electric Industries SAS

Schneider Electric Industries SAS

Product Address: Address provided

Legal Name: Schneider Electric

Legal Representative: Mr. FENDOR

Product Real Estate Senior Vice President

Phone: +33 (0)3 65 75 10 00

http://www.schneider-electric.com

Legal Information: Schneider Electric

Schneider and its services are certified as carbon fit by the ISO 14064-1:2018

ISO 14064-1:2018

Phone: +33 (0)3 65 75 10 00

Phone: +33 (0)3 65 75 10 00

http://www.schneider-electric.com

[pdf] Decleration of Conformity

RoHS information on commercial references Schneider Electric Project APC Easy UPS BVX 2200VA 230V AVR IEC
Sockets BVX2200LI Portugal export 20230403 00251825fe5b14d5 80a3 49a4 b20a 220c1d762d9e schneider electric files
p enDocType Declaration of Conformity Sustainability Doc Ref ROHS DECLARATION FileName PT pt |||
Schneider Electric Industries Date: Monday, April 3, 2023 Object: Schneider Electric RoHS
declaration RoHS: Restriction of Hazardous Substances Dear Customer, Effective July 1st, 2006,
the European Directive 2002/95/EC - Restriction of Hazardous Substances RoHS , its recast
2011/65/EU of Jun...
lang:en score:21 filesize: 202.94 K page_count: 2 document date: 2023-04-02