

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Crivit](#) /

› [Crivit Interlocking Floor Protection Mats User Manual](#)

Crivit Interlocking Floor Protection Mats B08RWK146R

Crivit Interlocking Floor Protection Mats User Manual

Model: B08RWK146R

1. INTRODUCTION

Thank you for choosing the Crivit Interlocking Floor Protection Mats. This set of 8 mats is designed to provide a protective, anti-slip, shock-absorbing, and water-repellent surface for various areas in your home, such as home gyms, basements, or garages. They are ideal for placement under exercise equipment or washing machines to reduce vibration and protect your flooring.

2. SAFETY INFORMATION

Please read all safety instructions before using the product.

- **Caution:** Although these mats are designed to be anti-slip, they are not completely slip-proof. Always exercise care when walking or exercising on them.
- Do not use the mats in areas exposed to high temperatures or harsh chemicals, as this may damage the material or compromise its protective properties.
- The maximum weight capacity for these mats is 136 kg (approximately 300 lbs). Do not exceed this weight to prevent damage to the mats or the underlying surface.
- Ensure the mats are laid on a flat, stable surface to prevent tripping hazards.

3. PACKAGE CONTENTS

Your Crivit Interlocking Floor Protection Mats package includes:

- 8 x Interlocking Floor Protection Mats

4. SETUP AND INSTALLATION

The mats consist of interlocking tiles designed for easy assembly and customization to fit various area shapes.

1. **Prepare the Surface:** Ensure the area where you intend to place the mats is clean, dry, and free from debris. The surface should be flat and stable.
2. **Begin Assembly:** Start by placing the first mat in a corner or against a wall.
3. **Interlock Tiles:** Align the interlocking edges of the next mat with the first one. Gently press down and

connect the tabs until they fit securely.

4. **Expand as Needed:** Continue adding mats, interlocking them until the desired area is covered. The design allows for expansion to cover larger spaces.
5. **Check Stability:** Once all mats are in place, ensure they are firmly interlocked and do not shift easily.




Image: Crivit interlocking floor protection mats providing a protective base for an exercise bike. The mats are black and interlocked, covering a section of a light wooden floor. A red water bottle is visible on the mat next to the bike.

5. OPERATING AND USAGE

These mats are versatile and can be used in various settings to protect your floors and enhance your activities.

- **Exercise Equipment:** Place the mats under treadmills, elliptical machines, stationary bikes, or weight benches to absorb impact, reduce noise, and prevent scratches or dents on your floor.
- **Laundry Areas:** Use under washing machines or dryers to dampen vibrations and protect against spills.
- **Workshops/Garages:** Provide a comfortable standing surface and protect floors from tools, spills, or heavy objects.
- **Play Areas:** Create a softer, safer surface for children's play areas.

6. MAINTENANCE

Maintaining your Crivit floor protection mats is simple:

- **Cleaning:** The mats are easy to clean. For general dirt and dust, wipe the surface with a damp cloth and mild soap. Avoid abrasive cleaners or harsh chemicals.
- **Drying:** Allow the mats to air dry completely before re-using or storing them to prevent mildew.
- **Storage:** If storing, ensure the mats are clean and dry. They can be disassembled and stacked for compact storage.

7. TROUBLESHOOTING

Here are solutions to common issues you might encounter:

- **Mats not interlocking securely:** Ensure the tabs are correctly aligned and apply firm, even pressure. Check for any debris caught between the interlocking edges.
- **Mats slipping on the floor:** While anti-slip, ensure the underlying floor is completely dry and clean. For extremely smooth surfaces, consider placing an additional anti-slip layer underneath the mats if necessary, though this is generally not required.
- **Damage to mats:** If a mat becomes torn or significantly damaged, it is recommended to replace the individual tile to maintain the integrity and protective qualities of the entire mat system.

8. SPECIFICATIONS

Brand:	Crivit
Model:	Interlocking Floor Protection Mats (B08RWK146R)
Material:	100% Polyethylene Foam
Color:	Black
Tile Dimensions (each):	41 x 43 x 0.8 cm (approximately 16.1 x 16.9 x 0.3 inches)
Set Quantity:	8 pieces
Maximum Weight Capacity:	136 kg (300 lbs)
Special Features:	Anti-slip, Shock-absorbing, Water-repellent, Anti-crease

9. WARRANTY AND SUPPORT

For warranty information and customer support, please refer to the documentation provided at the time of purchase or contact your retailer. Keep your proof of purchase for any warranty claims.