

VINGLI LC0W24W

VINGLI 24-Inch Laundry Sink with Cabinet and Pull-Out Sprayer Faucet Instruction Manual

Model: LC0W24W

1. IMPORTANT SAFETY INFORMATION

WARNING: Children have died from furniture tipover. To reduce the risk of furniture tipover:

- ALWAYS install tipover restraint provided.
- NEVER put a TV on this product.
- NEVER allow children to stand, climb or hang on drawers, doors, or shelves.
- NEVER open more than one drawer at a time.
- Place heaviest items in the lowest drawers.
- Do not defeat or remove the drawer interlock system. This is a permanent label. Do not remove!

Always follow all safety guidelines provided in the packaging and this manual. Keep small parts away from children during assembly.

2. PRODUCT COMPONENTS

The VINGLI 24-Inch Laundry Sink with Cabinet and Pull-Out Sprayer Faucet is shipped in two separate boxes. Please ensure both boxes have arrived before beginning assembly.

- **Box 1:** Cabinet with hardware and assembly manual.
- **Box 2:** Stainless steel sink, pull-out sprayer faucet, drain strainer, and pipe supply lines.

Inspect all components for damage or missing parts before assembly. If any parts are missing or damaged, contact customer support.




Figure 2.1: Front and back view of the VINGLI 24-Inch Laundry Sink with Cabinet, showing dimensions (23.6\"W x 19.7\"D x 33.5\"H).

3. SETUP AND INSTALLATION

3.1 Cabinet Assembly

Assemble the cabinet according to the instructions provided in Box 1. The cabinet panels are labeled to assist with identification during assembly. Ensure all cam locks, cam bolts, and wooden dowels are correctly installed and tightened.

Your browser does not support the video tag.

Video 3.1: VINGLI 3-in-1 Connector & Wooden Dowel Installation Demo. This video demonstrates the proper installation of connectors and wooden dowels for cabinet assembly.

3.2 Wall-Mounting Hardware Installation

To prevent tip-over, install the provided L-shaped brackets or anti-tipping strap. Lay the cabinet flat and insert the L-shaped brackets into the back panel notch, ensuring they touch the floor and sit flush. Attach the brackets to the cabinet with screws. Mark the wall through the brackets, move the cabinet, drill pilot holes, drive expansion bolts into the wall, and then reposition the cabinet. Secure the cabinet to the wall by passing screws through the washers and brackets into the expansion bolts.

Your browser does not support the video tag.

Video 3.2: VINGLI Anti-Tipping Device Installation Demo. This video illustrates the steps for installing the wall-mounting hardware to secure the cabinet.

3.3 Sink and Faucet Installation

Install the stainless steel sink into the cabinet. Connect the pull-out sprayer faucet using the provided supply lines. The

faucet offers both spray and stream modes, and water volume and temperature can be adjusted with a single handle. Install the drain strainer and connect the pipe supply lines to your plumbing system. Note that the faucet supply lines may require adapters for standard US plumbing connections.



Figure 3.1: Close-up view of the stainless steel pull-out sprayer faucet, highlighting its features and connection type.

4. OPERATING INSTRUCTIONS

4.1 Using the Sink

The sink basin is 9 inches deep and has a 13-gallon water capacity, suitable for various utility tasks such as pre-washing laundry, cleaning tools, or bathing small pets. The 304 stainless steel construction provides durability and resistance to impacts.

Spacious Washing Bowl

13-Gallon Water Capacity
Offering enough room for daily washing



Figure 4.1: The deep sink basin, illustrating its capacity and the included 3 1/2" basket strainer.

4.2 Faucet Operation

The pull-out sprayer faucet allows for flexible water delivery. Use the button on the sprayer head to switch between spray and stream modes. The single handle controls both water volume and temperature. Pull the handle forward for cold water and push it back for hot water. Adjust the handle's height to control water flow.

4.3 Cabinet Storage

The cabinet beneath the sink provides spacious storage for laundry detergents, cleaning supplies, and other items. The cabinet features two doors with metal knobs and magnetic catches to keep them securely closed.

Space-saving Storage Cabinet

Hide the drainage pipe and utilizes the space beneath the sink



Figure 4.2: The cabinet under the sink, demonstrating its storage capacity for various items.

5. MAINTENANCE

5.1 Sink Care

The 304 stainless steel sink is designed for durability and resistance to corrosion and oxidation. Clean the sink regularly with a mild detergent and a soft cloth. Avoid abrasive cleaners or scouring pads that can scratch the surface. Rinse thoroughly after cleaning to prevent water spots.

304 Food-grade Stainless Steel Sink

Brushed crafted sink, not prone to rust




Figure 5.1: Detail of the 304 food-grade stainless steel sink, highlighting its 18-gauge, 1.2mm thickness.

5.2 Cabinet Care

The cabinet is made of P2 Grade MDP with a painted finish. Clean the cabinet surfaces with a damp cloth and mild soap. Avoid harsh chemicals that may damage the finish. Ensure spills are wiped promptly to prevent moisture damage.

6. TROUBLESHOOTING

6.1 Water Leaks or Low Pressure

- Check all plumbing connections for tightness. Ensure the supply lines are securely fastened to both the faucet and the wall valves.
- Verify that the faucet supply lines are compatible with your existing plumbing. Adapters may be required for certain connections.
- Inspect the faucet for any visible damage or loose components.

6.2 Cabinet Doors Not Closing Properly

- Check the alignment of the hinges and adjust if necessary.
- Ensure the magnetic catches are properly aligned and functioning.

6.3 Sink Drainage Issues

- Ensure the drain strainer is clear of debris.
- Verify that the drainage pipes are correctly installed and free from blockages.

7. SPECIFICATIONS

Feature	Specification
Brand	VINGLI
Model Number	LC0W24W
Color	White
Material	Engineered Wood, Stainless Steel
Product Dimensions (D x W x H)	19.7"D x 23.6"W x 33.5"H
Item Weight	58.3 Pounds
Base Width	23.6 Inches
Finish Type	Painted
Installation Type	Freestanding
Drain Type	Grid
Style	2 Doors
Shape	Rectangular

8. WARRANTY AND SUPPORT

This product comes with a 3-year manufacturer warranty. For warranty claims or technical support, please contact VINGLI customer service. Refer to the contact information provided in your product packaging or on the official VINGLI website.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question