

[Manuals.plus](#) /

› [BATHLAVISH](#) /

› BATHLAVISH Black Bathroom Faucet and Shower System User Manual

BATHLAVISH B08RYPWT6V

BATHLAVISH Black Bathroom Faucet and Shower System User Manual

Model: B08RYPWT6V

IMPORTANT SAFETY INFORMATION

Please read all instructions carefully before installation and use. Failure to follow these instructions may result in property damage, personal injury, or voiding of warranty.

- Ensure all water supply lines are turned off before beginning installation.
- Wear appropriate personal protective equipment, such as safety glasses and gloves, during installation.
- If you are unsure about any part of the installation process, consult a qualified plumber.
- Do not use harsh chemicals or abrasive cleaners on the product finish.
- Regularly check for leaks and tighten connections as needed.

PACKAGE CONTENTS

Verify that all components are present before beginning installation. If any parts are missing or damaged, contact customer support.

- Black Bathroom Faucet (Waterfall Single Hole)
- Black Shower System (Rainfall Head, Handheld Shower)
- Installation Hardware
- Installation Instructions (this manual)
- 12-inch Square Rain Shower Head (304 stainless steel)
- Handheld Shower Head (Brass)
- 15.75-inch Shower Arm (Brass)
- Shower Hose (PVC)
- Shower Holder (Brass)

- Water Control Valve (Brass)

SPECIFICATIONS

Feature	Specification
Brand	BATHLAVISH
Material	Brass
Finish Type	Matte Black
Number of Handles	1
Mounting Type	Deck Mount (Faucet)
Rain Shower Head Size	12 inch Square
Shower Arm Length	15.75 inches
Water Pressure (Shower)	Up to 2.5 GPM

INSTALLATION GUIDE

Faucet Installation

Pre-Installation

- Turn off the main water supply.
- Clear the area under the sink for easy access.
- Ensure your sink has a compatible hole configuration (1 or 3 holes).

Step-by-Step Faucet Installation

1. **Prepare the Sink Hole:** For a single-hole installation, ensure the hole size is between 0.99-1.6 inches. For a 3-hole installation, use the included deck plate (6.3 inches wide) to cover the outer holes.

DIY 1 OR 3 HOLE INSTALLATION




Figure 1: Faucet Installation Options (1 or 3 Hole)

2. **Mount the Faucet:** Place the faucet body through the sink hole. Secure it from underneath the sink using the provided mounting hardware (gasket, washer, and nut).
3. **Connect Water Lines:** Attach the hot and cold water supply lines to the corresponding inlets on the faucet. The standard connector size is 1/2-inch. Ensure connections are tight to prevent leaks.

1/2" Connecting Hole Size

Standard 1 / 2-inch connector, solid brass body is more durable and will not burst and leak.




Figure 2: 1/2-inch Connecting Hole Size

4. **Test for Leaks:** Once all connections are secure, slowly turn on the main water supply and check for any leaks around the faucet and supply lines.

Shower System Installation

Pre-Installation

- Ensure the main water supply to the shower area is turned off.
- Confirm you have adequate wall support for mounting the shower system components.

Step-by-Step Shower System Installation

1. **Install the Water Control Valve:** Mount the brass water control valve into the wall according to standard plumbing practices. Ensure it is level and securely fastened.
2. **Attach Shower Arm:** Secure the 15.75-inch brass shower arm to the wall outlet from the control valve.
3. **Connect Rain Shower Head:** Thread the 12-inch square rain shower head onto the shower arm. Ensure a tight seal.

Head Angle Adjustment Device

Adjusting the head can bathe the whole body without changing the standing position.



Figure 3: Head Angle Adjustment Device

4. **Install Handheld Shower Holder:** Mount the brass shower holder to the wall at a convenient height.
5. **Connect Handheld Shower and Hose:** Attach the PVC shower hose to the handheld shower head and then to the outlet on the control valve. Place the handheld shower into its holder.

High Pressure Handheld

The shower system outlet is designed with air pressurization to solve the problem of small water flow at home.



Figure 4: High Pressure Handheld Shower

6. **Test the System:** Turn on the water supply and check all connections for leaks. Test the functionality of the rain shower head, handheld shower, and the 3-function control valve.

OPERATING INSTRUCTIONS

Faucet Operation

The bathroom faucet features a single handle for controlling both water flow and temperature.

- **Water Flow:** Lift the handle upwards to increase water flow. Push it downwards to decrease or turn off the water.
- **Temperature Control:** Rotate the handle to the left for hot water and to the right for cold water.

SINGLE HANDLE ROTATION CONTROL



Figure 5: Single Handle Rotation Control

Shower System Operation

The shower system includes a 3-function control valve to switch between the rain shower head, handheld shower, or a combination.

- **Function Selection:** Use the control valve handle to select the desired water outlet. The valve typically allows for switching between the rain shower, handheld shower, or both simultaneously.
- **Water Flow and Temperature:** Adjust the main handle on the control valve to regulate water flow and temperature.
- **Rain Shower Head:** The 12-inch rain shower head injects air into the water for a natural rainfall experience. The angle can be adjusted for optimal coverage.
- **Handheld Shower:** The high-pressure handheld shower is designed to provide strong water flow, useful for targeted rinsing.

MAINTENANCE

Proper maintenance will ensure the longevity and optimal performance of your BATHLAVISH products.

Cleaning the Faucet

- Clean the matte black finish with a soft, damp cloth.
- Use mild soap and water if necessary.
- Avoid abrasive cleaners, harsh chemicals, or scouring pads, as these can damage the finish.
- Wipe dry after cleaning to prevent water spots.

Cleaning the Shower Head

- The rain shower head features silica gel outlets designed for easy cleaning.
- If water flow becomes restricted due to mineral buildup, gently rub the silica gel nozzles with your finger or a soft brush to dislodge deposits.

Design Silica Gel Outlet

It can be rubbed when the water outlet is blocked, and the trouble can be easily solved.




Figure 6: Design Silica Gel Outlet

- For more stubborn buildup, a solution of white vinegar and water can be used. Soak the shower head (if removable)

or apply the solution with a cloth, then rinse thoroughly.

TROUBLESHOOTING

Refer to the table below for common issues and their solutions.

Problem	Possible Cause	Solution
Low water flow from faucet/shower	Clogged aerator/nozzles; partially closed shut-off valve; low water pressure in home.	Clean faucet aerator or shower head nozzles (rub silica gel). Ensure shut-off valves are fully open. Check home's main water pressure.
Leaks at connections	Loose connections; worn washers/gaskets.	Tighten connections. Replace worn washers or gaskets if necessary.
Water temperature issues (too hot/cold)	Improper adjustment of water heater; faulty cartridge in faucet/valve.	Adjust water heater settings. If issue persists, contact a plumber to inspect/replace the cartridge.
Dripping faucet	Worn cartridge or seals.	Contact customer support or a plumber for cartridge replacement.

WARRANTY INFORMATION

BATHLAVISH products are manufactured to high-quality standards and are backed by a limited warranty. Please retain your proof of purchase for warranty claims. The warranty covers manufacturing defects under normal use and service. It does not cover damage resulting from improper installation, misuse, abuse, accident, or normal wear and tear. For specific warranty terms and conditions, please refer to the documentation included with your purchase or contact BATHLAVISH customer support.

CUSTOMER SUPPORT

If you have any questions, require assistance with installation, or need to report a problem, please contact BATHLAVISH customer support. Provide your product model number (B08RYPWT6V) and a detailed description of the issue to ensure prompt service.

Website: [Visit the BATHLAVISH Store on Amazon](#)

Email: Refer to your product packaging or the BATHLAVISH store page for the most current contact email.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question

and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question