

[Manuals.plus](#) /

› [WLIVE](#) /

› WLIVE Single Pipe Bed Frame ACH614BL User Manual

WLIVE ACH614BL

WLIVE Single Pipe Bed Frame ACH614BL User Manual

Model: ACH614BL

1. INTRODUCTION

Thank you for purchasing the WLIVE Single Pipe Bed Frame. This manual provides essential information for the safe assembly, operation, and maintenance of your new bed frame. Please read these instructions carefully before assembly and retain them for future reference.

The WLIVE Single Pipe Bed Frame is designed for single occupancy, offering a sturdy and breathable sleeping surface with convenient under-bed storage space. Its construction focuses on durability and quiet operation for an enhanced sleep experience.

2. SAFETY INFORMATION

- Always follow assembly instructions carefully.
- Ensure all bolts and screws are securely tightened before use. Periodically check and re-tighten as necessary.
- Do not exceed the maximum weight capacity of 200 kg (661 lbs).
- Keep small parts away from children during assembly to prevent choking hazards.
- Avoid standing or jumping on the bed frame.
- Place the bed frame on a level surface to ensure stability.

3. PACKAGE CONTENTS

Before beginning assembly, verify that all components are present and undamaged. If any parts are missing or damaged, please contact customer support.

- Bed Frame Components (Side Rails, Head/Foot Boards, Support Legs)
- LVL Plywood Slats (16 pieces)
- Hardware Pack (Bolts, Screws, Washers, Allen Wrench)
- Anti-slip Tape

- Instruction Manual

4. SETUP AND ASSEMBLY

Assembly of the WLIVE Single Pipe Bed Frame is designed to be straightforward. It is recommended to assemble the bed frame with two people, though it can be completed by one person.

Required Tools (Included):

- Allen Wrench

Assembly Steps:

1. Unpack all components and lay them out on a clean, soft surface to prevent scratches.
2. Attach the side rails to the head and foot boards using the provided bolts and Allen wrench. Ensure all connections are finger-tightened initially.
3. Install the central support beam and any additional support legs as indicated in the diagram.
4. Once the main frame is assembled, fully tighten all bolts. Do not overtighten.
5. Place the LVL plywood slats onto the designated support areas of the frame. Ensure they are evenly spaced and secured if applicable.
6. Apply the provided anti-slip tape to the contact surfaces of the frame where the slats rest to minimize noise.

サイズ目安

(単位: CM)





Figure 1: Bed Frame Dimensions. A technical diagram illustrating the overall dimensions of the bed frame: 195 cm length, 97 cm width, 25 cm height, and 17 cm under-bed clearance. Also shows slat dimensions of 70mm width and 15mm thickness.

15mm極厚すのこ x 四角フレーム型構造

この安定構造でより安心な睡眠を守ります



Figure 2: Sturdy Frame Structure. An illustration showing the sturdy construction of the WLIVE bed frame, including central support beams and thick slats, designed to support a load capacity of 200 kg.

5. OPERATING INSTRUCTIONS

Once assembled, the WLIVE Single Pipe Bed Frame is ready for use. Place your mattress directly onto the slats.

Weight Capacity:

The bed frame is designed to support a maximum weight of 200 kg (661 lbs), including the mattress and occupant(s).

Silent Operation:

The frame incorporates soundproofing features, including anti-slip tape on contact surfaces, to minimize noise and provide a quiet sleeping environment.

Under-Bed Storage:

The design provides 17 cm of clearance beneath the frame, offering ample space for storage bins, boxes, or other items. This space also allows for easy cleaning underneath the bed.



Figure 3: Assembled Bed Frame. An assembled WLIVE Single Pipe Bed Frame, featuring a minimalist black metal design, topped with blue bedding and a pillow, ready for use.



Figure 4: Under-Bed Storage. A view of the WLIVE bed frame showcasing the ample 17 cm under-bed clearance, suitable for storing baskets and other items, with an inset image demonstrating easy cleaning access.



滑り止めテープ

丁寧な静音設計

Figure 5: Silent Design. An image highlighting the silent design of the WLIVE bed frame, featuring anti-slip tape applied to contact surfaces to prevent noise and ensure a quiet sleep environment.

6. MAINTENANCE

Proper care and maintenance will extend the life of your WLIVE bed frame.

Cleaning:

- Wipe the metal frame with a dry cloth to remove dust and debris.
- Avoid using harsh chemicals or abrasive cleaners, as these can damage the finish.

Moisture Prevention and Breathability:

The slatted design of the bed frame promotes air circulation, which helps to prevent moisture buildup and mildew, contributing to a healthier sleep environment.

オールシーズン快適 通気性抜群すのこ



風通し



カビ防止



梅雨ジメジメ対策



Figure 6: Breathable Slat Design. A diagram demonstrating the excellent breathability of the bed frame's slatted design, promoting air circulation to prevent moisture and mildew.

7. TROUBLESHOOTING

If you encounter any issues with your bed frame, refer to the following common troubleshooting tips:

Squeaking Noises:

- **Check all bolts:** Ensure all assembly bolts are securely tightened. Loose connections are a common cause of squeaking.
- **Inspect slats:** Verify that all slats are properly seated and not rubbing against the frame. Re-apply or adjust anti-slip tape if necessary.
- **Level surface:** Ensure the bed frame is on a level floor. Uneven surfaces can cause stress on the frame and lead to noise.

Instability/Wobbling:

- **Re-tighten all hardware:** Systematically check and tighten every bolt and screw on the frame.
- **Verify assembly:** Double-check that all parts are assembled according to the instructions.
- **Floor levelness:** Ensure the bed is on a flat, stable surface. Use furniture pads or shims if the floor is uneven.

8. SPECIFICATIONS

Feature	Detail
Model Number	ACH614BL
Dimensions (L x W x H)	195 x 97 x 25 cm (76.4 x 38.2 x 9.8 inches)
Under-Bed Clearance	17 cm (6.7 inches)
Weight	22.1 kg (48.7 lbs)
Load Capacity	300 kg (661 lbs)
Material	Alloy Steel, Engineered Wood (LVL Plywood Slats)
Color	Black
Assembly Required	Yes
Slat Thickness	15 mm
Slat Width	70 mm
Slat Spacing	4.5 cm

すのこをもっと緊密に

薄いマットレスに寝ても、角に当たる感触なし



Figure 7: Slat Spacing Comparison. An image comparing the slat spacing of the WLIVE bed frame (4.5 cm) with a typical bed frame (10 cm), highlighting the closer spacing for better mattress support.

9. WARRANTY INFORMATION

WLIVE products are manufactured to high-quality standards. For specific warranty details, including coverage and duration, please refer to the warranty card included with your purchase or contact WLIVE customer support directly. Keep your proof of purchase for any warranty claims.

10. CUSTOMER SUPPORT

If you have any questions, require assistance with assembly, or need to report missing/damaged parts, please contact WLIVE customer support. Contact information can typically be found on the product packaging, the WLIVE official website, or through your retailer.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

<https://manuals.plus/asin/B08SBTL5YY>

More documents and user manuals: <https://manuals.plus/>